




IDEAS CONCEPTS TECHNICS TEAMSPIRIT VISION

www.deltalight.com



the bright side of light

ARCHITECTURAL LIGHTING IS THE LINK
BETWEEN ATMOSPHERE AND DESIGN,
BETWEEN SHAPE AND LIGHTING OUTPUT.
THIS SUBTLE AND EXQUISITE APPROACH
TO LIGHTING REQUIRES TECHNICAL
INSIGHT, KNOW-HOW AND CRAFTMANSHIP

 **DELTA**LIGHT

⌘ DELTALIGHT THE LIGHTING BIBLE®

INTERIOR LIGHTING

SPOTS



INT 4

BASES



INT 16

DOWNLIGHTERS



INT 22

DOWNLIGHT FEATURES



INT 50

OBJECT LIGHTING



INT 124

WALL LAMPS



INT 240

PROFILES



INT 308

MOBILE LIGHTING



INT 410

INFO

COLLECTIONS

INFO 3

TECHNICS

INFO 8

INDEX

INFO 14

MANUAL




LEGEND



Spots

INTERIOR LIGHTING SPOTS



TYPE	INT
B-CRAFT	7
C-CRAFT	7
CABRIO	9
CLUB	7
COCKTAIL	9
COUPE	9
CREDO	8
CREDO DOME	8
CUP	10
FLOW	11
GRANSLAM	9
HALOSUN	9
HARLEY	11
LOEWS	11
LOFT	9
PHANTOM II	11
PINO	10
RAND	7
RIBBEN	11
STEPS	11

*** ΔΔ ∞ ∅

REFERENTIE
REFERENCE
REFERENCE
REFERENZ
REFERENCIA
RIFERIMENTO

BEVESTIGING
FIXATION
FIXING
MANTAGE
MANTAJE
MONTAGGIO

ΔΔ
SOORT
MODELE
TYPE
TYPE
TIPO
TIPO

ΔΔ
SOORT
MODELE
TYPE
TYPE
TIPO
TIPO

∞
PENDEL
TIGE
STEM
STAB
TIJA
STELO

∅
KLEUR
COULEUR
COLOUR
FARBE
COLOR
COLORE



JAC
JACK



DEL
DELTA CLIP



DAX
DAX CLIP



M10
M10



FIX
DELTA FIX

01
PINO

03
CABRIO

04
PHANTOM II

20
HALOSUN

25
HARLEY

26
LOEWS

27
FLOW

28
RIBBEN

29
STEPS

40
GRANSLAM

56
COCKTAIL

57
COUPE

58
CUP 50

60
LOFT

61
CREDO 50

62
CREDO 70

63
CREDO 111

64
CREDO 111+

66
CREDO DOME 111

67
CLUB 50

68
CLUB 70

69
CLUB 111

71
C-CRAFT

72
B-CRAFT

73
RAND

00
0

01
75

03
30

15
150

30
300

50
500

75
750

100
1000

125
1250

A
ALU GRIJS
ALU GRIS
ALU GREY
ALU GRAU
ALU GRIS
ALLU GRIGIO

ALU
ALUMINIUM
ALUMINIUM
ALUMINIUM
ALUMINIUM
ALUMINIO
ALUMINIO

ANO
GEANODISEERD ALU
ALU ANODISE
ALU ANODISED
ALU ELOXIERT
ALU ANODIZADO
ALLU ANODIZZATO

B
ZWART
NOIR
BLACK
SCHWARZ
NEGRO
NERO

W
WIT
BLANC
WHITE
WEIß
BLANCO
BIANCO



CREDO 111+ + FRONTGLASS 109



CLUB 111 + CLIP 111 A + COLOUR FILTER 111 RED



CLUB 111 + CLIP 111 + LENS 111



CREDO 50 + CLIP 50 A + DICROIC FILTER 50 BLUE



HALOSUN + HALORING



C-CRAFT 111 + CRAFTRING 111

ACCESSORIES



CLIP 111 A
201 27 99 A
Ø110
0,1



FRONTGLASS 111
201 17 00
Ø100
0,1



COLOUR FILTER 111
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●
Ø100
0,1



LENS 111
201 47 11
Ø100
0,1


INTERIOR LIGHTING

SPOTS

B-CRAFT / C-CRAFT
RAND
CLUB

B-CRAFT® 111

CRAFT COLLECTION : INFO 3




B-CRAFT 111 ALU

*** 72 00 ALU

*** = JAC / M10

G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W




ACCESSORIES :
CRAFTRING 111



CLUB 50

CLUB COLLECTION : INFO 3




CLUB 50 A

*** 67 00 A

*** = JAC / DEL / DAX / M10

GX5.3 / 12V / EXCL.TRANSFO
1 x QR-CB51 20-35-50W




ACCESSORIES :
DICOIC FILTER 50



C-CRAFT® 111

CRAFT COLLECTION : INFO 3




C-CRAFT 111 ALU

*** 71 00 ALU

*** = JAC / M10

G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W




ACCESSORIES :
CRAFTRING 111



CLUB 70

CLUB COLLECTION : INFO 3




CLUB 70 A

*** 68 00 A

*** = JAC / DEL / DAX / M10

BA15d / 12V / EXCL.TRANSFO
1 x QR-LP70 20-50W




ACCESSORIES :
CRAFTRING 111



RAND 111

RAND COLLECTION : INFO 3




RAND 111 A

*** 73 00 A

*** = JAC / DEL / DAX / M10

G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W
1 x QR-HP111 + 75-100W




ACCESSORIES :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



CLUB 111

CLUB COLLECTION : INFO 3




CLUB 111 A

*** 69 00 A

*** = JAC / DEL / DAX / M10

G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W
1 x QR-HP111 + 75-100W




ACCESSORIES :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



ACCESSORIES



DICOIC FILTER 50
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●



CRAFTRING 111 ANO
310 00 99 ANO

INTERIOR LIGHTING


SPOTS

CREDO

CREDO DOME

CREDO 50


CREDO COLLECTION : INFO 4



CREDO 50 A

*** 61 00 A

*** = JAC / DEL / DAX / M10
GU5.3 / 12V / EXCL.TRANSFO
1 x QR-CB51 20-35-50W




ACCESSORIES :

CLIP 50 + DICROIC FILTER 50



CREDO 111+


CREDO COLLECTION : INFO 4



CREDO 111+ A

*** 64 00 A

*** = JAC / DEL / M10
G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W
1 x QR-HP111 + 75-100W



ACCESSORIES :

FRONTGLASS 109


COLOUR FILTER 109

LENS 109



CREDO 70


CREDO COLLECTION : INFO 4



CREDO 70 A


*** 62 00 A

*** = JAC / DEL / DAX / M10
BA15d / 12V / EXCL.TRANSFO
1 x QR-LP70 20-50W



CREDO DOME 111


DOME COLLECTION : INFO 4



CREDO DOME 111 A

*** 66 00 A

*** = JAC / DEL / M10
G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W
1 x QR-HP111 + 75-100W



ACCESSORIES :

FRONTGLASS 118 / IP43

COLOUR FILTER 118 / IP43




CREDO 111

CREDO COLLECTION : INFO 4




IF Award
Hannover Messe 1997



CREDO 111 A

*** 63 00 A

*** = JAC / DEL / DAX / M10
G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W



ACCESSORIES



FRONTGLASS 109
201 18 00
FRONTGLASS 118
201 19 00



COLOUR FILTER 109
201 28 11
201 28 12
201 28 13
201 28 14

COLOUR FILTER 118
201 29 11
201 29 12
201 29 13
201 29 14




LENS 109
201 48 01

INTERIOR LIGHTING

SPOTS

LOFT / CABRIO / COUPE
GRANSLAM / HALOSUN / COCKTAIL

LOFT



LOFT A

*** 60 °° A

*** = JAC / M10


°° = 50 / 75 / 100 / 125

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

GRANSLAM

GRANSLAM COLLECTION : INFO 4



GRANSLAM ANO


*** 40 50 ANO

*** = JAC / DEL / M10 / FIX

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

CABRIO



CABRIO ◊

*** 03 50 ◊

*** = JAC / DEL / M10 / FIX

◊ = A / B / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB35 20-35W

1 x QR-CB51 20-35-50W


ACCESSORIES :

CLIP 50 + DICROIC FILTER 50

KAP LOEWS / RIBBEN / FLOW / STEPS



HALOSUN



HALOSUN ◊

*** 20 °° ◊

*** = JAC / DEL / DAX / M10 / FIX

°° = 01 / 15 / 30 / 50

◊ = A / B / W

G53 / 12V / EXCL.TRANSFO


1 x QR-LP111 35-50-75-100W

ACCESSORIES :

HALORING



COUPE



COUPE ANO

*** 57 °° ANO


*** = JAC / DEL / DAX / FIX / M10

°° = 01 / 15

GU5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

COCKTAIL



COCKTAIL A

*** 56 °° A

*** = JAC / DEL / DAX / M10

°° = 01 / 03

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB35 20-35W


ACCESSORIES



CLIP 50 A / B / W
201 30 98 A
201 30 98 B
201 30 98 W



DICROIC FILTER 50
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●




HALORING B
203 05 90 B

INTERIOR LIGHTING

SPOTS

CUP
PINO

CUP 50



CUP 50 A

*** 58 00 A

*** = JAC / M10 / FIX

GU5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

IP20 (0,5)

ACCESSORIES / OPTIONS :


CLIP 50 + DICROIC FILTER 50

CUP 50 FIX A

COVERSET S 62-80-90



PINO



PINO Ø

*** 01 °° Ø

*** = JAC / DEL / DAX / M10 / FIX

°° = 01 / 15 / 30 / 50

Ø = A / B / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB35 20-35W

1 x QR-CB51 20-35-50W

IP20 (0,5)

ACCESSORIES :

CLIP 50 + DICROIC FILTER 50

KAP LOEWS / RIBBEN / FLOW / STEPS



ACCESSORIES




KAP FLOW Ø

203 06 27 Ø

Ø = A / B / W

0,1




KAP STEPS Ø

203 06 29 Ø

Ø = A / B / W

0,1




KAP LOEWS Ø

203 06 26 Ø

Ø = A / B / W

0,1




KAP RIBBEN Ø


203 06 28 Ø

Ø = A / B / W

0,1



OPTIONS



COVERSET S

□ 62

□ 80

□ 90

COVERSET S 62

COVERSET S 80

COVERSET S 90

204 62 62 ANO

204 80 80 ANO


204 90 90 ANO

INTERIOR LIGHTING

SPOTS

PHANTOM II / FLOW / STEPS
HARLEY / LOEWS / RIBBEN

PHANTOM II



PHANTOM II ♦

*** 04 °° ♦

*** = JAC / DEL / DAX / M10 / FIX
°° = 01 / 15 / 30 / 50

♦ = A / B / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB35 20-35W

1 x QR-CB51 20-35-50W


ACCESSORIES :

CLIP 50 + DICROIC FILTER 50

KAP LOEWS / RIBBEN / FLOW / STEPS



HARLEY



HARLEY ♦

*** 25 °° ♦

*** = JAC / DEL / DAX / M10 / FIX
°° = 01 / 15 / 30 / 50

♦ = A / B / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W


ACCESSORIES :

CLIP 50 + DICROIC FILTER 50

KAP LOEWS / RIBBEN



FLOW



FLOW ♦

*** 27 °° ♦

*** = JAC / DEL / DAX / M10 / FIX
°° = 01 / 15 / 30 / 50


♦ = A / B / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB35 20-35W



LOEWS



LOEWS ♦

*** 26 °° ♦

*** = JAC / DEL / DAX / M10 / FIX
°° = 01 / 15 / 30 / 50

♦ = A / B / W

GX5.3 / 12V / EXCL.TRANSFO


1 x QR-CB51 20-35-50W

ACCESSORIES :

DICROIC FILTER 50



STEPS



STEPS ♦

*** 29 °° ♦

*** = JAC / DEL / DAX / M10 / FIX
°° = 01 / 15 / 30 / 50


♦ = A / B / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB35 20-35W



RIBBEN



RIBBEN ♦

*** 28 °° ♦

*** = JAC / DEL / DAX / M10 / FIX
°° = 01 / 15 / 30 / 50

♦ = A / B / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

ACCESSORIES :

DICROIC FILTER 50



ACCESSORIES



CLIP 50 A / B / W
201 30 98 A
201 30 98 B
201 30 98 W



DICROIC FILTER 50
201 30 11
201 30 12
201 30 13
201 30 14

EXCL. 1 x SPOT JAC $\Delta\Delta$ ∞ $\diamond$

12V / EXCL. TRANSFO

 IP20

INTERIOR LIGHTING

SPOTS


JACK SYSTEM

JACK SYSTEM


JACK

SPOTS JAC $\Delta\Delta$ ∞ $\diamond$

10A




JACKPOINT

 16 x 45 max.30

JACK SYSTEM

JACKPOINT $\diamond$ 203 10 01 $\diamond$ $\diamond = A / B / W$  0,1

LOCKPOINT + LOCKBUS


 18 x 45LOCKPOINT $\diamond$ 203 10 05 $\diamond$ $\diamond = A / B / W$  0,1

JACK SYSTEM




LOCKBUS C

203 10 10 C

 0,1

MINI LOCKPOINT + LOCKBUS


 18 x 45 max.6MINI LOCKPOINT $\diamond$ 203 10 09 $\diamond$ $\diamond = B / C / W$  0,1

JACK SYSTEM




LOCKBUS C

203 10 10 C

 0,1

OPTIONS



COVERSET R

Ø62

Ø90

Ø100

COVERSET R 62

COVERSET R 90


COVERSET R 100

204 00 62 ANO

204 00 90 ANO

204 00 100 ANO


CARREEPOINT

 16 x 45 max.30

JACK SYSTEM

CARREEPOINT $\diamond$ 203 10 02 $\diamond$ $\diamond = A / W$  0,1

DELTAPOINT SINGLE

 68 x 50 max.35DELTAPOINT SINGLE $\diamond$ 203 20 01 $\diamond$ $\diamond = A / B / W$  0,2

JACK SYSTEM




SAX 1

SAX 1 $\diamond$ 203 10 15 $\diamond$ $\diamond = A / W$  0,2

OPTIONS :


COVERSET R 62-90-100

 0,2

JACK SYSTEM



DAXPOINT

 58 x 45 max.12DAXPOINT $\diamond$ 203 20 03 $\diamond$ $\diamond = A / B / W$  0,1

JACK SYSTEM



12V / EXCL. TRANSFO



INTERIOR LIGHTING



SPOTS

DELTA CLIP / DAX / M10 / FIX SYSTEM

LOFT

RAND 111

DELTA CLIP SYSTEM




DELTA CLIP

SPOTS DEL $\Delta\Delta$ °° $\diamond$

DAX CLIP SYSTEM

58 x 45

max.12





DAX CLIP

SPOTS DAX $\Delta\Delta$ °° $\diamond$

M10 SYSTEM

12

max.10




M10

SPOTS M10 $\Delta\Delta$ °° $\diamond$

DELTA FIX SYSTEM

18




DELTA FIX

SPOTS FIX $\Delta\Delta$ °° $\diamond$

ROSAS DELTA CLIP


DELTA CLIP SYSTEM

ROSAS DELTA CLIP $\diamond$ 203 05 02 $\diamond$ $\diamond$ = A / B / WEXCL. 1 x SPOT DEL $\Delta\Delta$ °° $\diamond$

0,1

OPTIONS :




COVERSET R 62-90-100



PIVOT

PIVOT $\diamond$ 203 05 20 $\diamond$ $\diamond$ = A / B / WEXCL. 1 x SPOT $\Delta\Delta$ °° $\diamond$

0,1



INTERIOR LIGHTING

SPOTS

CREDO 111

GRANSLAM

LOFT



INTERIOR LIGHTING

SPOTS

CLUB 111

CREDO 111 / PHANTOM + KAP LOEWS





INTERIOR LIGHTING BASES



TYPE	INT
FORUM	18
MICROBASE	18
SUNSET	19
TARGET	18


Bases

INTERIOR LIGHTING

BASES

FORUM
TARGET
MICROBASE


FORUM 1



FORUM 1 A
250 13 10 A
EXCL. 1 x SPOT JAC $\Delta\Delta$ °° $\diamond$
230-240V / 50-60Hz / TE
1 x 35-50-75-100W
 $\diamond$ CE $\frac{0}{0,6}$ IP20

FORUM 1 + 1 x CLUB 111


TARGET 1



TARGET 1 A
250 14 10 A
EXCL. 1 x SPOT JAC $\Delta\Delta$ °° $\diamond$
230-240V / 50-60Hz / TE
1 x 20-35-50W
 $\diamond$ CE $\frac{0}{0,3}$ IP20

TARGET 1 + 1 x CLUB 70

FORUM 2




FORUM 2 A
250 13 20 A
EXCL. 2 x SPOT JAC $\Delta\Delta$ °° $\diamond$
230-240V / 50-60Hz / TE
2 x 20-35-50W
 $\diamond$ CE $\frac{0}{0,7}$ IP20

FORUM 2 + 2 x CREDO 70

MICROBASE 2


MOD.DEP.



MICROBASE 2 $\diamond$
250 12 20 $\diamond$
 $\diamond$ = A / **W**
EXCL. 2 x SPOT JAC $\Delta\Delta$ °° $\diamond$
230-240V / 50-60Hz / TE
2 x 20-35-50W
 $\diamond$ CE $\frac{0}{0,8}$ IP20

MICROBASE 2 + 2 x CREDO 70

FORUM 4




FORUM 4 A
250 13 40 A
EXCL. 4 x SPOT JAC $\Delta\Delta$ °° $\diamond$
230-240V / 50-60Hz / TE
4 x 20-35W
 $\diamond$ CE $\frac{0}{1}$ IP20

FORUM 4 + 4 x COUPE



INTERIOR LIGHTING BASES SUNSET

SUNSET 1




SUNSET 1 A
250 11 10 A
EXCL. 1 x SPOT JAC ΔΔ °° ◊
230-240V / 50-60Hz / TE
1 x 20-35-50W

◊ CE IP20



SUNSET 3




SUNSET 3 A
250 11 30 A
EXCL. 3 x SPOT JAC ΔΔ °° ◊
230-240V / 50-60Hz / TE
3 x 20-35-50W

◊ CE IP20



SUNSET 2




SUNSET 2 A
250 11 20 A
EXCL. 2 x SPOT JAC ΔΔ °° ◊
230-240V / 50-60Hz / TE
2 x 20-35-50W

◊ CE IP20



SUNSET 4



SUNSET 4 A
250 11 40 A
EXCL. 4 x SPOT JAC ΔΔ °° ◊
230-240V / 50-60Hz / TE
4 x 20-35-50W

◊ CE IP20



INTERIOR LIGHTING BASES
SUNSET



INTERIOR LIGHTING


BASES

SUNSET


FORUM



INTERIOR LIGHTING DOWNLIGHTERS



INTERIOR LIGHTING DOWNLIGHTERS



TYPE	INT
ARTUUR	35
CARREE	26
CENTER	38
CIRCLE	47
DEEP CIRCLE	47
ID	40
ID DOME	40
ID RICHE	41
LIMIT	25
LUXOR	47
MB 35	46
MB 50	46
MINI CARREE	29
MZ 35	46
RB 35	46
RB 50	46
RINGO	47
STARLIGHT	46

Downlighters


INTERIOR LIGHTING DOWNLIGHTERS
LIMIT

INTERIOR LIGHTING DOWNLIGHTERS
LIMIT

LIMIT 180

LIMIT COLLECTION : INFO 5


79 x 79 x 155

**LIMIT 180 ANO****274 47 10 ANO**

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

FIX



OPTIONS :

LIMIT 180 BOX





LIMIT 180 + LIMIT 180 BOX

LIMIT 235

LIMIT COLLECTION : INFO 5

141 x 79 x 175

max.15


**LIMIT 235 ANO****274 47 20 ANO**

GX5.3 / 12V / EXCL.TRANSFO

2 x QR-CB51 20-35-50W

1 x ORIENTABLE 10°-45°

1 x FIX



OPTIONS :

LIMIT 145 / 235 BOX





LIMIT 235 + LIMIT 145 / 235 BOX

LIMIT 145

LIMIT COLLECTION : INFO 5

141 x 79 x 155


max.15

**LIMIT 145 ANO****274 47 15 ANO**

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

ORIENTABLE 10°-45°



OPTIONS :

LIMIT 145 / 235 BOX





LIMIT 145 + LIMIT 145 / 235 BOX

LIMIT 235 RA

LIMIT COLLECTION : INFO 5

174 x 95 x 160

max.15

**LIMIT 235 RA ANO****274 47 21 ANO**

GX5.3 / 12V / EXCL.TRANSFO


1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°

E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG

1 x HIPAR20 35W

ORIENTABLE 10°-45°



OPTIONS :

LIMIT 235 RA BOX




LIMIT 235 RA + LIMIT 235 RA BOX

OPTIONS





111 x 111 x 155

**LIMIT 180 BOX****274 98 10**

173 x 111 x 155 : LIMIT 145


173 x 111 x 175 : LIMIT 235

max.15

**LIMIT 145 / 235 BOX****274 98 15**

206 x 127 x 160

max.15

**LIMIT 235 RA BOX****274 98 21**

INTERIOR LIGHTING

DOWNLIGHTERS

CARREE

CARREE+


SYSTEM 1

76 x 69 x 100

max.35

SYSTEM 2

76 x 69 x 100



CARREE+ S1 A

202 20 05 A

CARREE+ S1 W

202 20 05 W

CARREE+ S2 A

202 20 15 A

CARREE+ S2 W

202 20 15 W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

FIX



OPTIONS :

CARREE+ PLASTERKIT

CARREE+ CONCRETE BOX

CARREE C20



SYSTEM 1

81 x 81 x 145

max.35

SYSTEM 2

81 x 81 x 145



CARREE C20 S1 A

202 21 40 A

CARREE C20 S1 W

202 21 40 W

CARREE C20 S2 A

202 21 41 A


CARREE C20 S2 W

202 21 41 W

E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG

1 x HIPAR20 35W

FIX



OPTIONS :

CARREE MAX / OK / C20 / H20 PLASTERKIT

CARREE MAX / OK / C20 / H20 CONCRETE BOX

CARREE MAX



SYSTEM 1

81 x 81 x 100

max.30

SYSTEM 2

81 x 81 x 100



CARREE MAX S1 A

202 22 05 A

CARREE MAX S1 W

202 22 05 W

CARREE MAX S2 A

202 22 15 A

CARREE MAX S2 W

202 22 15 W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

FIX



OPTIONS :

CARREE MAX / OK / C20 / H20 PLASTERKIT

CARREE MAX / OK / C20 / H20 CONCRETE BOX

CARREE H20



SYSTEM 1

81 x 81 x 145

max.35

SYSTEM 2

81 x 81 x 145



CARREE H20 S1 A

202 21 50 A

CARREE H20 S1 W

202 21 50 W

CARREE H20 S2 A

202 21 51 A


CARREE H20 S2 W

202 21 51 W

E27Ls / 230-240V / 50-60Hz

1 x QPAR20 50W

FIX



OPTIONS :

CARREE MAX / OK / C20 / H20 PLASTERKIT

CARREE MAX / OK / C20 / H20 CONCRETE BOX

ACCESSORIES



DICHROIC FILTER 50

201 30 11


201 30 12

201 30 13

201 30 14

INTERIOR LIGHTING DOWNLIGHTERS CARREE

CARREE Ra



SYSTEM 1

88 x 95

max.35

SYSTEM 2

88 x 95

SYSTEM 1

88 x 105

max.35

SYSTEM 2

88 x 105

CARREE Ra50 S1 A

202 20 02 A

CARREE Ra50 S1 W

202 20 02 W

CARREE Ra50 S2 A

202 20 12 A

CARREE Ra50 S2 W

202 20 12 W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

FIX

IP20 850°C (0,5)

CARREE Ra50 Hi S1 A

202 20 03 A

CARREE Ra50 Hi S1 W

202 20 03 W

CARREE Ra50 Hi S2 A

202 20 13 A

CARREE Ra50 Hi S2 W

202 20 13 W

GU10 / 230-240V / 50-60Hz

1 x QPAR16 50W

FIX

IP20 850°C (0,5)

CARREE OK



SYSTEM 1

81 x 81 x 80

max.35

SYSTEM 2

81 x 81 x 80



CARREE OK S1 A

202 21 10 A

CARREE OK S1 W

202 21 10 W

CARREE OK S2 A

202 21 11 A

CARREE OK S2 W

202 21 11 W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°


IP20 850°C (0,5)

OPTIONS / ACCESSORIES :

CARREE MAX / OK / C20 / H20 PLASTERKIT

CARREE MAX / OK / C20 / H20 CONCRETE BOX

DICROIC FILTER 50



CARREE



SYSTEM 1

73 x 64 x 90

max.35

SYSTEM 2

73 x 64 x 90



CARREE S1 A

202 20 01 A

CARREE S1 W

202 20 01 W

CARREE S2 A

202 20 11 A

CARREE S2 W

202 20 11 W

FIX

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

IP20 850°C (0,2)

OPTIONS / ACCESSORIES :

CARREE PLASTERKIT


CARREE CONCRETE BOX

DICROIC FILTER 50

MIRROR PEN



ACCESSORIES



MIRROR PEN

202 02 02 C


0,1



CARREE + MIRROR PEN

INTERIOR LIGHTING DOWNLIGHTERS
CARREE


CARREE 145



SYSTEM 1

110 x 78 x 90

max.35



CARREE 145 S1 A

202 21 15 A

CARREE 145 S1 W

202 21 15 W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

ORIENTABLE 10°-45°

IP20 850°C 0,5

OPTIONS / ACCESSORIES :


CARREE 145 PLASTERKIT

CARREE 145 CONCRETE BOX

DICROIC FILTER 50





CARREE 235



SYSTEM 1

145 x 78 x 90

max.35



CARREE 235 S1 A

202 21 20 A

CARREE 235 S1 W

202 21 20 W

GX5.3 / 12V / EXCL.TRANSFO

2 x QR-CB51 20-35-50W

1 x ORIENTABLE 10°-45°

1 x FIX

IP20 850°C 0,5

OPTIONS / ACCESSORIES :

CARREE 235 PLASTERKIT


CARREE 235 CONCRETE BOX

DICROIC FILTER 50



OPTIONS


80 x 75



CARREE PLASTERKIT
202 20 19

0,1


80 x 75



CARREE+ PLASTERKIT
202 20 09

0,1


90 x 90



CARREE MAX / OK / C20 / H20
PLASTERKIT
202 25 19

0,1


120 x 85



CARREE 145 PLASTERKIT
202 21 59

0,1


150 x 85



CARREE 235 PLASTERKIT
202 21 29

0,1


155 x 155 x 170



CARREE CONCRETE BOX
202 20 18

0,4


155 x 155 x 170



CARREE+ CONCRETE BOX
202 20 08

0,4


155 x 155 x 170



CARREE MAX / OK / C20 / H20
CONCRETE BOX
202 25 18

0,4


265 x 145 x 130



CARREE 145 CONCRETE BOX
202 21 58

0,5

265 x 145 x 130



CARREE 235 CONCRETE BOX
202 21 28

0,5

ACCESSORIES



DICROIC FILTER 50

Ø50

0,1

201 30 11

201 30 12

201 30 13

201 30 14

INTERIOR LIGHTING

DOWNLIGHTERS


MINI CARREE

MINI CARREE

SYSTEM 1



60 x 60 x 75

max.30



SYSTEM 2

60 x 60 x 75



MINI CARREE S1 A

202 19 01 A

MINI CARREE S1 W

202 19 01 W

MINI CARREE S2 A

202 19 02 A

MINI CARREE S2 W

202 19 02 W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB35 20-35W

FIX

IP20 850°C (0,5)

OPTIONS :

MINI CARREE / OK PLASTERKIT


MINI CARREE / OK CONCRETE BOX

MINI CARREE OK

SYSTEM 1



60 x 60 x 80

max.30



SYSTEM 2

60 x 60 x 80



MINI CARREE OK S1 A

202 19 11 A

MINI CARREE OK S1 W

202 19 11 W

MINI CARREE OK S2 A

202 19 12 A

MINI CARREE OK S2 W

202 19 12 W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB35 20-35W


ORIENTABLE 0°-30°

IP20 850°C (0,5)

OPTIONS :


MINI CARREE / OK PLASTERKIT

MINI CARREE / OK CONCRETE BOX



OPTIONS

70 x 70




MINI CARREE / OK PLASTERKIT

202 19 08

0,1

120 x 70




MINI CARREE 235 PLASTERKIT

202 19 28

0,1

155 x 155 x 170




MINI CARREE / OK CONCRETE BOX

202 19 09

0,4

265 x 145 x 130




MINI CARREE 235 CONCRETE BOX

202 19 29

0,5


MINI CARREE 235



SYSTEM 1


110 x 60 x 80

max.30



SYSTEM 2

110 x 60 x 80



MINI CARREE 235 S1 A

202 19 21 A

MINI CARREE 235 S1 W

202 19 21 W

MINI CARREE 235 S2 A

202 19 22 A

MINI CARREE 235 S2 W

202 19 22 W

GX5.3 / 12V / EXCL.TRANSFO

2 x QR-CB35 20-35W

1 x ORIENTABLE 10°-45°


1 x FIX

IP20 850°C (0,5)

OPTIONS :

MINI CARREE 235 PLASTERKIT

MINI CARREE 235 CONCRETE BOX



INTERIOR LIGHTING DOWNLIGHTERS
CARREE


INTERIOR LIGHTING DOWNLIGHTERS
CARREE



INTERIOR LIGHTING DOWNLIGHTERS
CARREE



INTERIOR LIGHTING ■ DOWNLIGHTERS
CARREE




INTERIOR LIGHTING DOWNLIGHTERS ARTUUR




OPTIONS

90 x 90




ARTUUR 180 / 180 OK PLASTERKIT
202 25 19
0,1

175 x 85




ARTUUR 145 / 235 / 245 PLASTERKIT
202 25 29
0,1

235 x 85




ARTUUR 345 PLASTERKIT
202 25 39
0,2

155 x 155 x 170



ARTUUR 180 / 180 OK CONCRETE BOX
202 25 18
0,4

265 x 145 x 130




ARTUUR 145 / 235 / 245 CONCRETE BOX
202 25 28
0,4




INTERIOR LIGHTING DOWNLIGHTERS ARTUUR

ARTUUR 180



81 x 81 x 100
max.25



ARTUUR 180 A

202 25 10 A

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

FIX

IP20 850°C 0,5

OPTIONS :


ARTUUR 180 / 180 OK PLASTERKIT

ARTUUR 180 / 180 OK CONCRETE BOX

ARTUUR 235



160 x 75 x 130
max.25



ARTUUR 235 A

202 25 20 A

GX5.3 / 12V / EXCL.TRANSFO

2 x QR-CB51 20-35-50W

1 x ORIENTABLE 25°-60°


1 x FIX

IP20 850°C 0,6


OPTIONS :

ARTUUR 145 / 235 / 245 PLASTERKIT


ARTUUR 145 / 235 / 245 CONCRETE BOX



ARTUUR 180 OK



81 x 81 x 100
max.25



ARTUUR 180 OK A

202 25 13 A

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W


ORIENTABLE 0°-35°

IP20 850°C 0,5


OPTIONS :

ARTUUR 180 / 180 OK PLASTERKIT


ARTUUR 180 / 180 OK CONCRETE BOX



ARTUUR 245



160 x 75 x 130
max.25



ARTUUR 245 A

202 25 25 A

GX5.3 / 12V / EXCL.TRANSFO

2 x QR-CB51 20-35-50W


2 x ORIENTABLE 25°-60°

IP20 850°C 0,7


OPTIONS :

ARTUUR 145 / 235 / 245 PLASTERKIT


ARTUUR 145 / 235 / 245 CONCRETE BOX



ARTUUR 145



160 x 75 x 130
max.25



ARTUUR 145 A

202 25 15 A

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W


ORIENTABLE 25°-60°

IP20 850°C 0,5

OPTIONS :

ARTUUR 145 / 235 / 245 PLASTERKIT


ARTUUR 145 / 235 / 245 CONCRETE BOX



ARTUUR 345



214 x 75 x 130
max.25



ARTUUR 345 A

202 25 35 A

GX5.3 / 12V / EXCL.TRANSFO

3 x QR-CB51 20-35-50W


2 x ORIENTABLE 25°-60°

1 x FIX

IP20 850°C 0,9

OPTIONS :

ARTUUR 345 PLASTERKIT



INTERIOR LIGHTING DOWNLIGHTERS
ARTUUR



INTERIOR LIGHTING DOWNLIGHTERS
ARTUUR




INTERIOR LIGHTING DOWNLIGHTERS
CENTER

CENTER HIT



150 x 210
max.20




CENTER HIT A
202 18 16 A
CENTER HIT W
202 18 16 W

INCL. 1 x CLIP 111 + REFLECTOR FL-35° +
GLASS UV-STOP
G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG
1 x HIT 35-70W
ORIENTABLE 0°-30°


 IP40 850°C 1

ON REQUEST :
REFLECTOR S-15°
REFLECTOR WFL-55°

CENTER H30



150 x 210
max.20



CENTER H30 A
202 18 15 A
CENTER H30 W
202 18 15 W


E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W
ORIENTABLE 0°-30°

 IP40 850°C 1

CENTER C30



150 x 210
max.20



CENTER C30 A
202 18 14 A
CENTER C30 W
202 18 14 W

E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG
1 x HIPAR30 35-70W
ORIENTABLE 0°-30°

 IP40 850°C 1



ACCESSORIES :
CLIP 111 + UV-FILTER C30 / IP43



CENTER 50



105 x 117
max.20



CENTER 50 + CLIP 50
+ DICROIC FILTER 50 YELLOW

CENTER 50 A
202 18 20 A
CENTER 50 W
202 18 20 W


GU5.3 / 12V / EXCL.TRANSFO
1 x QR-CB51 20-35-50W
ORIENTABLE 0°-30°

 IP20 850°C 0,5


ACCESSORIES :
CLIP 50 + DICROIC FILTER 50



CENTER 50 Hi



105 x 117
max.20




CENTER 50 Hi A
202 18 21 A
CENTER 50 Hi W
202 18 21 W


GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W
ORIENTABLE 0°-30°

 IP20 850°C 0,5

CENTER 70



105 x 117
max.20



CENTER 70 A
202 18 22 A
CENTER 70 W
202 18 22 W

BA15d / 12V / EXCL.TRANSFO
1 x QR-LP70 20-50W
ORIENTABLE 0°-30°

 IP40 850°C 0,5

ACCESSORIES



 **CLIP 50 A/W**
201 30 98 A
201 30 98 W




 **DICROIC FILTER 50**
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●





 **CLIP 111 A/W**
201 27 99 A
201 27 99 W


INTERIOR LIGHTING DOWNLIGHTERS
CENTER

CENTER 111



150 x 126
max.20



CENTER 111 A-B

202 18 12 A

CENTER 111 W


202 18 12 W

G53 / 12V / EXCL.TRANSFO

1 x QR-LP111 35-50-75-100W

1 x QR-HP111 + 75-100W

ORIENTABLE 0°-30°



ACCESSORIES :

CLIP 111 + FRONTGLASS 111 / IP43

CLIP 111 + COLOUR FILTER 111 / IP43


CLIP 111 + LENS 111 / IP43



CENTER RF25



150 x 126
max.20



CENTER RF25 A

202 18 11 A

CENTER RF25 W

202 18 11 W

INCL. 1 x REFLECTOR 25°

GX5.3 / 12V / EXCL.TRANSFO

1 x QT12 20-35-50-75-90W

ORIENTABLE 0°-30°



ACCESSORIES :

CLIP 111 + FRONTGLASS 111 / IP43

CLIP 111 + COLOUR FILTER 111 / IP43


CLIP 111 + LENS 111 / IP43



CENTER TC



150 x 210
max.20



CENTER TC18 A

202 18 18 A

CENTER TC18 W


202 18 18 W

INCL. 1 x REFLECTOR 101,5°

GX24d-2 / 230-240V / 50-60Hz / EXCL.KVG

1 x TC-T 18W

FIX



CENTER TC26 A

202 18 26 A

CENTER TC26 W


202 18 26 W

INCL. 1 x REFLECTOR 101,5°

GX24d-3 / 230-240V / 50-60Hz / EXCL.KVG

1 x TC-T 26W

FIX



CENTER 111 + CLIP 111 + LENS 111



CENTER RF25 + CLIP 111 + FRONTGLASS 111



ACCESSORIES



UV-FILTER C30
201 37 00
Ø100
0,1



FRONTGLASS 111
201 17 00
Ø100
0,1




COLOUR FILTER 111
201 27 11
201 27 12
201 27 13
201 27 14
Ø100
0,1




LENS 111
201 47 11
Ø100
0,1

CE IP20 850°C

INTERIOR LIGHTING DOWNLIGHTERS
ID




Ø 103 x 70
max.20




ID 50 A-B
202 15 20 A-B
ID 50 W-B

202 15 20 W-B
GU5.3 / 12V / EXCL.TRANSFO
1 x QR-CB51 20-35-50W
ORIENTABLE 0°-30° / 350°




ACCESSORIES :

CLIP 50 + DICROIC FILTER 50





Ø 103 x 70
max.20




ID 50 Hi A-B
202 15 21 A-B
ID 50 Hi W-B

202 15 21 W-B
GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W
ORIENTABLE 0°-30° / 350°





Ø 103 x 70
max.20




ID 70 A-B
202 15 22 A-B
ID 70 W-B

202 15 22 W-B
BA15d / 12V / EXCL.TRANSFO
1 x QR-LP70 20-50W
ORIENTABLE 0°-30° / 350°




Ø 140 x 70
max.20




ID 111 A-B
202 15 12 A-B
ID 111 W-B

202 15 12 W-B
G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W
ORIENTABLE 0°-30° / 350°




Ø 103 x 120
max.20




ID C20 A-B
202 15 24 A-B
ID C20 W-B

202 15 24 W-B
E27Hs / 230-240V / 50-60Hz
EXCL.KVG-EVG
1 x HIPAR20 35W
ORIENTABLE 0°-30° / 350°





Ø 103 x 120
max.20




ID H20 A-B
202 15 25 A-B
ID H20 W-B

202 15 25 W-B
E27Ls / 230-240V / 50-60Hz
1 x QPAR20 50W
ORIENTABLE 0°-30° / 350°





Ø 140 x 150
max.20




ID C30 A-B
202 15 14 A-B
ID C30 W-B

202 15 14 W-B
E27Hs / 230-240V / 50-60Hz
EXCL.KVG-EVG
1 x HIPAR30 35-70W
ORIENTABLE 0°-30° / 350°




Ø 140 x 150
max.20




ID H30 A-B
202 15 15 A-B
ID H30 W-B

202 15 15 W-B
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W
ORIENTABLE 0°-30° / 350°




ID DOME

Ø 140 x 70
max.20



ID DOME 111 A
202 17 12 A

G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W
1 x QR-HP111 + 75-100W
ORIENTABLE 0°-30° / 350°




ACCESSORIES :
FRONTGLASS 118
COLOUR FILTER 118




ID DOME H30 A

202 17 15 A
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W
ORIENTABLE 0°-30° / 350°



ID DOME HIT A


202 17 16 A
INCL.1 x REFLECTOR FL-35° + GLASS UV-STOP
G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG
1 x HIT 35-70W
ORIENTABLE 0°-30° / 350°




CE IP20 850°C

INTERIOR LIGHTING DOWNLIGHTERS
ID RICHE


Ø 103 x 85
max.20


ID RICHE 50 A-B
202 16 20 A-B


GU5.3 / 12V / EXCL.TRANSFO
1 x QR-CB51 20-35-50W
ORIENTABLE 0°-30° / 350°




ACCESSORIES :
CLIP 50 + DICROIC FILTER 50




Ø 103 x 85
max.20


ID RICHE 50 Hi A-B
202 16 21 A-B


GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W
ORIENTABLE 0°-30° / 350°




Ø 103 x 85
max.20


ID RICHE 70 A-B
202 16 22 A-B


BA15d / 12V / EXCL.TRANSFO
1 x QR-LP70 20-50W
ORIENTABLE 0°-30° / 350°




Ø 140 x 100
max.20


ID RICHE 111 A-B
202 16 12 A-B

G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W
ORIENTABLE 0°-30° / 350°




Ø 140 x 160
max.20


ID RICHE C30 A-B
202 16 14 A-B


E27Hs / 230-240V
50-60Hz / EXCL.KVG-EVG
1 x HIPAR30 35-70W
ORIENTABLE 0°-30° / 350°



Ø 140 x 160
max.20


ID RICHE H30 A-B
202 16 15 A-B

E27Ls / 230-240V
50-60Hz
1 x QPAR30 75W
ORIENTABLE 0°-30° / 350°


ACCESSORIES


FRONTGLASS 118
201 19 00
Ø118
0,1



COLOUR FILTER 118
201 29 11
201 29 12
201 29 13
201 29 14
Ø118
0,1



CLIP 50 B
201 30 98 B
Ø50
0,1



DICROIC FILTER 50
201 30 11
201 30 12
201 30 13
201 30 14
Ø50
0,1

INTERIOR LIGHTING

DOWNLIGHTERS

ID DOME

ID



INTERIOR LIGHTING DOWNLIGHTERS
ID



INTERIOR LIGHTING

DOWNLIGHTERS

ID

ID DOME



INTERIOR LIGHTING DOWNLIGHTERS
ID



INTERIOR LIGHTING

DOWNLIGHTERS

MB 50 / RB 50
MB 35 / RB 35
MZ 35 / STARLIGHT

MB 50

SYSTEM 1


58 x 60

max.20




SYSTEM 2

58 x 60



MB 50 S1 Ø
202 01 03 Ø
MB 50 S2 Ø
202 11 03 Ø
Ø = A / B / W
GX5.3 / 12V / EXCL.TRANSFO
1 x QR-CB51 20-35-50W
FIX




RB 50

SYSTEM 1


63 x 60

max.20




SYSTEM 2

63 x 60



RB 50 S1 Ø
202 01 05 Ø
RB 50 S2 Ø
202 11 05 Ø
Ø = A / B / W
GX5.3 / 12V / EXCL.TRANSFO
1 x QR-CB51 20-35-50W
ORIENTABLE 0°-30°




MB 35

SYSTEM 1

44 x 50

max.12




SYSTEM 2

44 x 50



MB 35 S1 Ø
202 01 07 Ø
MB 35 S2 Ø
202 11 07 Ø
Ø = A / B / W
GX5.3 / 12V / EXCL.TRANSFO
1 x QR-CB35 20-35W
FIX




RB 35

SYSTEM 1


53 x 50

max.15




SYSTEM 2

53 x 50



RB 35 S1 Ø
202 01 08 Ø
RB 35 S2 Ø
202 11 08 Ø
Ø = A / B / W
GX5.3 / 12V / EXCL.TRANSFO
1 x QR-CB35 20-35W
ORIENTABLE 0°-30°



MZ 35

SYSTEM 1

41 x 50

max.12




SYSTEM 2

41 x 50



MZ 35 S1 Ø
202 01 06 Ø
MZ 35 S2 Ø
202 11 06 Ø
Ø = A / B / W
GX5.3 / 12V / EXCL.TRANSFO
1 x QR-CB35 20-35W
FIX




STARLIGHT


SYSTEM 1

43 x 23

max.12



STARLIGHT S1 Ø
202 01 02 Ø
Ø = A / B / W
G4 / 12V / EXCL.TRANSFO
1 x QT9 5-10-20W
FIX



INTERIOR LIGHTING

DOWNLIGHTERS


LUX / LUXOR
RINGO / CIRCLE
DEEP CIRCLE

LUX

SYSTEM 1

74 x 70

max.20



LUX S1 $\diamond$

202 11 15 $\diamond$

LUX S2 $\diamond$

202 01 15 $\diamond$

$\diamond$ = ALU / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

FIX

IP20 850°C $\leq 0,5$


ACCESSORIES :

DICROIC FILTER 50 / TUBE R



SYSTEM 2

74 x 70



RINGO

SYSTEM 1

70 x 70

max.15



RINGO S1 $\diamond$

202 11 13 $\diamond$

RINGO S2 $\diamond$

202 01 13 $\diamond$

$\diamond$ = A / B / C / M / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

FIX

IP20 850°C $\leq 0,5$

ACCESSORIES :

DICROIC FILTER 50 / TUBE R



SYSTEM 2

70 x 70




LUXOR

SYSTEM 1

83 x 70

max.20



LUXOR S1 $\diamond$

202 11 14 $\diamond$

LUXOR S2 $\diamond$

202 01 14 $\diamond$

$\diamond$ = ALU / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30° / 350°

IP20 850°C $\leq 0,5$


ACCESSORIES :

DICROIC FILTER 50 / TUBE C



SYSTEM 2

83 x 70




CIRCLE

SYSTEM 1

82 x 70

max.15



CIRCLE S1 $\diamond$

202 11 10 $\diamond$

CIRCLE S2 $\diamond$

202 01 10 $\diamond$

$\diamond$ = A / B / C / M / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30° / 350°

IP20 850°C $\leq 0,5$


ACCESSORIES :

DICROIC FILTER 50 / TUBE C



SYSTEM 2

82 x 70




DEEP CIRCLE

SYSTEM 1


82 x 75

max.15



SYSTEM 2

82 x 75



DEEP CIRCLE S1 $\diamond$

202 11 11 $\diamond$

DEEP CIRCLE S2 $\diamond$

202 01 11 $\diamond$

$\diamond$ = *

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W


FIX

IP20 850°C $\leq 0,5$



* $\diamond$ C CMAT
A A-C A-CMAT
W W-C W-CMAT

ACCESSORIES



TUBE R B
202 02 08 B



TUBE C B
202 02 05 B



ACCESSORIES



DICROIC FILTER 50
201 30 11 $\bullet$
201 30 12 $\bullet$
201 30 13 $\bullet$
201 30 14 $\bullet$

INTERIOR LIGHTING

DOWNLIGHTERS

CIRCLE


LUXOR




INTERIOR LIGHTING DOWNLIGHTERS
CIRCLE
LUXOR




INTERIOR LIGHTING DOWNLIGHT FEATURES



LIMIT TRIMLESS INT 55
414 / 424



LIMIT 414 / 424 INT 55



LIMIT ST 126 INT 56



LIMIT ST 224 INT 56



LIMIT ST 226 INT 57



COMPAC TD INT 60



COMPAC SBL INT 61



COMPAC INT 61




UNDERCOVER INT 67
ZB 5511



UNDERCOVER INT 67
ZB 2605



GRID IN ZB INT 70
TC



GRID IN ZB INT 71
TC **11



GRID IN ZB INT 71
TC **05



OPUS 1 INT 119



OPUS 2 INT 119



OPUS 3 INT 119



OPUS 4 INT 119



KOZA 1 INT 122



KOZA 2 INT 122



KOZA 3 INT 122



KOZA 4 INT 122



AXION 18 INT 123



AXION 205 INT 123



AXION RA INT 123



LIMIT ON INT 57



INTERIOR LIGHTING DOWNLIGHT FEATURES


	LIMIT 124	INT 52	LIMIT 154	INT 53	LIMIT 111	INT 52			<table><tr><th>TYPE</th><th>INT</th></tr><tr><td>AXION</td><td>123</td></tr><tr><td>COMPAC</td><td>60</td></tr><tr><td>ENTER 224</td><td>65</td></tr><tr><td>GRID IN</td><td>88</td></tr><tr><td>GRID IN ST</td><td>101</td></tr><tr><td>GRID IN TRIMLESS</td><td>80</td></tr><tr><td>GRID IN ZB</td><td>72</td></tr><tr><td>GRID IN ZB TC</td><td>70</td></tr><tr><td>KOZA</td><td>122</td></tr><tr><td>LIMIT</td><td>52</td></tr><tr><td>LIMIT TRIMLESS</td><td>55</td></tr><tr><td>LIMIT ST</td><td>56</td></tr><tr><td>LIMIT ON</td><td>57</td></tr><tr><td>MINIGRID IN</td><td>112</td></tr><tr><td>MINIGRID IN TRIMLESS</td><td>108</td></tr><tr><td>MINIGRID IN ZB</td><td>104</td></tr><tr><td>OPUS</td><td>119</td></tr><tr><td>UNDERCOVER</td><td>67</td></tr></table>	TYPE	INT	AXION	123	COMPAC	60	ENTER 224	65	GRID IN	88	GRID IN ST	101	GRID IN TRIMLESS	80	GRID IN ZB	72	GRID IN ZB TC	70	KOZA	122	LIMIT	52	LIMIT TRIMLESS	55	LIMIT ST	56	LIMIT ON	57	MINIGRID IN	112	MINIGRID IN TRIMLESS	108	MINIGRID IN ZB	104	OPUS	119	UNDERCOVER	67
TYPE	INT																																														
AXION	123																																														
COMPAC	60																																														
ENTER 224	65																																														
GRID IN	88																																														
GRID IN ST	101																																														
GRID IN TRIMLESS	80																																														
GRID IN ZB	72																																														
GRID IN ZB TC	70																																														
KOZA	122																																														
LIMIT	52																																														
LIMIT TRIMLESS	55																																														
LIMIT ST	56																																														
LIMIT ON	57																																														
MINIGRID IN	112																																														
MINIGRID IN TRIMLESS	108																																														
MINIGRID IN ZB	104																																														
OPUS	119																																														
UNDERCOVER	67																																														
LIMIT 224	INT 52	LIMIT 254	INT 53																																												
ENTER 224	INT 65																																														
GRID IN ZB 1	INT 72	GRID IN ZB 2	INT 72	GRID IN ZB 3	INT 73	GRID IN ZB 4	INT 73																																								
GRID IN TRIMLESS 1	INT 80	GRID IN TRIMLESS 2	INT 80	GRID IN TRIMLESS 3	INT 80	GRID IN TRIMLESS 4	INT 81	GRID IN TRIMLESS 4LINE	INT 81	GRID IN TRIMLESS 6LINE	INT 81																																				
GRID IN 1	INT 88	GRID IN 2	INT 88	GRID IN 3	INT 88	GRID IN 4	INT 89	GRID IN 4LINE	INT 89	GRID IN 6LINE	INT 89																																				
GRID IN ST 1	INT 101	GRID IN ST 2	INT 101	GRID IN ST 3	INT 101	GRID IN ST 4	INT 101																																								
MINIGRID IN ZB 1	INT 104	MINIGRID IN ZB 2	INT 104	MINIGRID IN ZB 3	INT 105	MINIGRID IN ZB 4LINE	INT 105																																								
MINIGRID IN TRIMLESS 1	INT 108	MINIGRID IN TRIMLESS 2	INT 108	MINIGRID IN TRIMLESS 3	INT 109	MINIGRID IN TRIMLESS 4	INT 109	MINIGRID IN TRIMLESS 4LINE	INT 109																																						
MINIGRID IN 1	INT 112	MINIGRID IN 2	INT 112	MINIGRID IN 3	INT 113	MINIGRID IN 4	INT 113	MINIGRID IN 4LINE	INT 113																																						

INTERIOR LIGHTING ■ DOWNLIGHT FEATURES LIMIT


LIMIT 124

LIMIT COLLECTION : INFO 5

595 x 110 x 160

**LIMIT 124 ANO****274 30 124 ANO**

INCL. 1 x LIMIT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x T16 24W


**OPTIONS / ACCESSORIES :**

LIMIT 124 BOX

LIMIT 24 PC COLOUR

**LIMIT 124 EVG DIM ANO****274 30 124 ED ANO**

INCL. 1 x LIMIT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 1~EVG DIM
DIMMING BY SWITCH DIM / DSI
1 x T16 24W


**OPTIONS / ACCESSORIES :**

LIMIT 124 BOX

LIMIT 24 PC COLOUR

**OPTIONS**

627 x 142 x 160

**LIMIT 124 BOX****274 10 98 124**

3,4




LIMIT 124 + LIMIT 124 BOX


LIMIT 224

LIMIT COLLECTION : INFO 5

595 x 153 x 160

**LIMIT 224 ANO****274 35 224 ANO**

INCL. 2 x LIMIT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 24W


**OPTIONS / ACCESSORIES :**

LIMIT 224 BOX

LIMIT 24 PC COLOUR

**LIMIT 224 EVG DIM ANO****274 35 224 ED ANO**

INCL. 2 x LIMIT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM / DSI
2 x T16 24W


**OPTIONS / ACCESSORIES :**

LIMIT 224 BOX

LIMIT 24 PC COLOUR

**OPTIONS**

627 x 185 x 160

**LIMIT 224 BOX****274 15 98 224**

3,6




LIMIT 224 + LIMIT 224 BOX

LIMIT 111


LIMIT COLLECTION : INFO 5

264 x 79 x 150

max.15

**LIMIT 111 ANO****274 37 111 ANO**

INCL. 1 x LIMIT 11 PC SBL
G23 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-S 11W

**OPTIONS / ACCESSORIES :**


LIMIT 111 BOX

LIMIT 11 PC COLOUR

**OPTIONS**

296 x 111 x 150

max.15

**LIMIT 111 BOX****274 07 98 111**

1,9




LIMIT 111 + LIMIT 111 BOX

INTERIOR LIGHTING ■ DOWNLIGHT FEATURES LIMIT

LIMIT 154

LIMIT COLLECTION : INFO 5


1195 x 110 x 160



LIMIT 154 ANO

274 30 154 ANO

INCL. 1 x LIMIT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 1 ~EVG
1 x T16 54W



OPTIONS / ACCESSORIES :


LIMIT 154 BOX
LIMIT 54 PC COLOUR



LIMIT 154 EVG DIM ANO

274 30 154 ED ANO

INCL. 1 x LIMIT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 1 ~EVG DIM
DIMMING BY SWITCH DIM / DSI
1 x T16 54W




OPTIONS / ACCESSORIES :

LIMIT 154 BOX
LIMIT 54 PC COLOUR



OPTIONS


1227 x 142 x 160



LIMIT 154 BOX

274 10 98 154


6,2



LIMIT 254

LIMIT COLLECTION : INFO 5


1195 x 153 x 160



LIMIT 254 ANO

274 35 254 ANO

INCL. 2 x LIMIT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2 ~EVG
2 x T16 54W



OPTIONS / ACCESSORIES :


LIMIT 254 BOX
LIMIT 54 PC COLOUR



LIMIT 254 EVG DIM ANO

274 35 254 ED ANO

INCL. 2 x LIMIT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2 ~EVG DIM
DIMMING BY SWITCH DIM / DSI
2 x T16 54W




OPTIONS / ACCESSORIES :

LIMIT 254 BOX
LIMIT 54 PC COLOUR



OPTIONS


1227 x 185 x 160



LIMIT 254 BOX

274 15 98 254

6,7




ACCESSORIES



0,1

LIMIT 11 PC RED


274 38 62



0,2

LIMIT 24 PC RED

274 38 72



0,4

LIMIT 54 PC RED

274 38 92



LIMIT 11 PC YELLOW

274 38 64

LIMIT 24 PC YELLOW

274 38 74

LIMIT 54 PC YELLOW

274 38 94

LIMIT 11 PC BLUE


274 38 68

LIMIT 24 PC BLUE

274 38 78

LIMIT 54 PC BLUE

274 38 98



INTERIOR LIGHTING



DOWNLIGHT FEATURES

LIMIT TRIMLESS


LIMIT



ACCESSORIES



LIMIT 24 PC RED
274 38 72



LIMIT TR 24 PC RED
274 37 72



LIMIT 24 PC BLUE
274 38 78


LIMIT TR 24 PC BLUE
274 37 78



INTERIOR LIGHTING DOWNLIGHT FEATURES


LIMIT TRIMLESS
LIMIT

LIMIT TRIMLESS 414 / 424



LIMIT 414 / 424


LIMIT COLLECTION : INFO 5



LIMIT TRIMLESS 414 ANO

274 37 414 ANO

INCL.4 x LIMIT TR 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 4~EVG
4 x T16 14W




ACCESSORIES :
LIMIT TR 24 PC COLOUR



LIMIT TRIMLESS 424 ANO

274 37 424 ANO

INCL.4 x LIMIT TR 24 PC SBL
G5 / 230-240V / 50-60Hz / 2 x 2~EVG
4 x T16 24W




ACCESSORIES :
LIMIT TR 24 PC COLOUR



LIMIT TRIMLESS 424 EVG DIM ANO

274 37 424 ED ANO


INCL.4 x LIMIT TR 24 PC SBL
G5 / 230-240V / 50-60Hz / 2 x 2~EVG DIM
DIMMING BY SWITCH DIM / DSI
4 x T16 24W



ACCESSORIES :
LIMIT TR 24 PC COLOUR





LIMIT 414 / 424



LIMIT 424 + LIMIT 424 BOX


LIMIT COLLECTION : INFO 5

OPTIONS



LIMIT 424 BOX

274 16 98 424




POSITION FOR INSTALLATION

LIMIT 414 ANO

274 36 414 ANO

INCL.4 x LIMIT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 4~EVG
4 x T16 14W




OPTIONS / ACCESSORIES :
LIMIT 424 BOX
LIMIT 24 PC COLOUR



LIMIT 424 ANO

274 36 424 ANO

INCL.4 x LIMIT 24 PC SBL
G5 / 230-240V / 50-60Hz / 2 x 2~EVG
4 x T16 24W




OPTIONS / ACCESSORIES :
LIMIT 424 BOX
LIMIT 24 PC COLOUR



LIMIT 424 EVG DIM ANO

274 36 424 ED ANO

INCL.4 x LIMIT 24 PC SBL
G5 / 230-240V / 50-60Hz / 2 x 2~EVG DIM
DIMMING BY SWITCH DIM / DSI
4 x T16 24W



OPTIONS / ACCESSORIES :
LIMIT 424 BOX
LIMIT 24 PC COLOUR




INTERIOR LIGHTING **DOWNLIGHT FEATURES**
LIMIT ST

LIMIT ST 126

LIMIT COLLECTION : INFO 5

229 x 80 x 200


max.35

**LIMIT ST 126 A****274 50 126 A****LIMIT ST 126 W****274 50 126 W**

INCL.1 x LIMIT 26 PC SBL

G24d-3 / 230-240V / 50Hz / 1 x 1~KVG

1 x TC-D 26W

**OPTIONS / ACCESSORIES :**

LIMIT ST 126 PLASTERKIT


LIMIT 26 PC COLOUR

**LIMIT ST 224**

LIMIT COLLECTION : INFO 5

590 x 160 x 200


max.35

**LIMIT ST 224 A****274 50 224 A****LIMIT ST 224 W****274 50 224 W**

INCL.2 x LIMIT 24 PC SBL

G5 / 230-240V / 50-60Hz / 1 x 2~EVG

2 x T16 24W

**OPTIONS / ACCESSORIES :**

LIMIT ST 224 PLASTERKIT

LIMIT 24 PC COLOUR


**LIMIT ST 224 EVG DIM A****274 50 224 ED A****LIMIT ST 224 EVG DIM W****274 50 224 ED W**

INCL.2 x LIMIT 24 PC SBL

G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

2 x T16 24W

**OPTIONS / ACCESSORIES :**

LIMIT ST 224 PLASTERKIT

LIMIT 24 PC COLOUR

**ACCESSORIES****OPTIONS**


230 x 85

600 x 170




230 x 230



0,1

LIMIT 26 PC RED
274 38 82

0,2

LIMIT 24 PC RED
274 38 72**LIMIT 26 PC YELLOW**
274 38 83**LIMIT 24 PC YELLOW**
274 38 74**LIMIT 26 PC BLUE**
274 38 88**LIMIT 24 PC BLUE**
274 38 78**LIMIT ST 126**
PLASTERKIT
274 59 126
0,3**LIMIT ST 224**
PLASTERKIT
274 59 224
0,5**LIMIT ST 226**
PLASTERKIT
202 45 99
0,4



INTERIOR LIGHTING DOWNLIGHT FEATURES

LIMIT ON
LIMIT ST

LIMIT ON LIMIT COLLECTION : INFO 5



LIMIT ST 226 LIMIT COLLECTION : INFO 5




LIMIT ON 226 A

274 55 226 A

LIMIT ON 226 W

274 55 226 W

INCL. 2 x LIMIT 26 PC SBL
G24d-3 / 230-240V / 50Hz / 2 x 1~KVG
2 x TC-D 26W




ACCESSORIES :

LIMIT 26 PC COLOUR



225 x 225 x 150

max. 30




LIMIT ST 226 A

274 50 226 A

LIMIT ST 226 W

274 50 226 W

INCL. 2 x LIMIT 26 PC SBL
INCL. 1 x CONNECTOR 4P
G24d-3 / 230-240V / 50-60Hz
EXCL. BALLASTSET 226 KVG
2 x TC-D 26W




OPTIONS / ACCESSORIES :

BALLASTSET 226 KVG

LIMIT ST 226 PLASTERKIT

LIMIT 26 PC COLOUR




LIMIT ST 226 EVG-EVG DIM A

274 50 226 E-ED A

LIMIT ST 226 EVG-EVG DIM W

274 50 226 E-ED W

INCL. 2 x LIMIT 26 PC SBL
INCL. 1 x CONNECTOR 4P
INCL. 1 x CONNECTOR 5P
G24q-3 / 230-240V / 50-60Hz
EXCL. BALLASTSET 226 EVG-EVG DIM
2 x TC-DEL 26W



OPTIONS / ACCESSORIES :

BALLASTSET 226 EVG


BALLASTSET 226 EVG DIM

LIMIT ST 226 PLASTERKIT

LIMIT 26 PC COLOUR





OPTIONS



BALLASTSET 226 KVG

200 42 26 K



INCL. 1 x CONNECTOR 3P 230-240V
INCL. 1 x CONNECTOR 4P
230-240V / 50Hz / 2 x 1~KVG



BALLASTSET 226 EVG

200 42 226 E


INCL. 1 x CONNECTOR 3P 230-240V
INCL. 1 x CONNECTOR 4P
INCL. 1 x CONNECTOR 5P
230-240V / 50-60Hz
198-254V / DC ---
1 x 2~EVG



BALLASTSET 226 EVG DIM

200 42 226 ED

INCL. 1 x CONNECTOR 3P 230-240V
INCL. 1 x CONNECTOR 4P
INCL. 1 x CONNECTOR 5P
230-240V / 50-60Hz
198-254V / DC ---
1 x 2~EVG DIM
DIMMING BY SWITCH DIM / DSI



INTERIOR LIGHTING

DOWNLIGHT FEATURES

LIMIT

LIMIT ST



INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
LIMIT



INTERIOR LIGHTING

DOWNLIGHT FEATURES


COMPAC TD

COMPAC TD



227 x 227 x 145


max. 45



COMPAC TD A

202 45 07 A

INCL. 1 x COMPAC GLASS SBL
RX7s / 230-240V / 50-60Hz / EXCL. KVG-EVG
1 x HIT-DE 70W




OPTIONS :

COMPAC 226 / TD PLASTERKIT
COMPAC 226 / TD CONCRETE BOX

OPTIONS


230 x 230



COMPAC 226 / TD PLASTERKIT
202 45 99


0,4

335 x 335 x 160



COMPAC 226 / TD CONCRETE BOX
202 45 98



2,1



BALLASTSET 226 KVG

200 42 26 K



INCL. 1 x CONNECTOR 3P 230-240V
INCL. 1 x CONNECTOR 4P
230-240V / 50Hz / 2 x 1~KVG



BALLASTSET 226 EVG

200 42 226 E


INCL. 1 x CONNECTOR 3P 230-240V
INCL. 1 x CONNECTOR 4P
INCL. 1 x CONNECTOR 5P
230-240V / 50-60Hz
198-254V / DC ---
1 x 2~EVG



BALLASTSET 226 EVG DIM

200 42 226 ED

INCL. 1 x CONNECTOR 3P 230-240V
INCL. 1 x CONNECTOR 4P
INCL. 1 x CONNECTOR 5P
230-240V / 50-60Hz
198-254V / DC ---
1 x 2~EVG DIM
DIMMING BY SWITCH DIM / DSI



INTERIOR LIGHTING

DOWNLIGHT FEATURES

COMPAC SBL


COMPAC

COMPAC SBL



227 x 227 x 145

max. 45

**COMPAC 226 SBL A****202 45 06 SBL A**


INCL. 1 x COMPAC GLASS SBL

INCL. 1 x CONNECTOR 4P

G24d-3 / 230-240V / 50-60Hz

EXCL. BALLASTSET 226 KVG

2 x TC-D 26W




OPTIONS :

BALLASTSET 226 KVG


COMPAC 226 / TD PLASTERKIT

COMPAC 226 / TD CONCRETE BOX

COMPAC




COMPAC A-A



COMPAC A-B

227 x 227 x 145

max. 45


**COMPAC 226 A-A****202 45 02 A-A****COMPAC 226 A-B****202 45 02 A-B**

INCL. 1 x CONNECTOR 4P

G24d-3 / 230-240V / 50-60Hz

EXCL. BALLASTSET 226 KVG

2 x TC-D 26W




OPTIONS :

BALLASTSET 226 KVG

COMPAC 226 / TD PLASTERKIT

COMPAC 226 / TD CONCRETE BOX

**COMPAC 226 SBL EVG-EVG DIM A****202 45 226 SBL E-ED A**

INCL. 1 x COMPAC GLASS SBL


INCL. 1 x CONNECTOR 4P

INCL. 1 x CONNECTOR 5P

G24q-3 / 230-240V / 50-60Hz

EXCL. BALLASTSET 226 EVG-EVG DIM

2 x TC-DEL 26W




OPTIONS :

BALLASTSET 226 EVG

BALLASTSET 226 EVG DIM

COMPAC 226 / TD PLASTERKIT

COMPAC 226 / TD CONCRETE BOX

**COMPAC 226 EVG-EVG DIM A-A****202 45 226 E-ED A-A****COMPAC 226 EVG-EVG DIM A-B****202 45 226 E / ED A-B**


INCL. 1 x CONNECTOR 4P

INCL. 1 x CONNECTOR 5P

G24q-3 / 230-240V / 50-60Hz

EXCL. BALLASTSET 226 EVG-EVG DIM

2 x TC-DEL 26W



OPTIONS :

BALLASTSET 226 EVG

BALLASTSET 226 EVG DIM

COMPAC 226 / TD PLASTERKIT

COMPAC 226 / TD CONCRETE BOX

INTERIOR LIGHTING

DOWNLIGHT FEATURES

COMPAC SBL

COMPAC



INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
COMPAC





INTERIOR LIGHTING DOWNLIGHT FEATURES


ENTER 224

ENTER COLLECTION : INFO 5

ENTER 224

595 x 210 x 80


max.20

**ENTER 224 A****274 02 02 A**

INCL.2 x ENTER 24 PC SBL

G5 / 230-240V / 50-60Hz / 1 x 2~EVG

2 x T16 24W

**OPTIONS :**

ENTER 224 PLASTERKIT

ENTER 224 CONCRETE BOX

ENTER 224 EVG DIM A**274 02 02 ED A**

INCL.2 x ENTER 24 PC SBL

G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

2 x T16 24W

**OPTIONS :**


ENTER 224 PLASTERKIT

ENTER 224 CONCRETE BOX

OPTIONS

600 x 215

645 x 255 x 85

**ENTER 224 PLASTERKIT****274 02 99****ENTER 224 CONCRETE BOX****274 02 98**

INTERIOR LIGHTING

DOWNLIGHT FEATURES

UNDERCOVER ZB



ACCESSORIES



CLIP 50 A
201 30 98 A




DICROIC FILTER 50
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●

INTERIOR LIGHTING DOWNLIGHT FEATURES
UNDERCOVER ZB

UNDERCOVER ZB 5511

UNDERCOVER COLLECTION : INFO 5

620 x 620 x 180



UNDERCOVER ZB 5511 A

274 60 411 A

INCL. 1 x UNDERCOVER ZB 55 PC OPAL
CABLING 2 CIRCUITS
2G11 / 230-240V / 50-60Hz / 2 x 2~EVG
4 x TC-L 55W

G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W
ORIENTABLE 0°-30°




OPTIONS / ACCESSORIES :
UNDERCOVER ZB 5511 BOX
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



OPTIONS

655 x 655 x 180



UNDERCOVER ZB 5511 BOX

202 60 98 455

9,8




UNDERCOVER ZB 5511
+ UNDERCOVER ZB 5511 BOX

UNDERCOVER ZB 2605

UNDERCOVER COLLECTION : INFO 5

306 x 306 x 180



UNDERCOVER ZB 2605 A

274 60 105 A

INCL. 1 x UNDERCOVER ZB 26 PC OPAL
CABLING 2 CIRCUITS
G24d-3 / 230-240V / 50Hz / 4 x 1~KVG
4 x TC-D 26W

GU5.3 / 230-240V / 50-60Hz / TE
1 x QR-C51 COATED 20-35-50W
ORIENTABLE 0°-30°




UNDERCOVER ZB 2605 EVG A

274 60 105 E A

INCL. 1 x UNDERCOVER ZB 26 PC OPAL
CABLING 2 CIRCUITS
G24q-3 / 230-240V / 50-60Hz / 2 x 2~EVG
4 x TC-DEL 26W

GU5.3 / 230-240V / 50-60Hz / TE
1 x QR-C51 COATED 20-35-50W
ORIENTABLE 0°-30°




OPTIONS / ACCESSORIES :

UNDERCOVER ZB 2605 BOX
CLIP 50 + DICROIC FILTER 50



OPTIONS


338 x 338 x 180



UNDERCOVER ZB 2605 BOX


202 60 98 04

3,1



UNDERCOVER ZB 2605
+ UNDERCOVER ZB 2605 BOX


ACCESSORIES




CLIP 111 A
201 27 99 A



FRONTGLASS 111
201 17 00



COLOUR FILTER 111
201 27 11
201 27 12
201 27 13
201 27 14



LENS 111
201 47 11

GRID IN ZB TC

INT 70




GRID IN

INT 88



GRID IN ZB

INT 72

GRID IN OR
+ CLIP 111 + FRONTGLASS 111GRID IN OR
+ CLIP 111 + BLUE FILTER 111GRID IN OR
+ CLIP 111 + GREEN FILTER 111GRID IN OR
+ CLIP 111 + LENS 111

GRID IN TRIMLESS


INT 80



GRID IN ST

INT 101



INTERIOR LIGHTING DOWNLIGHT FEATURES



INTERIOR LIGHTING

DOWNLIGHT FEATURES

GRID IN ZB TC

OPTIONS

338 x 338 x 148



GRID IN ZB TC BOX
202 60 98 04

3,1

POSITION FOR INSTALLATION

GRID IN ZB TC



305 x 305 x 148

GRID IN ZB TC 26 A


202 60 26 00 A

INCL. 2 x GRID IN ZB TC PC SBL
INCL. 1 x CONNECTOR 4P
GX24d-3 / 230-240V / 50-60Hz
EXCL. BALLASTSET 226 KVG
2 x TC-T 26W

IP20 850° 0,5

OPTIONS :

BALLASTSET 226 KVG
GRID IN ZB TC BOX



BALLASTSET 226 KVG



200 42 26 K

INCL. 1 x CONNECTOR 3P 230-240V

INCL. 1 x CONNECTOR 4P

230-240V / 50Hz / 2 x 1~KVG

IP40



BALLASTSET 232 EVG

200 42 232 E

INCL. 1 x CONNECTOR 3P 230-240V

INCL. 1 x CONNECTOR 4P


INCL. 1 x CONNECTOR 5P

230-240V / 50-60Hz

198-254V / DC ---

1 x 2~EVG

IP40



BALLASTSET 232 EVG DIM

200 42 232 ED

INCL. 1 x CONNECTOR 3P 230-240V

INCL. 1 x CONNECTOR 4P

INCL. 1 x CONNECTOR 5P


230-240V / 50-60Hz

198-254V / DC ---

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

IP40



GRID IN ZB TC 32 EVG-EVG DIM A

202 60 32 00 E-ED A

INCL. 2 x GRID IN ZB TC PC SBL

INCL. 1 x CONNECTOR 4P

INCL. 1 x CONNECTOR 5P

GX24q-3 / 230-240V / 50-60Hz

EXCL. BALLASTSET 232 EVG-EVG DIM

2 x TC-TEL 32W

IP20 850° 0,5

OPTIONS :

BALLASTSET 232 EVG
BALLASTSET 232 EVG DIM
GRID IN ZB TC BOX

ACCESSORIES



CLIP 111 A
201 27 99 A



FRONTGLASS 111
201 17 00



COLOUR FILTER 111
201 27 11
201 27 12
201 27 13
201 27 14



LENS 111
201 47 11

INTERIOR LIGHTING


DOWNLIGHT FEATURES

GRID IN ZB TC

GRID IN ZB TC **11




305 x 305 x 148

**GRID IN ZB TC 2611 A****202 60 26 11 A**

INCL.2 x GRID IN ZB TC PC SBL
INCL.1 x CONNECTOR 4P
GX24d-3 / 230-240V / 50-60Hz
EXCL.BALLASTSET 226 KVG
2 x TC-T 26W

G53 / 12V / EXCL.TRANSO
2 x QR-LP111 35-50W
ORIENTABLE 0°-30°

**OPTIONS / ACCESSORIES :**


BALLASTSET 226 KVG
GRID IN ZB TC BOX
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



GRID IN ZB TC **05




305 x 305 x 148


**GRID IN ZB TC 2605 A****202 60 26 50 A**

INCL.2 x GRID IN ZB TC PC SBL
INCL.1 x CONNECTOR 4P
GX24d-3 / 230-240V / 50-60Hz
EXCL.BALLASTSET 226 KVG
2 x TC-T 26W

GU5.3 / 12V / EXCL.TRANSO
3 x QR-C51 COATED 20-35-50W
ORIENTABLE 0°-30°


**OPTIONS / ACCESSORIES :**

BALLASTSET 226 KVG
GRID IN ZB TC BOX
CLIP 50 + DICROIC FILTER 50


**GRID IN ZB TC 3211 EVG-EVG DIM A****202 60 32 11 E-ED A**

INCL.2 x GRID IN ZB TC PC SBL
INCL.1 x CONNECTOR 4P
INCL.1 x CONNECTOR 5P
GX24q-3 / 230-240V / 50-60Hz
EXCL.BALLASTSET 232 EVG-EVG DIM
2 x TC-TEL 32W

G53 / 12V / EXCL.TRANSO
2 x QR-LP111 35-50W
ORIENTABLE 0°-30°


**OPTIONS / ACCESSORIES :**

BALLASTSET 232 EVG
BALLASTSET 232 EVG DIM
GRID IN ZB TC BOX
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111

**GRID IN ZB TC 3205 EVG-EVG DIM A****202 60 32 50 E-ED A**

INCL.2 x GRID IN ZB TC PC SBL
INCL.1 x CONNECTOR 4P
INCL.1 x CONNECTOR 5P
GX24q-3 / 230-240V / 50-60Hz
EXCL.BALLASTSET 232 EVG-EVG DIM
2 x TC-TEL 32W


GU5.3 / 12V / EXCL.TRANSO
3 x QR-C51 COATED 20-35-50W
ORIENTABLE 0°-30°

**OPTIONS / ACCESSORIES :**

BALLASTSET 232 EVG
BALLASTSET 232 EVG DIM
GRID IN ZB TC BOX
CLIP 50 + DICROIC FILTER 50



ACCESSORIES



CLIP 50 A
201 30 98 A

**DICROIC FILTER 50**


201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●

INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN ZB

GRID IN ZB 1 QR




152 x 152 x 114



GRID IN ZB 2 QR




305 x 152 x 114



OPTIONS

184 x 184 x 148




GRID IN ZB 1 QR BOX
202 60 98 01

1,7

OPTIONS

337 x 184 x 148




GRID IN ZB 2 QR BOX
202 60 98 02

2,4

GRID IN ZB 1 C30 / H30




152 x 152 x 198



GRID IN ZB 2 C30 / H30 / RA




305 x 152 x 198



OPTIONS

184 x 184 x 233





GRID IN ZB 1 C30 / H30 BOX
202 60 98 11

2,8

OPTIONS

337 x 184 x 233



GRID IN ZB 2 C30 / H30 / RA BOX
202 60 98 12

3,8


INTERIOR LIGHTING **DOWNLIGHT FEATURES**
GRID IN ZB

GRID IN ZB 3 QR



GRID IN ZB 3 QR

452 x 152 x 114




GRID IN ZB 4 QR




GRID IN ZB 4 QR

305 x 305 x 114



OPTIONS


484 x 184 x 148

GRID IN ZB 3 QR BOX
202 60 98 03

3,1

OPTIONS

337 x 337 x 148

GRID IN ZB 4 QR BOX
202 60 98 04


3,1

GRID IN ZB 3 C30 / H30 / RA



GRID IN ZB 3 C30

452 x 152 x 198




GRID IN ZB 4 C30 / H30 / RA




GRID IN ZB 4 RA

305 x 305 x 198



OPTIONS


484 x 184 x 233

GRID IN ZB 3 C30 / H30 / RA BOX
202 60 98 13

5

OPTIONS

337 x 337 x 233

GRID IN ZB 4 C30 / H30 / RA BOX
202 60 98 14

5

INTERIOR LIGHTING **DOWNLIGHT FEATURES**
GRID IN ZB



ORIENTABLE 0°-30°  IP20 850°C 



GRID IN ZB QR
G53 / 12V / EXCL.TRANSFO 
QR-LP111 35-50-75-100W
QR-HP111 +  75-100W
ACCESSORIES : 



ORIENTABLE 0°-30°  IP20 850°C 



GRID IN ZB C30
E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG 
HIPAR30 35-70W
ACCESSORIES : 



GRID IN ZB H30
E27Ls / 230-240V / 50-60Hz 
QPAR30 75W



GRID IN ZB RA
G53 / 12V / EXCL.TRANSFO
QR-LP111 35-50-75-100W
QR-HP111 +  75-100W
ACCESSORIES : 

E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG 
HIPAR30 35-70W
ACCESSORIES : 

ACCESSORIES



CLIP 111 A
201 27 99 A

Ø110
0,1



FRONTGLASS 111
201 17 00

Ø100
0,1



COLOUR FILTER 111
201 27 11 
201 27 12 
201 27 13 
201 27 14 

Ø100
0,1




LENS 111
201 47 11

Ø100
0,1


INTERIOR LIGHTING ■ DOWNLIGHT FEATURES GRID IN ZB

GRID IN ZB 1


152 x 152 x 114
0,7

**GRID IN ZB 2**


305 x 152 x 114
1,4

**GRID IN ZB 3**

452 x 152 x 114
2

**GRID IN ZB 4**

305 x 305 x 114
2,6



GRID IN ZB 1 QR A
202 60 00 01 A
GRID IN ZB 1 QR W
202 60 00 01 W



GRID IN ZB 2 QR A
202 60 00 02 A
GRID IN ZB 2 QR W
202 60 00 02 W



GRID IN ZB 3 QR A
202 60 00 03 A
GRID IN ZB 3 QR W
202 60 00 03 W



GRID IN ZB 4 QR A
202 60 00 04 A
GRID IN ZB 4 QR W
202 60 00 04 W




OPTIONS :
GRID IN ZB 1 QR BOX
202 60 98 01

OPTIONS :
GRID IN ZB 2 QR BOX
202 60 98 02


OPTIONS :
GRID IN ZB 3 QR BOX
202 60 98 03

OPTIONS :
GRID IN ZB 4 QR BOX
202 60 98 04


152 x 152 x 198
0,8




305 x 152 x 198
1,7



452 x 152 x 198
2,4



305 x 305 x 198
3,5



GRID IN ZB 1 C30 A
202 60 11 01 A




GRID IN ZB 2 C30 A
202 60 11 02 A



GRID IN ZB 3 C30 A
202 60 11 03 A



GRID IN ZB 4 C30 A
202 60 11 04 A



GRID IN ZB 1 H30 A
202 60 22 01 A



GRID IN ZB 2 H30 A
202 60 22 02 A



GRID IN ZB 3 H30 A
202 60 22 03 A





GRID IN ZB 4 H30 A
202 60 22 04 A





GRID IN ZB 2 RA A
202 60 01 12 A



GRID IN ZB 3 RA A
202 60 01 13 A



GRID IN ZB 4 RA A
202 60 01 24 A



OPTIONS :
GRID IN ZB 1 C30 / H30 BOX
202 60 98 11


OPTIONS :
GRID IN ZB 2 C30 / H30 / RA BOX
202 60 98 12

OPTIONS :
GRID IN ZB 3 C30 / H30 / RA BOX
202 60 98 13

OPTIONS :
GRID IN ZB 4 C30 / H30 / RA BOX
202 60 98 14

ACCESSORIES

CLIP 111 A
201 27 99 A




UV-FILTER C30
201 37 00

INTERIOR LIGHTING

DOWNLIGHT FEATURES

GRID IN ZB



INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN ZB



INTERIOR LIGHTING

DOWNLIGHT FEATURES

GRID IN ZB



INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
GRID IN ZB




INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN TRIMLESS

GRID IN TRIMLESS 1




GRID IN TRIMLESS 1 QR

157 x 157 x 120
max.40




157 x 157 x 210
max.40



OPTIONS


162 x 162
max.40



GRID IN TRIMLESS 1 KIT
202 61 97 01

0,4

262 x 220 x 210



CONCRETE PACK GIT 1
202 61 96 01


3,1

GRID IN TRIMLESS 2




GRID IN TRIMLESS 2 QR

296 x 157 x 120
max.40




296 x 157 x 210
max.40



OPTIONS


301 x 162
max.40



GRID IN TRIMLESS 2 KIT
202 61 97 02

0,5

393 x 220 x 210



CONCRETE PACK GIT 2
202 61 96 02


6,5

GRID IN TRIMLESS 3




GRID IN TRIMLESS 3 QR

439 x 157 x 120
max.40




439 x 157 x 210
max.40



OPTIONS


444 x 162
max.40



GRID IN TRIMLESS 3 KIT
202 61 97 03

0,6

393 x 220 x 210



CONCRETE PACK GIT 3
202 61 96 03

10

ACCESSORIES



CLIP 111 A/B/W
201 27 99 A
201 27 99 B
201 27 99 W
Ø110
0,1



FRONTGLASS 111
201 17 00
Ø100
0,1



COLOUR FILTER 111
201 27 11
201 27 12
201 27 13
201 27 14
Ø100
0,1



LENS 111
201 47 11
Ø100
0,1


INTERIOR LIGHTING ■ DOWNLIGHT FEATURES GRID IN TRIMLESS

GRID IN TRIMLESS 4LINE



GRID IN TRIMLESS 4LINE QR

579 x 157 x 120
max.40




GRID IN TRIMLESS 4



GRID IN TRIMLESS 4 QR

304 x 304 x 120
max.40




GRID IN TRIMLESS 6LINE




GRID IN TRIMLESS 6LINE QR


859 x 157 x 120
max.40




579 x 157 x 210
max.40



304 x 304 x 210
max.40




859 x 157 x 210
max.40




OPTIONS

584 x 162
max.40




OPTIONS

309 x 309
max.40



OPTIONS


864 x 162
max.40



GRID IN TRIMLESS 4LINE KIT 202 61 97 04L

0,8

686 x 220 x 210



CONCRETE PACK GIT 4LINE 202 61 96 04L

13

ACCESSORIES



UV-FILTER C30
201 37 00

0,1

GRID IN TRIMLESS 4 KIT 202 61 97 04

0,8



GRID IN TRIMLESS QR
+ CLIP 111 + GREEN FILTER 111




GRID IN TRIMLESS QR
+ CLIP 111 + FRONTGLASS 111

GRID IN TRIMLESS 6LINE KIT 202 61 97 06

1







GRID IN TRIMLESS QR
+ CLIP 111 + LENS 111




GRID IN TRIMLESS QR
+ CLIP 111 + BLUE FILTER 111

INTERIOR LIGHTING **DOWNLIGHT FEATURES**
GRID IN TRIMLESS

	GRID IN TRIMLESS 1	GRID IN TRIMLESS 2
ORIENTABLE 0°-30°  IP40 850°C   GRID IN TRIMLESS QR G53 / 12V / EXCL.TRANSFO  QR-LP111 35-50-75-100W QR-HP111 +  75-100W ACCESSORIES :  IP43 	 157 x 157 x 120 max.40   GRID IN TRIMLESS 1 QR A 202 61 00 01 A GRID IN TRIMLESS 1 QR B 202 61 00 01 B GRID IN TRIMLESS 1 QR W 202 61 00 01 W 	 296 x 157 x 120 max.40   GRID IN TRIMLESS 2 QR A 202 61 00 02 A GRID IN TRIMLESS 2 QR B 202 61 00 02 B GRID IN TRIMLESS 2 QR W 202 61 00 02 W 
	OPTIONS : GRID IN TRIMLESS 1 KIT 202 61 97 01 CONCRETE PACK GIT 1 202 61 96 01	OPTIONS : GRID IN TRIMLESS 2 KIT 202 61 97 02 CONCRETE PACK GIT 2 202 61 96 02
ORIENTABLE 0°-30°  IP40 850°C   GRID IN TRIMLESS C30 E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG  HIPAR30 35-70W ACCESSORIES :  IP43 	 157 x 157 x 210 max.40   GRID IN TRIMLESS 1 C30 B 202 61 11 01 B 	 296 x 157 x 210 max.40   GRID IN TRIMLESS 2 C30 B 202 61 11 02 B 
GRID IN TRIMLESS H30 E27Ls / 230-240V / 50-60Hz  QPAR30 75W 	GRID IN TRIMLESS 1 H30 B 202 61 22 01 B 	GRID IN TRIMLESS 2 H30 B 202 61 22 02 B 
GRID IN TRIMLESS HIT INCL.CLIP 111 + REFLECTOR FL-35° + GLASS UV-STOP G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG  IP43  HIT 35-70W ON REQUEST : REFLECTOR S-15° / WFL-55° 	GRID IN TRIMLESS 1 HIT B 202 61 55 01 B 	GRID IN TRIMLESS 2 HIT B 202 61 55 02 B 
GRID IN TRIMLESS RA G53 / 12V / EXCL.TRANSFO QR-LP111 35-50-75-100W / QR-HP111 +  75-100W ACCESSORIES :  IP43 E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG  HIPAR30 35-70W ACCESSORIES :  IP43 		GRID IN TRIMLESS 2 RA B 202 61 01 12 B   
GRID IN TRIMLESS HR G53 / 12V / EXCL.TRANSFO QR-LP111 35-50-75-100W / QR-HP111 +  75-100W ACCESSORIES :  IP43 INCL.CLIP 111 + REFLECTOR FL-35° + GLASS UV-STOP G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG  IP43  HIT 35-70W ON REQUEST : REFLECTOR S-15° / WFL-55° 	OPTIONS : GRID IN TRIMLESS 1 KIT 202 61 97 01 CONCRETE PACK GIT 1 202 61 96 01	GRID IN TRIMLESS 2 HR B 202 61 05 12 B    OPTIONS : GRID IN TRIMLESS 2 KIT 202 61 97 02 CONCRETE PACK GIT 2 202 61 96 02

INTERIOR LIGHTING ■ DOWNLIGHT FEATURES GRID IN TRIMLESS

GRID IN TRIMLESS 3




GRID IN TRIMLESS 3 QR A
202 61 00 03 A
GRID IN TRIMLESS 3 QR B
202 61 00 03 B
GRID IN TRIMLESS 3 QR W
202 61 00 03 W



OPTIONS :
GRID IN TRIMLESS 3 KIT
202 61 97 03
CONCRETE PACK GIT 3
202 61 96 03

GRID IN TRIMLESS 4




GRID IN TRIMLESS 4 QR A
202 61 00 04 A
GRID IN TRIMLESS 4 QR B
202 61 00 04 B
GRID IN TRIMLESS 4 QR W
202 61 00 04 W



OPTIONS :
GRID IN TRIMLESS 4 KIT
202 61 97 04

GRID IN TRIMLESS 4LINE




GRID IN TRIMLESS 4LINE QR A
202 61 00 04L A
GRID IN TRIMLESS 4LINE QR B
202 61 00 04L B
GRID IN TRIMLESS 4LINE QR W
202 61 00 04L W



OPTIONS :
GRID IN TRIMLESS 4LINE KIT
202 61 97 04L
CONCRETE PACK GIT 4LINE
202 61 96 04L


GRID IN TRIMLESS 6LINE




GRID IN TRIMLESS 6LINE QR A
202 61 00 06L A
GRID IN TRIMLESS 6LINE QR B
202 61 00 06L B
GRID IN TRIMLESS 6LINE QR W
202 61 00 06L W




OPTIONS :
GRID IN TRIMLESS 6LINE KIT
202 61 97 06L




GRID IN TRIMLESS 3 C30 B
202 61 11 03 B



GRID IN TRIMLESS 4 C30 B
202 61 11 04 B



GRID IN TRIMLESS 4LINE C30 B
202 61 11 04L B



GRID IN TRIMLESS 6LINE C30 B
202 61 11 06L B

GRID IN TRIMLESS 3 H30 B
202 61 22 03 B



GRID IN TRIMLESS 4 H30 B
202 61 22 04 B




GRID IN TRIMLESS 3 HIT B
202 61 55 03 B





GRID IN TRIMLESS 4 HIT B
202 61 55 04 B




GRID IN TRIMLESS 3 RA B
202 61 01 13 B





GRID IN TRIMLESS 4 RA B
202 61 01 24 B





GRID IN TRIMLESS 4LINE RA B
202 61 01 24L B





GRID IN TRIMLESS 6LINE RA B
202 61 01 26 B





GRID IN TRIMLESS 3 HR B
202 61 05 13 B





GRID IN TRIMLESS 4 HR B
202 61 05 24 B



GRID IN TRIMLESS 4LINE HR B
202 61 05 24L B



GRID IN TRIMLESS 6LINE HR B
202 61 05 26 B



OPTIONS :
GRID IN TRIMLESS 3 KIT
202 61 97 03
CONCRETE PACK GIT 3
202 61 96 03

OPTIONS :
GRID IN TRIMLESS 4 KIT
202 61 97 04

OPTIONS :
GRID IN TRIMLESS 4LINE KIT
202 61 97 04L
CONCRETE PACK GIT 4LINE
202 61 96 04L

OPTIONS :
GRID IN TRIMLESS 6LINE KIT
202 61 97 06

INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
GRID IN TRIMLESS



INTERIOR LIGHTING **DOWNLIGHT FEATURES**
GRID IN TRIMLESS



INTERIOR LIGHTING **DOWNLIGHT FEATURES**
GRID IN TRIMLESS




INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
GRID IN TRIMLESS




INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN

GRID IN 1



GRID IN 1 QR

167 x 167 x 110
max.15




GRID IN 2



GRID IN 2 QR

306 x 167 x 110
max.15




GRID IN 3



GRID IN 3 QR


450 x 167 x 110
max.15



OPTIONS


190 x 170

265 x 235 x 130



GRID IN 1
PLASTERKIT
202 62 99 01

0,2




GRID IN 1
CONCRETE BOX
202 62 98 01

1,3

OPTIONS


310 x 190

405 x 265 x 130



GRID IN 2
PLASTERKIT
202 62 99 02

0,4




GRID IN 2
CONCRETE BOX
202 62 98 02

2,2

OPTIONS


450 x 190

538 x 265 x 130



GRID IN 3
PLASTERKIT
202 62 99 03


0,5




GRID IN 3
CONCRETE BOX
202 62 98 03

3


167 x 167 x 205
max.15



306 x 167 x 205
max.15




450 x 167 x 205
max.15



OPTIONS

190 x 170




GRID IN 1
PLASTERKIT
202 62 99 01

0,2

OPTIONS

310 x 190




GRID IN 2
PLASTERKIT
202 62 99 02

0,4

OPTIONS

450 x 190




GRID IN 3
PLASTERKIT
202 62 99 03

0,5


INTERIOR LIGHTING **DOWNLIGHT FEATURES**
GRID IN

GRID IN 4




GRID IN 4 QR

315 x 315 x 110
max.15




GRID IN 4LINE




GRID IN 4 LINE QR

590 x 167 x 110
max.15




GRID IN 6LINE




GRID IN 6LINE QR

870 x 167 x 110
max.15



OPTIONS


310 x 310



GRID IN 4
PLASTERKIT
202 62 99 04

0,5

405 x 405 x 130




GRID IN 4
CONCRETE BOX
202 62 98 04

3,7

OPTIONS


610 x 190



GRID IN 4LINE
PLASTERKIT
202 62 99 04L

0,6

685 x 265 x 130




GRID IN 4LINE
CONCRETE BOX
202 62 98 04L

4,3

OPTIONS


890 x 190



GRID IN 6LINE
PLASTERKIT
202 62 99 06

0,8


970 x 265 x 130




GRID IN 6LINE
CONCRETE BOX
202 62 98 06

5,2


315 x 315 x 205
max.15



590 x 167 x 205
max.15




870 x 167 x 205
max.15



OPTIONS

310 x 310




GRID IN 4
PLASTERKIT
202 62 99 04

0,5

OPTIONS

610 x 190




GRID IN 4LINE
PLASTERKIT
202 62 99 04L

0,6

OPTIONS





890 x 190



GRID IN 6LINE
PLASTERKIT
202 62 99 06

0,8

INTERIOR LIGHTING **DOWNLIGHT FEATURES**
GRID IN

		GRID IN 1	GRID IN 2
ORIENTABLE 0°-30°  IP40 850°C 			
GRID IN QR G53 / 12V / EXCL. TRANSFO  QR-LP111 35-50-75-100W QR-HP111 +  75-100W ACCESSORIES :  IP43		GRID IN 1 QR A-A 202 62 00 01 A-A GRID IN 1 QR A-B 202 62 00 01 A-B GRID IN 1 QR W-W 202 62 00 01 W-W	GRID IN 2 QR A-A 202 62 00 02 A-A GRID IN 2 QR A-B 202 62 00 02 A-B GRID IN 2 QR W-W 202 62 00 02 W-W
		OPTIONS : GRID IN 1 PLASTERKIT 202 62 99 01 GRID IN 1 CONCRETE BOX 202 62 98 01	OPTIONS : GRID IN 2 PLASTERKIT 202 62 99 02 GRID IN 2 CONCRETE BOX 202 62 98 02
ORIENTABLE 0°-30°  IP40 850°C 			
GRID IN C30 E27Hs / 230-240V / 50-60Hz / EXCL. KVG-EVG  HIPAR30 35-70W ACCESSORIES :  IP43		GRID IN 1 C30 A-B 202 62 11 01 A-B	GRID IN 2 C30 A-B 202 62 11 02 A-B
GRID IN H30 E27Ls / 230-240V / 50-60Hz  QPAR30 75W		GRID IN 1 H30 A-B 202 62 22 01 A-B	GRID IN 2 H30 A-B 202 62 22 02 A-B
GRID IN HIT INCL. CLIP 111 + REFLECTOR FL-35° + GLASS UV-STOP G12 / 230-240V / 50-60Hz / EXCL. KVG-EVG  IP43  HIT 35-70W ON REQUEST : REFLECTOR S-15° / WFL-55°		GRID IN 1 HIT A-B 202 62 55 01 A-B	GRID IN 2 HIT A-B 202 62 55 02 A-B
GRID IN RA G53 / 12V / EXCL. TRANSFO QR-LP111 35-50-75-100W / QR-HP111 +  75-100W ACCESSORIES :  IP43 E27Hs / 230-240V / 50-60Hz / EXCL. KVG-EVG  HIPAR30 35-70W ACCESSORIES :  IP43			GRID IN 2 RA A-B 202 62 01 12 A-B
GRID IN HR G53 / 12V / EXCL. TRANSFO QR-LP111 35-50-75-100W / QR-HP111 +  75-100W ACCESSORIES :  IP43 INCL. CLIP 111 + REFLECTOR FL-35° + GLASS UV-STOP G12 / 230-240V / 50-60Hz / EXCL. KVG-EVG  IP43  HIT 35-70W ON REQUEST : REFLECTOR S-15° / WFL-55°			GRID IN 2 HR A-B 202 62 05 12 A-B
		OPTIONS : GRID IN 1 PLASTERKIT 202 62 99 01	OPTIONS : GRID IN 2 PLASTERKIT 202 62 99 02

ACCESSORIES



CLIP 111 A/B/W
 201 27 99 A
 201 27 99 B
 201 27 99 W



FRONTGLASS 111
 201 17 00




COLOUR FILTER 111
 201 27 11
 201 27 12
 201 27 13
 201 27 14



LENS 111
 201 47 11

INTERIOR LIGHTING DOWNLIGHT FEATURES


GRID IN

GRID IN 3

GRID IN 3 QR A-A
202 62 00 03 A-A
GRID IN 3 QR A-B
202 62 00 03 A-B
GRID IN 3 QR W-W
202 62 00 03 W-W




OPTIONS :
GRID IN 3 PLASTERKIT
202 62 99 03
GRID IN 3 CONCRETE BOX
202 62 98 03

GRID IN 4

GRID IN 4 QR A-A
202 62 00 04 A-A
GRID IN 4 QR A-B
202 62 00 04 A-B
GRID IN 4 QR W-W
202 62 00 04 W-W




OPTIONS :
GRID IN 4 PLASTERKIT
202 62 99 04
GRID IN 4 CONCRETE BOX
202 62 98 04

GRID IN 4LINE

GRID IN 4LINE QR A-A
202 62 00 04L A-A
GRID IN 4LINE QR A-B
202 62 00 04L A-B
GRID IN 4LINE QR W-W
202 62 00 04L W-W




OPTIONS :
GRID IN 4LINE PLASTERKIT
202 62 99 04L
GRID IN 4LINE CONCRETE BOX
202 62 98 04L

GRID IN 6LINE


GRID IN 6LINE QR A-A
202 62 00 06L A-A
GRID IN 6LINE QR A-B
202 62 00 06L A-B
GRID IN 6LINE QR W-W
202 62 00 06L W-W




OPTIONS :
GRID IN 6LINE PLASTERKIT
202 62 99 06L
GRID IN 6LINE CONCRETE BOX
202 62 98 06L




GRID IN 3 C30 A-B
202 62 11 03 A-B



GRID IN 4 C30 A-B
202 62 11 04 A-B



GRID IN 4LINE C30 A-B
202 62 11 04L A-B



GRID IN 6LINE C30 A-B
202 62 11 06L A-B

GRID IN 3 H30 A-B
202 62 22 03 A-B



GRID IN 4 H30 A-B
202 62 22 04 A-B



GRID IN 3 HIT A-B
202 62 55 03 A-B




GRID IN 4 HIT A-B
202 62 55 04 A-B




GRID IN 3 RA A-B
202 62 01 13 A-B




GRID IN 4 RA A-B
202 62 01 24 A-B



GRID IN 4LINE RA A-B
202 62 01 24L A-B




GRID IN 6LINE RA A-B
202 62 01 26 A-B




GRID IN 3 HR A-B
202 62 05 13 A-B




GRID IN 4 HR A-B
202 62 05 24 A-B



GRID IN 4LINE HR A-B
202 62 05 24L A-B



GRID IN 6LINE HR A-B
202 62 05 26 A-B





OPTIONS :
GRID IN 3 PLASTERKIT
202 62 99 03

OPTIONS :
GRID IN 4 PLASTERKIT
202 62 99 04

OPTIONS :
GRID IN 4LINE PLASTERKIT
202 62 99 04L

OPTIONS :
GRID IN 6LINE PLASTERKIT
202 62 99 06L

ACCESSORIES

INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN



INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
GRID IN



INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN



INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN



INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
GRID IN



INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN



INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN



INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
GRID IN



INTERIOR LIGHTING DOWNLIGHT FEATURES
GRID IN ST
GRID IN ST



INTERIOR LIGHTING DOWNLIGHT FEATURES GRID IN ST

GRID IN ST 1



150 x 150 x 145

max.40


GRID IN ST 1 QR A 202 63 00 01 A

G53 / 12V / EXCL.TRANSFO

1 x QR-LP111 35-50-75-100W

1 x QR-HP111 + 75-100W

ORIENTABLE 0°-30°



ACCESSORIES :


CLIP 111 + FRONTGLASS 111 / IP43

CLIP 111 + COLOUR FILTER 111 / IP43

CLIP 111 + LENS 111 / IP43



GRID IN ST 3



440 x 150 x 145

max.40


GRID IN ST 3 QR A 202 63 00 03 A

G53 / 12V / EXCL.TRANSFO

3 x QR-LP111 35-50-75-100W

3 x QR-HP111 + 75-100W

ORIENTABLE 0°-30°



ACCESSORIES :

CLIP 111 + FRONTGLASS 111 / IP43

CLIP 111 + COLOUR FILTER 111 / IP43

CLIP 111 + LENS 111 / IP43



GRID IN ST 2



295 x 150 x 145

max.40


GRID IN ST 2 QR A 202 63 00 02 A

G53 / 12V / EXCL.TRANSFO

2 x QR-LP111 35-50-75-100W

2 x QR-HP111 + 75-100W

ORIENTABLE 0°-30°



ACCESSORIES :

CLIP 111 + FRONTGLASS 111 / IP43

CLIP 111 + COLOUR FILTER 111 / IP43

CLIP 111 + LENS 111 / IP43



GRID IN ST 4



295 x 295 x 145

max.40


GRID IN ST 4 QR A 202 63 00 04 A

G53 / 12V / EXCL.TRANSFO

4 x QR-LP111 35-50-75-100W

4 x QR-HP111 + 75-100W

ORIENTABLE 0°-30°



ACCESSORIES :






CLIP 111 + FRONTGLASS 111 / IP43

CLIP 111 + COLOUR FILTER 111 / IP43

CLIP 111 + LENS 111 / IP43



ACCESSORIES



INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
GRID IN ST



INTERIOR LIGHTING

DOWNLIGHT FEATURES

GRID IN ST



INTERIOR LIGHTING

DOWNLIGHT FEATURES


MINIGRID IN ZB

MINIGRID IN ZB 1 50 / QR



MINIGRID IN ZB 1 50

109 x 109 x 113




MINIGRID IN ZB 2 50 / QR




MINIGRID IN ZB 2 QR

219 x 109 x 113




OPTIONS

141 x 141 x 148


MINIGRID IN ZB 1 50 / QR BOX
202 70 98 01

1,2



OPTIONS

251 x 141 x 148

MINIGRID IN ZB 2 50 / QR BOX
202 70 98 02

1,8




MINIGRID IN ZB 1 H20



MINIGRID IN ZB 1 H20

109 x 109 x 175




MINIGRID IN ZB 2 H20 / RA




MINIGRID IN ZB 2 H20

219 x 109 x 175



OPTIONS

141 x 141 x 210


MINIGRID IN ZB 1 H20 BOX
202 70 98 11

1,9



OPTIONS

251 x 141 x 210

MINIGRID IN ZB 2 H20 / RA BOX
202 70 98 12

2,9




INTERIOR LIGHTING **DOWNLIGHT FEATURES**
MINIGRID IN ZB

MINIGRID IN ZB 3 50 / QR



MINIGRID IN ZB 3 QR

326 x 109 x 113




MINIGRID IN ZB 4LINE 50 / QR




MINIGRID IN ZB 4LINE 50

432 x 109 x 113



OPTIONS


358 x 141 x 148

MINIGRID IN ZB 3 50 / QR BOX
202 70 98 03

2,4

OPTIONS

464 x 141 x 148

MINIGRID IN ZB 4LINE 50 / QR BOX
202 70 98 04L


3

MINIGRID IN ZB 3 H20 / RA



MINIGRID IN ZB 3 RA

326 x 109 x 175




MINIGRID IN ZB 4LINE H20 / RA




MINIGRID IN ZB 4LINE RA

432 x 109 x 175



OPTIONS


358 x 141 x 210

MINIGRID IN ZB 3 H20 / RA BOX
202 70 98 13

3,8

OPTIONS

464 x 141 x 210

MINIGRID IN ZB 4LINE H20 / RA BOX
202 70 98 14L

4,6

INTERIOR LIGHTING

DOWNLIGHT FEATURES

MINIGRID IN ZB



ORIENTABLE 0°-30°  IP20 850°C 

**MINIGRID IN ZB 50**

GU5,3 / 12V / EXCL.TRANSFO 
QR-C51 COATED 20-35-50W

**MINIGRID IN ZB QR**

BA15d / 12V / EXCL.TRANSFO 
QR-LP70 20-50W



ORIENTABLE 0°-30°  IP20 850°C 

**MINIGRID IN ZB H20**

E27Ls / 230-240V / 50-60Hz 
QPAR20 50W

**MINIGRID IN ZB RA**

BA15d / 12V / EXCL.TRANSFO
QR-LP70 20-50W

E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG 
HIPAR20 35W


INTERIOR LIGHTING

DOWNLIGHT FEATURES

MINIGRID IN ZB

MINIGRID IN ZB 1


109 x 109 x 113
0,4



MINIGRID IN ZB 1 50 A
202 70 55 01 A
MINIGRID IN ZB 1 50 W
202 70 55 01 W

**MINIGRID IN ZB 2**


219 x 109 x 113
0,8



MINIGRID IN ZB 2 50 A
202 70 55 02 A
MINIGRID IN ZB 2 50 W
202 70 55 02 W

**MINIGRID IN ZB 3**


326 x 109 x 113
1,2



MINIGRID IN ZB 3 50 A
202 70 55 03 A
MINIGRID IN ZB 3 50 W
202 70 55 03 W

**MINIGRID IN ZB 4LINE**

432 x 109 x 113
1,6



MINIGRID IN ZB 4LINE 50 A
202 70 55 04L A
MINIGRID IN ZB 4LINE 50 W
202 70 55 04L W



MINIGRID IN ZB 1 QR A
202 70 00 01 A
MINIGRID IN ZB 1 QR W
202 70 00 01 W



MINIGRID IN ZB 2 QR A
202 70 00 02 A
MINIGRID IN ZB 2 QR W
202 70 00 02 W



MINIGRID IN ZB 3 QR A
202 70 00 03 A
MINIGRID IN ZB 3 QR W
202 70 00 03 W



MINIGRID IN ZB 4LINE QR A
202 70 00 04L A
MINIGRID IN ZB 4LINE 50 W
202 70 55 04L W




OPTIONS :
MINIGRID IN ZB 1 50 / QR BOX
202 70 98 01

OPTIONS :
MINIGRID IN ZB 2 50 / QR BOX
202 70 98 02

OPTIONS :
MINIGRID IN ZB 3 50 / QR BOX
202 70 98 03

OPTIONS :
MINIGRID IN ZB 4LINE 50 / QR BOX
202 70 98 04L


109 x 109 x 175
0,6



MINIGRID IN ZB 1 H20 A
202 70 22 01 A




219 x 109 x 175
1,1



MINIGRID IN ZB 2 H20 A
202 70 22 02 A




326 x 109 x 175
1,7



MINIGRID IN ZB 3 H20 A
202 70 22 03 A



432 x 109 x 175
2,3



MINIGRID IN ZB 4LINE H20 A
202 70 22 04L A



MINIGRID IN ZB 2 RA A
202 70 01 12 A



MINIGRID IN ZB 3 RA A
202 70 01 13 A



MINIGRID IN ZB 4LINE RA A
202 70 01 24L A



OPTIONS :
MINIGRID IN ZB 1 H20 BOX
202 70 98 11

OPTIONS :
MINIGRID IN ZB 2 H20 / RA BOX
202 70 98 12

OPTIONS :
MINIGRID IN ZB 3 H20 / RA BOX
202 70 98 13

OPTIONS :
MINIGRID IN ZB 4LINE H20 / RA BOX
202 70 98 14L

ACCESSORIES

CLIP 50 A/B/W
201 30 98 A
201 30 98 B
201 30 98 W
0,1



DICROIC FILTER 50
201 30 11
201 30 12
201 30 13
201 30 14
0,1

INTERIOR LIGHTING

DOWNLIGHT FEATURES

MINIGRID IN TRIMLESS


MINIGRID IN TRIMLESS 1



MINIGRID IN TRIMLESS 1 50


 108 x 108 x 140

 max.40



 108 x 108 x 200

 max.40




MINIGRID IN TRIMLESS 2



MINIGRID IN TRIMLESS 2 QR


 211 x 108 x 140

 max.40



 211 x 108 x 200


 max.40



OPTIONS

 113 x 113

 max.40




MINIGRID IN TRIMLESS 1 KIT
202 71 97 01

 0,3

OPTIONS


 216 x 113

 max.40



MINIGRID IN TRIMLESS 2 KIT
202 71 97 02

 0,4



MINIGRID IN TRIMLESS 50 + CLIP 50 + DICROIC FILTER 50 BLUE

INTERIOR LIGHTING **DOWNLIGHT FEATURES**
MINIGRID IN TRIMLESS

MINIGRID IN TRIMLESS 3



MINIGRID IN TRIMLESS 3 50

310 x 108 x 140

max.40

MINIGRID IN TRIMLESS 4



MINIGRID IN TRIMLESS 4 QR

211 x 211 x 140

max.40




MINIGRID IN TRIMLESS 4LINE



MINIGRID IN TRIMLESS 4LINE 50

405 x 108 x 140

max.40



310 x 108 x 200




max.40

211 x 211 x 200

max.40

405 x 108 x 200


max.40



OPTIONS

315 x 113


max.40



OPTIONS

216 x 216


max.40



OPTIONS

410 x 113

max.40



MINIGRID IN TRIMLESS 3 KIT
202 71 97 03

0,5


MINIGRID IN TRIMLESS 4 KIT
202 71 97 04

0,6


MINIGRID IN TRIMLESS 4LINE KIT
202 71 97 04L

0,6

ACCESSORIES







CLIP 50 A/B/W
201 30 98 A
201 30 98 B
201 30 98 W



DICROIC FILTER 50
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●

INTERIOR LIGHTING **MINIGRID IN TRIMLESS**

	MINIGRID IN TRIMLESS 1	MINIGRID IN TRIMLESS 2
ORIENTABLE 0°-30°  IP40 850°C  	 108 x 108 x 140  max.40  0,4 	 211 x 108 x 140  max.40  0,8 
MINIGRID IN TRIMLESS 50 GU5,3 / 12V / EXCL.TRANSFO  QR-CB51 20-35-50W 	MINIGRID IN TRIMLESS 1 50 A 202 71 55 01 A MINIGRID IN TRIMLESS 1 50 B 202 71 55 01 B MINIGRID IN TRIMLESS 1 50 W 202 71 55 01 W 1 x 	MINIGRID IN TRIMLESS 2 50 A 202 71 55 02 A MINIGRID IN TRIMLESS 2 50 B 202 71 55 02 B MINIGRID IN TRIMLESS 2 50 W 202 71 55 02 W 2 x 
MINIGRID IN TRIMLESS 50 Hi GU10 / 230-240V / 50-60Hz  QPAR16 50W 	MINIGRID IN TRIMLESS 1 50 Hi A 202 71 66 01 A MINIGRID IN TRIMLESS 1 50 Hi B 202 71 66 01 B MINIGRID IN TRIMLESS 1 50 Hi W 202 71 66 01 W 1 x 	MINIGRID IN TRIMLESS 2 50 Hi A 202 71 66 02 A MINIGRID IN TRIMLESS 2 50 Hi B 202 71 66 02 B MINIGRID IN TRIMLESS 2 50 Hi W 202 71 66 02 W 2 x 
MINIGRID IN TRIMLESS QR BA15d / 12V / EXCL.TRANSFO  QR-LP70 20-50W 	MINIGRID IN TRIMLESS 1 QR A 202 71 00 01 A MINIGRID IN TRIMLESS 1 QR B 202 71 00 01 B MINIGRID IN TRIMLESS 1 QR W 202 71 00 01 W 1 x  <i>OPTIONS :</i> MINIGRID IN TRIMLESS 1 KIT 202 71 97 01	MINIGRID IN TRIMLESS 2 QR A 202 71 00 02 A MINIGRID IN TRIMLESS 2 QR B 202 71 00 02 B MINIGRID IN TRIMLESS 2 QR W 202 71 00 02 W 2 x  <i>OPTIONS :</i> MINIGRID IN TRIMLESS 2 KIT 202 71 97 02
ORIENTABLE 0°-30°  IP40 850°C  	 108 x 108 x 200  max.40  0,5 	 211 x 108 x 200  max.40  1 
MINIGRID IN TRIMLESS H20 E27Ls / 230-240V / 50-60Hz  QPAR20 50W 	MINIGRID IN TRIMLESS 1 H20 B 202 71 22 01 B 1 x 	MINIGRID IN TRIMLESS 2 H20 B 202 71 22 02 B 2 x 
MINIGRID IN TRIMLESS RA BA15d / 12V / EXCL.TRANSFO QR-LP70 20-50W E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG  HIPAR20 35W	<i>OPTIONS :</i> MINIGRID IN TRIMLESS 1 KIT 202 71 97 01	MINIGRID IN TRIMLESS 2 RA B 202 71 01 12 B 1 x  1 x   <i>OPTIONS :</i> MINIGRID IN TRIMLESS 2 KIT 202 71 97 02


INTERIOR LIGHTING DOWNLIGHT FEATURES MINIGRID IN TRIMLESS

MINIGRID IN TRIMLESS 3

310 x 108 x 140

max.40

1,1



MINIGRID IN TRIMLESS 3 50 A
202 71 55 03 A
MINIGRID IN TRIMLESS 3 50 B
202 71 55 03 B
MINIGRID IN TRIMLESS 3 50 W
202 71 55 03 W




MINIGRID IN TRIMLESS 4

211 x 211 x 140

max.40

1,5



MINIGRID IN TRIMLESS 4 50 A
202 71 55 04 A
MINIGRID IN TRIMLESS 4 50 B
202 71 55 04 B
MINIGRID IN TRIMLESS 4 50 W
202 71 55 04 W




MINIGRID IN TRIMLESS 4LINE

405 x 108 x 140

max.40

1,5



MINIGRID IN TRIMLESS 4LINE 50 A
202 71 55 04L A
MINIGRID IN TRIMLESS 4LINE 50 B
202 71 55 04L B
MINIGRID IN TRIMLESS 4LINE 50 W
202 71 55 04L W



MINIGRID IN TRIMLESS 3 50 Hi A
202 71 66 03 A
MINIGRID IN TRIMLESS 3 50 Hi B
202 71 66 03 B
MINIGRID IN TRIMLESS 3 50 Hi W
202 71 66 03 W



MINIGRID IN TRIMLESS 4 50 Hi A
202 71 66 04 A
MINIGRID IN TRIMLESS 4 50 Hi B
202 71 66 04 B
MINIGRID IN TRIMLESS 4 50 Hi W
202 71 66 04 W



MINIGRID IN TRIMLESS 4LINE 50 Hi A
202 71 66 04L A
MINIGRID IN TRIMLESS 4LINE 50 Hi B
202 71 66 04L B
MINIGRID IN TRIMLESS 4LINE 50 Hi W
202 71 66 04L W



MINIGRID IN TRIMLESS 3 QR A
202 71 00 03 A
MINIGRID IN TRIMLESS 3 QR B
202 71 00 03 B
MINIGRID IN TRIMLESS 2 QR W
202 71 00 03 W



MINIGRID IN TRIMLESS 4 QR A
202 71 00 04 A
MINIGRID IN TRIMLESS 4 QR B
202 71 00 04 B
MINIGRID IN TRIMLESS 4 QR W
202 71 00 04 W



MINIGRID IN TRIMLESS 4LINE QR A
202 71 00 04L A
MINIGRID IN TRIMLESS 4LINE QR B
202 71 00 04L B
MINIGRID IN TRIMLESS 4LINE QR W
202 71 00 04L W



OPTIONS :

MINIGRID IN TRIMLESS 3 KIT
202 71 97 03

OPTIONS :

MINIGRID IN TRIMLESS 4 KIT
202 71 97 04


OPTIONS :

MINIGRID IN TRIMLESS 4LINE KIT
202 71 97 04L

310 x 108 x 200

max.40

1,5




MINIGRID IN TRIMLESS 3 H20 B
202 71 22 03 B



211 x 211 x 200

max.40

2,1




MINIGRID IN TRIMLESS 4 H20 B
202 71 22 04 B



405 x 108 x 200

max.40

2,1





MINIGRID IN TRIMLESS 4LINE H20 B
202 71 22 04L B




MINIGRID IN TRIMLESS 3 RA B
202 71 01 13 B



MINIGRID IN TRIMLESS 4 RA B
202 71 01 24 B



MINIGRID IN TRIMLESS 4LINE RA B
202 71 01 24L B



OPTIONS :

MINIGRID IN TRIMLESS 3 KIT
202 71 97 03

OPTIONS :

MINIGRID IN TRIMLESS 4 KIT
202 71 97 04

OPTIONS :

MINIGRID IN TRIMLESS 4LINE KIT
202 71 97 04L

INTERIOR LIGHTING DOWNLIGHT FEATURES
MINIGRID IN

MINIGRID IN 1



MINIGRID IN 1 50



111 x 111 x 140
max.20

MINIGRID IN 2






MINIGRID IN 2 QR

214 x 111 x 140
max.20



111 x 111 x 200
max.20

214 x 111 x 200
max.20




MINIGRID IN 50 + CLIP 50 + DICROIC FILTER 50 BLUE



MINIGRID IN 50 + CLIP 50 + DICROIC FILTER 50 BLUE


OPTIONS

115 x 115



OPTIONS

225 x 115



MINIGRID IN 1 PLASTERKIT
202 72 99 01


0,3

MINIGRID IN 2 PLASTERKIT
202 72 99 02

0,3


INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
MINIGRID IN

MINIGRID IN 3



MINIGRID IN 3 50

312 x 111 x 140
max.20




MINIGRID IN 4




MINIGRID IN 4 OR

212 x 212 x 140
max.20




MINIGRID IN 4LINE




MINIGRID IN 4LINE 50


407 x 111 x 140
max.20




312 x 111 x 200
max.20



212 x 212 x 200
max.20




407 x 111 x 200
max.20



OPTIONS

330 x 115




MINIGRID IN 3 PLASTERKIT
202 72 99 03

0,4

OPTIONS

225 x 225




MINIGRID IN 4 PLASTERKIT
202 72 99 04

0,4

OPTIONS

420 x 115




MINIGRID IN 4LINE PLASTERKIT
202 72 99 04L

0,5


ACCESSORIES








CLIP 50 A/B/W
201 30 98 A
201 30 98 B
201 30 98 W



DICROIC FILTER 50
201 30 11
201 30 12
201 30 13
201 30 14




INTERIOR LIGHTING **DOWNLIGHT FEATURES**
MINIGRID IN

		MINIGRID IN 1		MINIGRID IN 2	
ORIENTABLE 0°-30°  IP40 850°C  		   		   	
MINIGRID IN 50 GU5,3 / 12V / EXCL.TRANSFO   QR-CB51 20-35-50W 		MINIGRID IN 1 50 A-A 202 72 55 01 A-A MINIGRID IN 1 50 A-B 202 72 55 01 A-B MINIGRID IN 1 50 W-W 202 72 55 01 W-W	1 x 	MINIGRID IN 2 50 A-A 202 72 55 02 A-A MINIGRID IN 2 50 A-B 202 72 55 02 A-B MINIGRID IN 2 50 W-W 202 72 55 02 W-W	2 x 
MINIGRID IN 50 Hi GU10 / 230-240V / 50-60Hz   QPAR16 50W		MINIGRID IN 1 50 Hi A-A 202 72 66 01 A-A MINIGRID IN 1 50 Hi A-B 202 72 66 01 A-B MINIGRID IN 1 50 Hi W-W 202 72 66 01 W-W	1 x 	MINIGRID IN 2 50 Hi A-A 202 72 66 02 A-A MINIGRID IN 2 50 Hi A-B 202 72 66 02 A-B MINIGRID IN 2 50 Hi W-W 202 72 66 02 W-W	2 x 
MINIGRID IN QR BA15d / 12V / EXCL.TRANSFO   QR-LP70 20-50W		MINIGRID IN 1 QR A-A 202 72 00 01 A-A MINIGRID IN 1 QR A-B 202 72 00 01 A-B MINIGRID IN 1 QR W-W 202 72 00 01 W-W	1 x 	MINIGRID IN 2 QR A-A 202 72 00 02 A-A MINIGRID IN 2 QR A-B 202 72 00 02 A-B MINIGRID IN 2 QR W-W 202 72 00 02 W-W	2 x 
		OPTIONS : MINIGRID IN 1 PLASTERKIT 202 72 99 01		OPTIONS : MINIGRID IN 2 PLASTERKIT 202 72 99 02	
ORIENTABLE 0°-30°  IP40 850°C  		   		   	
MINIGRID IN TRIMLESS H20 E27Ls / 230-240V / 50-60Hz   QPAR20 50W		MINIGRID IN 1 H20 A-B 202 71 22 01 A-B	1 x 	MINIGRID IN 2 H20 A-B 202 71 22 02 A-B	2 x 
MINIGRID IN TRIMLESS RA BA15d / 12V / EXCL.TRANSFO QR-LP70 20-50W E27Hs / 230-240V / 50-60Hz / EXCL.KVG-EVG   HIPAR20 35W		OPTIONS : MINIGRID IN 1 PLASTERKIT 202 72 99 01		MINIGRID IN 2 RA A-B 202 71 01 12 A-B  OPTIONS : MINIGRID IN 2 PLASTERKIT 202 72 99 02	1 x  1 x 

INTERIOR LIGHTING DOWNLIGHT FEATURES MINIGRID IN


MINIGRID IN 3



MINIGRID IN 3 50 A-A
202 72 55 03 A-A
MINIGRID IN 3 50 A-B
202 72 55 03 A-B
MINIGRID IN 3 50 W-W
202 72 55 03 W-W




MINIGRID IN 4



MINIGRID IN 4 50 A-A
202 72 55 04 A-A
MINIGRID IN 4 50 A-B
202 72 55 04 A-B
MINIGRID IN 4 50 W-W
202 72 55 04 W-W



MINIGRID IN 4LINE



MINIGRID IN 4LINE 50 A-A
202 72 55 04L A-A
MINIGRID IN 4LINE 50 A-B
202 72 55 04L A-B
MINIGRID IN 4LINE 50 W-W
202 72 55 04L W-W



MINIGRID IN 3 50 Hi A-A
202 72 66 03 A-A
MINIGRID IN 3 50 Hi A-B
202 72 66 03 A-B
MINIGRID IN 3 50 Hi W-W
202 72 66 03 W-W



MINIGRID IN 4 50 Hi A-A
202 72 66 04 A-A
MINIGRID IN 4 50 Hi A-B
202 72 66 04 A-B
MINIGRID IN 4 50 Hi W-W
202 72 66 04 W-W



MINIGRID IN 4LINE 50 Hi A-A
202 72 66 04L A-A
MINIGRID IN 4LINE 50 Hi A-B
202 72 66 04L A-B
MINIGRID IN 4LINE 50 Hi W-W
202 72 66 04L W-W



MINIGRID IN 3 QR A-A
202 72 00 03 A-A
MINIGRID IN 3 QR A-B
202 72 00 03 A-B
MINIGRID IN 2 QR W-W
202 72 00 03 W-W



MINIGRID IN 4 QR A-A
202 72 00 04 A-A
MINIGRID IN 4 QR A-B
202 72 00 04 A-B
MINIGRID IN 4 QR W-W
202 72 00 04 W-W




MINIGRID IN 4LINE QR A-A
202 72 00 04L A-A
MINIGRID IN 4LINE QR A-B
202 72 00 04L A-B
MINIGRID IN 4LINE QR W-W
202 72 00 04L W-W




OPTIONS :
MINIGRID IN 3 PLASTERKIT
202 72 99 03

OPTIONS :
MINIGRID IN 4 PLASTERKIT
202 72 99 04


OPTIONS :
MINIGRID IN 4LINE PLASTERKIT
202 72 99 04L



MINIGRID IN 3 H2O A-B
202 71 22 03 A-B




MINIGRID IN 4 H2O A-B
202 71 22 04 A-B




MINIGRID IN 4LINE H2O A-B
202 71 22 04L A-B




MINIGRID IN 3 RA A-B
202 71 01 13 A-B



MINIGRID IN 4 RA A-B
202 71 01 24 A-B



MINIGRID IN 4LINE RA A-B
202 71 01 24L A-B



OPTIONS :
MINIGRID IN 3 PLASTERKIT
202 72 99 03

OPTIONS :
MINIGRID IN 4 PLASTERKIT
202 72 99 04

OPTIONS :
MINIGRID IN 4LINE PLASTERKIT
202 72 99 04L

INTERIOR LIGHTING DOWNLIGHT FEATURES
MINIGRID IN



INTERIOR LIGHTING ■ DOWNLIGHT FEATURES
MINIGRID IN



INTERIOR LIGHTING DOWNLIGHT FEATURES
OPUS




INTERIOR LIGHTING DOWNLIGHT FEATURES OPUS


OPUS 1



150 x 150 x 175
max.30



OPUS 1
202 11 31
G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50W
ORIENTABLE 0°-35° / 350°




ACCESSORIES :
HALORING




OPUS 3



404 x 150 x 175
max.30



OPUS 3
202 11 33
G53 / 12V / EXCL.TRANSFO
3 x QR-LP111 35-50W
ORIENTABLE 0°-35° / 350°




ACCESSORIES :
HALORING




OPUS 2



270 x 150 x 175
max.30



OPUS 2
202 11 32
G53 / 12V / EXCL.TRANSFO
2 x QR-LP111 35-50W
ORIENTABLE 0°-35° / 350°




ACCESSORIES :
HALORING




OPUS 4



270 x 270 x 175
max.30



OPUS 4
202 11 34
G53 / 12V / EXCL.TRANSFO
4 x QR-LP111 35-50W
ORIENTABLE 0°-35° / 350°



ACCESSORIES :
HALORING



ACCESSORIES



HALORING B
203 05 90 B



INTERIOR LIGHTING

DOWNLIGHT FEATURES

OPUS



INTERIOR LIGHTING DOWNLIGHT FEATURES
OPUS




INTERIOR LIGHTING ■ DOWNLIGHT FEATURES KOZA

KOZA 1

150 x 150 x 95


max.20

**KOZA 1****202 40 21**

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°




ACCESSORIES :
DICROIC FILTER 50
TUBE C

**KOZA 3**

303 x 150 x 95


max.20

**KOZA 3****202 40 23**

GX5.3 / 12V / EXCL.TRANSFO

3 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°




ACCESSORIES :
DICROIC FILTER 50
TUBE C

**KOZA 2**

222 x 150 x 95


max.20

**KOZA 2****202 40 22**

GX5.3 / 12V / EXCL.TRANSFO

2 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°




ACCESSORIES :
DICROIC FILTER 50
TUBE C

**KOZA 4**

222 x 222 x 95


max.20

**KOZA 4****202 40 24**


GX5.3 / 12V / EXCL.TRANSFO

4 x QR-CB51 20-35-50W


ORIENTABLE 0°-30°



ACCESSORIES :
DICROIC FILTER 50
TUBE C

**ACCESSORIES**

DICROIC FILTER 50
 Ø50
 201 30 11 ●
 201 30 12 ●
 201 30 13 ●
 201 30 14 ●





TUBE C B
 202 02 05 B

INTERIOR LIGHTING DOWNLIGHT FEATURES
AXION


AXION 18

210 x 200 x 200

max. 18


**AXION 18 A****202 26 18 A**

GX24d-2 / 230-240V / 50Hz / BALLASTSET 1 x 1~KVG
1 x TC-T 18W


**AXION 205**

210 x 200 x 200

max. 18

**AXION 205 A****202 26 55 02 A**

GX5.3 / 12V / EXCL. TRANSFO
2 x QR-CB51 20-35-50W
ORIENTABLE 0°-30°




ACCESSORIES :
DICROIC FILTER 50


**AXION RA**

295 x 210 x 200

max. 18

**AXION RA A****202 26 51 13 A**

GX5.3 / 12V / EXCL. TRANSFO
2 x QR-CB51 20-35-50W
ORIENTABLE 0°-30°
E27Hs / 230-240V / 50-60Hz / EXCL. KVG-EVG
1 x HIPAR20 35W
FIX


**ACCESSORIES**

DICROIC FILTER 50	
201 30 11	●
201 30 12	●
201 30 13	●
201 30 14	●

INTERIOR LIGHTING ■■■ OBJECT LIGHTING



INTERIOR LIGHTING ■ OBJECT LIGHTING




TYPE	INT
B-CRAFT®	177
B-HYPERCRAFT®	183
BE COOL	155
BOXY	213
C-CRAFT®	180
C-HYPERCRAFT®	183
CASE	230
CLIPPER P	149
CLUB	188
CREDO	213
CREDO DOME	237
FULL OPTION P	149
GOCAR	223
GOTHIC	233
GRAND CAFE	227
GRID	208
INSPECTOR	229
JETI-S	219
LABO	187
LEVEL®	142
LINK	185
MEMO	231
MICROLINE 30 P	147
MIDLINE 80 P	149
Mr. JUNIOR	217
NoBody 140 P	147
NoBody 200 P	146
NoBody 300 P	146
RAND	168
RANDOM	158
SHOWCAR	223
SHOWCASE	230
SKEELER	169
SOLID	212
SPACEDOME	239
SPACELAB	202
STUDIO	201
SUNSET DOME	237
TUBULAR®	126
TWO OF US	229
UNDERCOVER	141
XTREAM 328	153
YES!	221

Object Lighting



TUBULAR® F

TUBULAR® COLLECTION : INFO 5



TUBULAR® F 424 ANO

305 41 424 ANO

INCL. 4 x TUBULAR® 24 PC SBL

INCL. 1 x CABLE 3 x 0,75mm² 2m + SWITCH

G5 / 230-240V / 50-60Hz / 2 x 2~EVG

4 x T16 24W




ACCESSORIES :

TUBULAR® 24 PC COLOUR

TUBULAR® 24 ALU REFLECTOR



ACCESSORIES



TUBULAR® 24
PC RED
305 24 82

TUBULAR® 54
PC RED
305 54 82

TUBULAR® 80
PC RED
305 80 82

TUBULAR® 24
PC YELLOW
305 24 84


TUBULAR® 54
PC YELLOW
305 54 84

TUBULAR® 80
PC YELLOW
305 80 84

TUBULAR® 24
PC BLUE
305 24 88

TUBULAR® 54
PC BLUE
305 54 88

TUBULAR® 80
PC BLUE
305 80 88



TUBULAR® 24
ALU REFLECTOR
305 24 13


TUBULAR® 54
ALU REFLECTOR
305 54 13

TUBULAR® 80
ALU REFLECTOR
305 80 13



TUBULAR® HO

TUBULAR® COLLECTION : INFO 5


**TUBULAR® HO 154 ANO****305 33 154 ANO**

INCL.1 x TUBULAR® 54 ALU REFLECTOR

DIRECT FIXATION

G5 / 230-240V / 50-60Hz / 1 x 1~EVG

1 x T16 54W


**TUBULAR® HO 180 ANO****305 33 180 ANO**

INCL.1 x TUBULAR® 80 ALU REFLECTOR

DIRECT FIXATION


G5 / 230-240V / 50-60Hz / 1 x 1~EVG

1 x T80 54W




TUBULAR® 2HO 1..

TUBULAR® COLLECTION : INFO 5

**TUBULAR® 2HO 154 ANO****305 13 154 ANO**


INCL.2 x CABLE SUSPENSION 1.6m

0<1600

**TUBULAR® 2HO 180 ANO****305 13 180 ANO**

INCL.2 x CABLE SUSPENSION 1.6m

0<1600

**TUBULAR® 2HO 154 ANO 3m****305 13 154 ANO 3m**


INCL.2 x CABLE SUSPENSION 3m

INCL.1 x TUBULAR® 54 ALU REFLECTOR

INCL.1 x CABLE 3 x 0,75mm²

G5 / 230-240V / 50-60Hz / 1 x 1~EVG

1 x T16 54W

**TUBULAR® 2HO 180 ANO 3m****305 13 180 ANO 3m**


INCL.2 x CABLE SUSPENSION 3m

INCL.1 x TUBULAR® 80 ALU REFLECTOR

INCL.1 x CABLE 3 x 0,75mm²

G5 / 230-240V / 50-60Hz / 1 x 1~EVG

1 x T16 80W



OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



OPTIONS

**CABLE BASE R****203 99 55 ANO**

0,1

**CABLE BASE S****203 99 56 ANO**

0,1

**COVERSET R****204 00 62 ANO****204 00 90 ANO****204 00 100 ANO**

Ø10 2 Ø62 Ø90 Ø100

**COVERSET S**


□ 62 204 62 62 ANO

□ 80 204 80 80 ANO

□ 90 204 90 90 ANO

TUBULAR® 2SO

TUBULAR® COLLECTION : INFO 5



0<1600 *EVG 4 x T16 14W*
TUBULAR® 2SO 414 ANO
305 11 414 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2SO 414 ANO 3m**
305 11 414 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.4 x TUBULAR® 24 PC SBL
 INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 1 x 4~EVG
 4 x T16 14W



ACCESSORIES / OPTIONS :
 TUBULAR® 24 PC COLOUR
 TUBULAR® 24 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




0<1600 *EVG 4 x T16 24W*
TUBULAR® 2SO 424 ANO
305 11 424 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2SO 424 ANO 3m**
305 11 424 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.4 x TUBULAR® 24 PC SBL
 INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 2 x 2~EVG
 4 x T16 24W




ACCESSORIES / OPTIONS :
 TUBULAR® 24 PC COLOUR
 TUBULAR® 24 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



0<1600 *EVG DIMMABLE BY SWITCH DIM - 4 x T16 24W*
TUBULAR® 2SO 424 EVG DIM ANO
305 11 424 ED ANO
 INCL.2 x CABLE SUSPENSION 1.6m


0<3000 **TUBULAR® 2SO 424 EVG DIM ANO 3m**
305 11 424 ED ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.4 x TUBULAR® 24 PC SBL
 INCL.1 x CABLE 5 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 2 x 2~EVG DIM
 4 x T16 24W




ACCESSORIES / OPTIONS :
 TUBULAR® 24 PC COLOUR
 TUBULAR® 24 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



OPTIONS




COVERSET R
 Ø62 **COVERSET R 62** **204 00 62 ANO**
 Ø90 **COVERSET R 90** **204 00 90 ANO**
 Ø100 **COVERSET R 100** **204 00 100 ANO**



CABLE BASE R
203 99 55 ANO


TUBULAR® 2S

TUBULAR® COLLECTION : INFO 5



0<1600 **EVG 4 x T16 14W**
TUBULAR® 2S 414 ANO
305 12 414 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2S 414 ANO 3m**
305 12 414 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.4 x TUBULAR® 24 PC SBL
 INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 1 x 4~EVG
 4 x T16 24W



ACCESSORIES / OPTIONS :

TUBULAR® 24 PC COLOUR

TUBULAR® 24 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



0<1600 **EVG 4 x T16 24W**
TUBULAR® 2S 424 ANO
305 12 424 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2S 424 ANO 3m**
305 12 424 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.4 x TUBULAR® 24 PC SBL
 INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 2 x 2~EVG
 4 x T16 24W




ACCESSORIES / OPTIONS :

TUBULAR® 24 PC COLOUR

TUBULAR® 24 ALU REFLECTOR

CABLE BASE R / S


COVERSET R 62-90-100 / S 62-80-90



TUBULAR® 2S + 4 x TUBULAR® 24 PC BLUE

0<1600 **EVG DIMMABLE BY SWITCH DIM - 4 x T16 24W**
TUBULAR® 2S 424 EVG DIM ANO
305 12 424 ED ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2S 424 EVG DIM ANO 3m**
305 12 424 ED ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.4 x TUBULAR® 24 PC SBL
 INCL.1 x CABLE 5 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 2 x 2~EVG DIM
 4 x T16 24W



ACCESSORIES / OPTIONS :

TUBULAR® 24 PC COLOUR


TUBULAR® 24 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90




OPTIONS



COVERSET S

□ 62 **COVERSET S 62**
 □ 80 **COVERSET S 80**
 □ 90 **COVERSET S 90**

204 62 62 ANO
204 80 80 ANO
204 90 90 ANO




CABLE BASE S

203 99 56 ANO

TUBULAR® 4H

TUBULAR® COLLECTION : INFO 5



0<1600



EVG 2 x T16 54W

TUBULAR® 4H 254 ANO**305 24 254 ANO**

INCL.4 x CABLE SUSPENSION 1.6m


0<3000

**TUBULAR® 4H 254 ANO 3m****305 24 254 ANO 3m**

INCL.4 x CABLE SUSPENSION 3m

INCL.2 x TUBULAR® 54 PC SBL

INCL.1 x CABLE 3 x 0,75mm²

G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W

ACCESSORIES / OPTIONS :

TUBULAR® 54 PC COLOUR

TUBULAR® 54 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



0<1600




EVG 2 x T16 80W

TUBULAR® 4H 280 ANO**305 24 280 ANO**

INCL.4 x CABLE SUSPENSION 1.6m


0<3000

**TUBULAR® 4H 280 ANO 3m****305 24 280 ANO 3m**

INCL.4 x CABLE SUSPENSION 3m

INCL.2 x TUBULAR® 80 PC SBL

INCL.1 x CABLE 3 x 0,75mm²

G5 / 230-240V / 50-60Hz / 2 x 1~EVG
2 x T16 80W


ACCESSORIES / OPTIONS :

TUBULAR® 80 PC COLOUR

TUBULAR® 80 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



0<1600



EVG DIMMABLE BY SWITCH DIM - 2 x T16 54W

TUBULAR® 4H 254 EVG DIM ANO**305 24 254 ED ANO**

INCL.4 x CABLE SUSPENSION 1.6m

0<1600



EVG DIMMABLE BY SWITCH DIM - 2 x T16 80W

TUBULAR® 4H 280 EVG DIM ANO**305 24 280 ED ANO**

INCL.4 x CABLE SUSPENSION 1.6m


0<3000

**TUBULAR® 4H 254 EVG DIM ANO 3m****305 24 254 ED ANO 3m**

INCL.4 x CABLE SUSPENSION 3m

INCL.2 x TUBULAR® 54 PC SBL

INCL.1 x CABLE 5 x 0,75mm²

G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
2 x T16 54W

ACCESSORIES / OPTIONS :

TUBULAR® 54 PC COLOUR


TUBULAR® 54 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



0<3000

**TUBULAR® 4H 280 EVG DIM ANO 3m****305 24 280 ED ANO 3m**

INCL.4 x CABLE SUSPENSION 3m

INCL.2 x TUBULAR® 80 PC SBL

INCL.1 x CABLE 5 x 0,75mm²

G5 / 230-240V / 50-60Hz / 2 x 1~EVG DIM
2 x T16 80W

ACCESSORIES / OPTIONS :

TUBULAR® 80 PC COLOUR


TUBULAR® 80 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90




OPTIONS

**COVERSET R**

Ø62


Ø90

Ø100

COVERSET R 62**COVERSET R 90****COVERSET R 100****204 00 62 ANO****204 00 90 ANO****204 00 100 ANO****CABLE BASE R****203 99 55 ANO**

TUBULAR® 4S

TUBULAR® COLLECTION : INFO 5



0<1600



EVG 4 x T16 14W

TUBULAR® 4S 414 ANO**305 22 414 ANO**

INCL.4 x CABLE SUSPENSION 1.6m

0<1600




EVG 4 x T16 24W

TUBULAR® 4S 424 ANO**305 22 424 ANO**

INCL.4 x CABLE SUSPENSION 1.6m


0<3000

**TUBULAR® 4S 414 ANO 3m****305 22 414 ANO 3m**

INCL.4 x CABLE SUSPENSION 3m

INCL.4 x TUBULAR® 24 PC SBL

INCL.1 x CABLE 3 x 0,75mm²

G5 / 230-240V / 50-60Hz / 1 x 4~EVG
4 x T16 14W

ACCESSORIES / OPTIONS :

TUBULAR® 24 PC COLOUR

TUBULAR® 24 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90




0<3000

**TUBULAR® 4S 424 ANO 3m****305 22 424 ANO 3m**

INCL.4 x CABLE SUSPENSION 3m

INCL.4 x TUBULAR® 24 PC SBL

INCL.1 x CABLE 3 x 0,75mm²

G5 / 230-240V / 50-60Hz / 2 x 2~EVG
4 x T16 24W

ACCESSORIES / OPTIONS :

TUBULAR® 24 PC COLOUR

TUBULAR® 24 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



0<1600



EVG DIMMABLE BY SWITCH DIM - 4 x T16 24W

TUBULAR® 4S 424 EVG DIM ANO**305 22 424 ED ANO**

INCL.4 x CABLE SUSPENSION 1.6m


0<3000

**TUBULAR® 4S 424 EVG DIM ANO 3m****305 22 424 ED ANO 3m**

INCL.4 x CABLE SUSPENSION 3m

INCL.4 x TUBULAR® 24 PC SBL

INCL.1 x CABLE 5 x 0,75mm²

G5 / 230-240V / 50-60Hz / 2 x 2~EVG DIM
4 x T16 24W

ACCESSORIES / OPTIONS :

TUBULAR® 24 PC COLOUR


TUBULAR® 24 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



OPTIONS





COVERSET S

□ 62

□ 80

□ 90


COVERSET S 62**COVERSET S 80****COVERSET S 90****204 62 62 ANO****204 80 80 ANO****204 90 90 ANO**

CABLE BASE S

203 99 56 ANO

TUBULAR® 2H

TUBULAR® COLLECTION : INFO 5



0<1600 **EVG 2 x T16 54W**
TUBULAR® 2H 254 ANO
305 14 254 ANO
 INCL.2 x CABLE SUSPENSION 1.6m


0<1600 **EVG 2 x T16 80W**
TUBULAR® 2H 280 ANO
305 14 280 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2H 254 ANO 3m**
305 14 254 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m

 INCL.2 x TUBULAR® 54 PC SBL
 INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 1 x 2~EVG
 2 x T16 54W

0<3000 **TUBULAR® 2H 280 ANO 3m**
305 14 280 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m

 INCL.2 x TUBULAR® 80 PC SBL
 INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 2 x 1~EVG
 2 x T16 80W



ACCESSORIES / OPTIONS :
 TUBULAR® 54 PC COLOUR
 TUBULAR® 54 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



ACCESSORIES / OPTIONS :
 TUBULAR® 80 PC COLOUR
 TUBULAR® 80 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



0<1600 **EVG DIMMABLE BY SWITCH DIM - 2 x T16 54W**
TUBULAR® 2H 254 EVG DIM ANO
305 14 254 ED ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<1600 **EVG DIMMABLE BY SWITCH DIM - 2 x T16 80W**
TUBULAR® 2H 280 EVG DIM ANO
305 14 280 ED ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2H 254 EVG DIM ANO 3m**
305 14 254 ED ANO 3m
 INCL.2 x CABLE SUSPENSION 3m

 INCL.2 x TUBULAR® 54 PC SBL
 INCL.1 x CABLE 5 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
 2 x T16 54W

0<3000 **TUBULAR® 2H 280 EVG DIM ANO 3m**
305 14 280 ED ANO 3m
 INCL.2 x CABLE SUSPENSION 3m

 INCL.2 x TUBULAR® 80 PC SBL
 INCL.1 x CABLE 5 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 2 x 1~EVG DIM
 2 x T16 80W


ACCESSORIES / OPTIONS :
 TUBULAR® 54 PC COLOUR
 TUBULAR® 54 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




ACCESSORIES / OPTIONS :
 TUBULAR® 80 PC COLOUR
 TUBULAR® 80 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



OPTIONS




COVERSET R
 Ø62 **COVERSET R 62** 204 00 62 ANO
 Ø90 **COVERSET R 90** 204 00 90 ANO
 Ø100 **COVERSET R 100** 204 00 100 ANO



CABLE BASE R
203 99 55 ANO

TUBULAR® 2HO

TUBULAR® COLLECTION : INFO 5



0<1600 *EVG 2 x T16 54W*
TUBULAR® 2HO 254 ANO
305 13 254 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2HO 254 ANO 3m**
305 13 254 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.2 x TUBULAR® 54 PC SBL
 INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 1 x 2~EVG
 2 x T16 54W




ACCESSORIES / OPTIONS :

TUBULAR® 54 PC COLOUR
 TUBULAR® 54 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




0<1600 *EVG 2 x T16 80W*
TUBULAR® 2HO 280 ANO
305 13 280 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2HO 280 ANO 3m**
305 13 280 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.2 x TUBULAR® 80 PC SBL
 INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 2 x 1~EVG
 2 x T16 80W




ACCESSORIES / OPTIONS :

TUBULAR® 80 PC COLOUR
 TUBULAR® 80 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



0<1600 *EVG DIMMABLE BY SWITCH DIM - 2 x T16 54W*
TUBULAR® 2HO 254 EVG DIM ANO
305 13 254 ED ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2HO 254 EVG DIM ANO 3m**
305 13 254 ED ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.2 x TUBULAR® 54 PC SBL
 INCL.1 x CABLE 5 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
 2 x T16 54W




ACCESSORIES / OPTIONS :

TUBULAR® 54 PC COLOUR
 TUBULAR® 54 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



0<1600 *EVG DIMMABLE BY SWITCH DIM - 2 x T16 80W*
TUBULAR® 2HO 280 EVG DIM ANO
305 13 280 ED ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2HO 280 EVG DIM ANO 3m**
305 13 280 ED ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.2 x TUBULAR® 80 PC SBL
 INCL.1 x CABLE 5 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 2 x 1~EVG DIM
 2 x T16 80W




ACCESSORIES / OPTIONS :

TUBULAR® 80 PC COLOUR
 TUBULAR® 80 ALU REFLECTOR
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




OPTIONS



COVERSET S

□ 62 **COVERSET S 62**
 □ 80 **COVERSET S 80**
 □ 90 **COVERSET S 90**

204 62 62 ANO
204 80 80 ANO
204 90 90 ANO





CABLE BASE S

203 99 56 ANO

TUBULAR® 2V

TUBULAR® COLLECTION : INFO 5

0<1600 *EVG 2 x T16 54W***TUBULAR® 2V 254 ANO****305 16 254 ANO**

INCL.2 x CABLE SUSPENSION 1.6m

0<1600 *EVG 2 x T16 80W***TUBULAR® 2V 280 ANO****305 16 280 ANO**

INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2V 254 ANO 3m****305 16 254 ANO 3m**


INCL.2 x CABLE SUSPENSION 3m

INCL.2 x TUBULAR® 54 PC SBL

INCL.1 x CABLE 3 x 0,75mm²

G5 / 230-240V / 50-60Hz / 1 x 2~EVG

2 x T16 54W

*ACCESSORIES / OPTIONS :*

TUBULAR® 54 PC COLOUR

TUBULAR® 54 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

0<3000 **TUBULAR® 2V 280 ANO 3m****305 16 280 ANO 3m**

INCL.2 x CABLE SUSPENSION 3m

INCL.2 x TUBULAR® 80 PC SBL

INCL.1 x CABLE 3 x 0,75mm²

G5 / 230-240V / 50-60Hz / 2 x 1~EVG

2 x T16 80W

*ACCESSORIES / OPTIONS :*

TUBULAR® 80 PC COLOUR

TUBULAR® 80 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

0<1600 *EVG DIMMABLE BY SWITCH DIM - 2 x T16 54W***TUBULAR® 2V 254 EVG DIM ANO****305 16 254 ED ANO**

INCL.2 x CABLE SUSPENSION 1.6m

0<1600 *EVG DIMMABLE BY SWITCH DIM - 2 x T16 80W***TUBULAR® 2V 280 EVG DIM ANO****305 16 280 ED ANO**

INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **TUBULAR® 2V 254 EVG DIM ANO 3m****305 16 254 ED ANO 3m**

INCL.2 x CABLE SUSPENSION 3m

INCL.2 x TUBULAR® 54 PC SBL

INCL.1 x CABLE 5 x 0,75mm²

G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM

2 x T16 54W

*ACCESSORIES / OPTIONS :*

TUBULAR® 54 PC COLOUR

TUBULAR® 54 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

0<3000 **TUBULAR® 2V 280 EVG DIM ANO 3m****305 16 280 ED ANO 3m**

INCL.2 x CABLE SUSPENSION 3m

INCL.2 x TUBULAR® 80 PC SBL

INCL.1 x CABLE 5 x 0,75mm²

G5 / 230-240V / 50-60Hz / 2 x 1~EVG DIM

2 x T16 80W

*ACCESSORIES / OPTIONS :*

TUBULAR® 80 PC COLOUR

TUBULAR® 80 ALU REFLECTOR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90





OPTIONS

**CABLE BASE R****203 99 55 ANO**

0.1


**CABLE BASE S****203 99 56 ANO**

0.1

**COVERSET R****204 00 62 ANO****204 00 90 ANO****204 00 100 ANO****COVERSET S****204 62 62 ANO****204 80 80 ANO****204 90 90 ANO**

TUBULAR® DS

TUBULAR® COLLECTION : INFO 5

**TUBULAR® DS 414 ANO****305 32 414 ANO**INCL. 4 x TUBULAR® 24 PC SBL
DIRECT FIXATIONG5 / 230-240V / 50-60Hz / 1 x 4~EVG
4 x T16 14W

ACCESSORIES :

TUBULAR® 24 PC COLOUR

**TUBULAR® DS 424 ANO****305 32 424 ANO**

INCL. 4 x TUBULAR® 24 PC SBL

DIRECT FIXATION

G5 / 230-240V / 50-60Hz / 2 x 2~EVG

4 x T16 24W




ACCESSORIES :

TUBULAR® 24 PC COLOUR

**TUBULAR® DS 424 EVG DIM ANO****305 32 424 ED ANO**INCL. 4 x TUBULAR® 24 PC SBL
DIRECT FIXATIONG5 / 230-240V / 50-60Hz / 2 x 2~EVG DIM
DIMMING BY SWITCH DIM

4 x T16 24W




ACCESSORIES :

TUBULAR® 24 PC COLOUR



TUBULAR® D

TUBULAR® COLLECTION : INFO 5

**TUBULAR® D 254 ANO****305 32 254 ANO**INCL. 2 x TUBULAR® 54 PC SBL
DIRECT FIXATION

G5 / 230-240V / 50-60Hz / 1 x 2~EVG

2 x T16 54W



ACCESSORIES :

TUBULAR® 54 PC COLOUR

**TUBULAR® D 254 EVG DIM ANO****305 32 254 ED ANO**INCL. 2 x TUBULAR® 54 PC SBL
DIRECT FIXATION

G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM

DIMMING BY SWITCH DIM

2 x T16 54W



ACCESSORIES :

TUBULAR® 54 PC COLOUR



INTERIOR LIGHTING — OBJECT LIGHTING
TUBULAR®



INTERIOR LIGHTING — OBJECT LIGHTING
TUBULAR®



INTERIOR LIGHTING — OBJECT LIGHTING
TUBULAR®



INTERIOR LIGHTING ■ OBJECT LIGHTING
TUBULAR®



INTERIOR LIGHTING  OBJECT LIGHTING
UNDERCOVER



OPTIONS




CABLE BASE R
203 99 55 ANO

 0.1




CABLE BASE S
203 99 56 ANO

 0.1



COVERSET R

 0.10 2  0.062
204 00 62 ANO
204 00 90 ANO
204 00 100 ANO




COVERSET S

 0.062 **204 62 62 ANO**
 0.080 **204 80 80 ANO**
 0.090 **204 90 90 ANO**


INTERIOR LIGHTING **OBJECT LIGHTING**
UNDERCOVER

UNDERCOVER C 5511


UNDERCOVER COLLECTION : INFO 5

**UNDERCOVER 5511**

UNDERCOVER COLLECTION : INFO 5


**UNDERCOVER C 5511 A****274 65 411 A**

INCL.4 x CABLE SUSPENSION 1.6m

**UNDERCOVER C 5511 A 3m****274 65 411 A 3m**

INCL.4 x CABLE SUSPENSION 3m

INCL.1 x UNDERCOVER 55 PC OPAL
INCL.1 x CABLE 5 x 0,75mm²
CABLING 2 CIRCUITS
2G11 / 230-240V / 50-60Hz / 2 x 2~EVG
4 x TC-L 55W
G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W
ORIENTABLE 0°-30°

**ACCESSORIES / OPTIONS :**


CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90

**UNDERCOVER 5511 A****274 61 411 A**

INCL.1 x UNDERCOVER 55 PC OPAL
DIRECT FIXATION
CABLING 2 CIRCUITS
2G11 / 230-240V / 50-60Hz / 2 x 2~EVG
4 x TC-L 55W
G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W
ORIENTABLE 0°-30°

**ACCESSORIES :**


CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111

**ACCESSORIES**


CLIP 111 A
201 27 99 A




FRONTGLASS 111
201 17 00



COLOUR FILTER 111
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●



LENS 111
201 47 11

LEVEL® 2C 54*EVG 2 x T16 54W*


0<1600

LEVEL® 2C 54 ANO
274 22 01 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000

LEVEL® 2C 54 ANO 3m
274 22 01 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 1 x 2~EVG
 2 x T16 54W

*ACCESSORIES / OPTIONS :*

LEVEL® 2C 54 PLEXI COLOUR
 CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

*EVG DIMMABLE BY SWITCH DIM / DSI - 2 x T16 54W*


0<1600

LEVEL® 2C 54 EVG DIM ANO
274 22 01 ED ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000


LEVEL® 2C 54 EVG DIM ANO 3m
274 22 01 ED ANO 3m
 INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 5 x 0,75mm²
 G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
 2 x T16 54W

*ACCESSORIES / OPTIONS :*

LEVEL® 2C 54 PLEXI COLOUR
 CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

**ACCESSOIRES**

0,6

0,5

0,3

LEVEL® 2C 54
PLEXI CLEAR
274 22 91

LEVEL® 3B 54
PLEXI CLEAR
274 22 81

LEVEL® 2B 54
PLEXI CLEAR
274 21 71



LEVEL® 2C 54
PLEXI AQUA
274 22 93

LEVEL® 3B 54
PLEXI AQUA
274 22 83

LEVEL® 2B 54
PLEXI AQUA
274 21 73



LEVEL® 2C 54
PLEXI BLUE
274 22 98

LEVEL® 3B 54
PLEXI BLUE
274 22 88

LEVEL® 2B 54
PLEXI BLUE
274 21 78




LEVEL® 2B 54 + 2 x LEVEL® 2B 54 PLEXI CLEAR




LEVEL® 2B 54 + 2 x LEVEL® 2B 54 PLEXI AQUA



LEVEL® 3B 54 + 2 x LEVEL® 3B 54 PLEXI BLUE


OPTIONS**COVERSET R**

Ø62 **COVERSET R 62** **204 00 62 ANO**
 Ø90 **COVERSET R 90** **204 00 90 ANO**
 Ø100 **COVERSET R 100** **204 00 100 ANO**

**CABLE BASE R**

203 99 55 ANO

LEVEL® 2B 54




EVG 1 x T16 54W

0<1600 **LEVEL® 2B 54 ANO**
274 21 01 ANO
INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **LEVEL® 2B 54 ANO 3m**
274 21 01 ANO 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 1 ~EVG
1 x T16 54W



ACCESSORIES / OPTIONS :

LEVEL® 2B 54 PLEXI COLOUR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



EVG DIMMABLE BY SWITCH DIM / DSI - 1 x T16 54W

0<1600 **LEVEL® 2B 54 EVG DIM ANO**
274 21 01 ED ANO
INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **LEVEL® 2B 54 EVG DIM ANO 3m**
274 21 01 ED ANO 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 5 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 1 ~EVG DIM
1 x T16 54W



ACCESSORIES / OPTIONS :


LEVEL® 2B 54 PLEXI COLOUR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



LEVEL® 3B 54




EVG 2 x T16 54W

0<1600 **LEVEL® 3B 54 ANO**
274 22 02 ANO
INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **LEVEL® 3B 54 ANO 3m**
274 22 02 ANO 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 2 ~EVG
2 x T16 54W



ACCESSORIES / OPTIONS :

LEVEL® 3B 54 PLEXI COLOUR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



EVG DIMMABLE BY SWITCH DIM / DSI - 2 x T16 54W

0<1600 **LEVEL® 3B 54 EVG DIM ANO**
274 22 02 ED ANO
INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **LEVEL® 3B 54 EVG DIM ANO 3m**
274 22 02 ED ANO 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 5 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 2 ~EVG DIM
2 x T16 54W



ACCESSORIES / OPTIONS :


LEVEL® 3B 54 PLEXI COLOUR

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90





OPTIONS



COVERSET S

- ☐ 62 **COVERSET S 62**
☐ 80 **COVERSET S 80**
☐ 90 **COVERSET S 90**

204 62 62 ANO
204 80 80 ANO
204 90 90 ANO



CABLE BASE S
203 99 56 ANO

INTERIOR LIGHTING — OBJECT LIGHTING
LEVEL®



INTERIOR LIGHTING — OBJECT LIGHTING
LEVEL®




INTERIOR LIGHTING
OBJECT LIGHTING

NoBody 300 P


NoBody 200 P



NoBody 300 P2254L ANO
268 02 895 ANO
 2 x 2~EVG
 INCL.1 x CABLE 5 x 0,75mm²

NoBody 300 P2254L EVG DIM ANO
268 02 895 ED ANO
 2 x 2~EVG DIM
 DIMMING BY SWITCH DIM / DSI
 INCL.1 x CABLE 5 x 0,75mm²

DOWN-UP
 INCL.4 x NB300 54 PC SBL
 INCL.6 x NB300 CABLE SUSP. SINGLE AUTO. 1.6m
 230-240V / 50-60Hz / CABLING 2 CIRCUITS
 G5 / 4 x T16 54W
 GX5.3 / 4 x QR-CB51 20-35-50W / TE
 ORIENTABLE 0°-30°



ACCESSORIES / OPTIONS :
 DICROIC FILTER 50
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




NoBody 300 P1254L ANO
268 02 885 ANO
 1 x 2~EVG
 INCL.1 x CABLE 5 x 0,75mm²

NoBody 300 P1254L EVG DIM ANO
268 02 885 ED ANO
 1 x 2~EVG DIM
 DIMMING BY SWITCH DIM / DSI
 INCL.1 x CABLE 5 x 0,75mm²

DOWN-UP
 INCL.2 x NB300 54 PC SBL
 INCL.4 x NB300 CABLE SUSP. SINGLE AUTO. 1.6m
 230-240V / 50-60Hz / CABLING 2 CIRCUITS
 G5 / 2 x T16 54W
 GX5.3 / 2 x QR-CB51 20-35-50W / TE
 ORIENTABLE 0°-30°




ACCESSORIES / OPTIONS :
 DICROIC FILTER 50
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




NoBody 300 P1254 BAP ANO
268 02 88 B ANO
 1 x 2~EVG
 INCL.1 x CABLE 3 x 0,75mm²

NoBody 300 P1254 BAP EVG DIM ANO
268 02 88 EDB ANO
 1 x 2~EVG DIM
 DIMMING BY SWITCH DIM / DSI
 INCL.1 x CABLE 5 x 0,75mm²

DOWN
 INCL.1 x NB200 54 BAP
 INCL.4 x NB300 CABLE SUSP. SINGLE AUTO. 1.6m
 230-240V / 50-60Hz
 G5 / 2 x T16 54W



OPTIONS :
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




NoBody 300 P2254 ANO
268 02 89 ANO
 2 x 2~EVG
 INCL.1 x CABLE 3 x 0,75mm²

NoBody 300 P2254 EVG DIM ANO
268 02 89 ED ANO
 2 x 2~EVG DIM
 DIMMING BY SWITCH DIM / DSI
 INCL.1 x CABLE 5 x 0,75mm²

DOWN-UP
 INCL.4 x NB300 54 PC SBL
 INCL.6 x NB300 CABLE SUSP. SINGLE AUTO. 1.6m
 230-240V / 50-60Hz
 G5 / 4 x T16 54W




OPTIONS :
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



NoBody 300 P1254 ANO
268 02 88 ANO
 1 x 2~EVG
 INCL.1 x CABLE 3 x 0,75mm²

NoBody 300 P1254 EVG DIM ANO
268 02 88 ED ANO
 1 x 2~EVG DIM
 DIMMING BY SWITCH DIM / DSI
 INCL.1 x CABLE 5 x 0,75mm²

DOWN-UP
 INCL.2 x NB300 54 PC SBL
 INCL.4 x NB300 CABLE SUSP. SINGLE AUTO. 1.6m
 230-240V / 50-60Hz
 G5 / 2 x T16 54W




OPTIONS :
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



NoBody 200 P1254 BAP ANO
331 02 88 B ANO
 1 x 2~EVG
 INCL.1 x CABLE 3 x 0,75mm²

NoBody 200 P1254 BAP EVG DIM ANO
331 02 88 EDB ANO
 1 x 2~EVG DIM
 DIMMING BY SWITCH DIM / DSI
 INCL.1 x CABLE 5 x 0,75mm²

DOWN
 INCL.1 x NB200 54 BAP
 INCL.4 x NB200 CABLE SUSP. SINGLE AUTO. 1.6m
 230-240V / 50-60Hz
 G5 / 2 x T16 54W



OPTIONS :
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90


ACCESSORIES / OPTIONS

DICROIC FILTER 50

- 201 30 11 ●
- 201 30 12 ●
- 201 30 13 ●
- 201 30 14 ●



INTERIOR LIGHTING
OBJECT LIGHTING

NoBody 200 P
NoBody 140 P
MICROLINE 30 P

NoBody 200 P1254L

MOD.DEP.

1432 x 200 x 36


NoBody 200 P1254L ANO
331 02 885 ANO

1 x 2~EVG

INCL.1 x CABLE 5 x 0,75mm²
NoBody 200 P1254L EVG DIM ANO
331 02 885 ED ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

INCL.1 x CABLE 5 x 0,75mm²
DOWN-UP

INCL.1 x NB200 54 PC OPAL

INCL.4 x NB200 CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz / CABLING 2 CIRCUITS

G5 / 2 x T16 54W

GX5.3 / 2 x QR-CB51 20-35-50W / TE

ORIENTABLE 0°-30°


ACCESSORIES / OPTIONS :

DICROIC FILTER 50

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90


NoBody 140 P1254L

MOD.DEP.

2132 x 144 x 36


NoBody 140 P1254L ANO
330 02 885 ANO

1 x 2~EVG

INCL.1 x CABLE 5 x 0,75mm²
NoBody 140 P1254L EVG DIM ANO
330 02 885 ED ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

INCL.1 x CABLE 5 x 0,75mm²
DOWN-UP

INCL.1 x NB140 54 PC OPAL

INCL.4 x NB140 CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz / CABLING 2 CIRCUITS

G5 / 2 x T16 54W

GX5.3 / 2 x QR-CB51 20-35-50W / TE

ORIENTABLE 0°-30°


ACCESSORIES / OPTIONS :

DICROIC FILTER 50


CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90


NoBody 140 P1254 BAP

MOD.DEP.

1977 x 144 x 36


NoBody 140 P1254 BAP ANO
330 02 88 B ANO

1 x 2~EVG

INCL.1 x CABLE 3 x 0,75mm²
NoBody 140 P1254 BAP EVG DIM ANO
330 02 88 EDB ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI


INCL.1 x CABLE 5 x 0,75mm²
DOWN

INCL.1 x NB140 54 BAP

INCL.4 x NB140 CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz

G5 / 2 x T16 54W


OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90


NoBody 200 P1254

MOD.DEP.

1282 x 200 x 36


NoBody 200 P1254 ANO
331 02 88 ANO

1 x 2~EVG

INCL.1 x CABLE 3 x 0,75mm²
NoBody 200 P1254 EVG DIM ANO
331 02 88 ED ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI


INCL.1 x CABLE 5 x 0,75mm²
DOWN-UP

INCL.1 x NB200 54 PC OPAL

INCL.4 x NB200 CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz

G5 / 2 x T16 54W


OPTIONS :


CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90


NoBody 140 P1254

MOD.DEP.

1932 x 144 x 36


NoBody 140 P1254 ANO
330 02 88 ANO

1 x 2~EVG

INCL.1 x CABLE 3 x 0,75mm²
NoBody 140 P1254 EVG DIM ANO
330 02 88 ED ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

INCL.1 x CABLE 5 x 0,75mm²
DOWN-UP

INCL.1 x NB140 54 PC OPAL

INCL.4 x NB140 CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz

G5 / 2 x T16 54W


OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90


MICROLINE 30 P1154

MOD.DEP.

2120 x 37 x 62


MICROLINE 30 P1154 ANO
296 01 85 ANO

1 x 1~EVG

INCL.1 x CABLE 3 x 0,75mm²
MICROLINE 30 P1154 EVG DIM ANO
296 01 85 ED ANO

1 x 1~EVG DIM

DIMMING BY SWITCH DIM / DSI


INCL.1 x CABLE 5 x 0,75mm²
DOWN

INCL.1 x MIC30 54 PC SBL

INCL.2 x MIC30 CABLE SUSP. SINGLE AUTO. 1.6m


230-240V / 50-60Hz

G5 / 1 x T16 54W


OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90









OPTIONS

CABLE BASE R
203 99 55 ANO

0,1


CABLE BASE S
203 99 56 ANO

0,1



INTERIOR LIGHTING — OBJECT LIGHTING
MICROLINE 30 P





INTERIOR LIGHTING

OBJECT LIGHTING

MIDLINE 80 P
FULL OPTION P
CLIPPER P

MIDLINE 80 P1254 BAP

1209 x 80 x 124



MIDLINE 80 P1254 BAP ANO

298 01 88 B ANO

1 x 2~EVG

INCL.1 x CABLE 3 x 0,75mm²

MIDLINE 80 P1254 BAP EVG DIM ANO

298 01 88 EDB ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

INCL.1 x CABLE 5 x 0,75mm²

DOWN-UP

INCL.1 x MID80 54 BAP

INCL.4 x MID80 CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz

G5 / 2 x T16 54W

IP20 (0,5)

OPTIONS :


CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



FULL OPTION P1254 BAP

2126 x 200 x 60



FULL OPTION P1254 BAP ANO

260 02 88 B ANO

1 x 2~EVG

INCL.1 x CABLE 3 x 0,75mm²

FULL OPTION P1254 BAP EVG DIM ANO

260 02 88 EDB ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

INCL.1 x CABLE 5 x 0,75mm²

DOWN

INCL.1 x FO 54 BAP

INCL.4 x FO CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz

G5 / 2 x T16 54W

IP20 (0,5)

OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



CLIPPER P1236

1800 x 118 x 54



CLIPPER P1236 ANO

262 01 72 ANO

DOWN

INCL.CLIPPER COVER

INCL.2 x CL CABLE SUSP. TWIN AUTO. 1.6m

INCL.1 x CABLE 3 x 0,75mm²

CABLING 1 CIRCUIT

230-240V / 50Hz / 2 x 1~KVG

G13 / 2 x T26 36W

IP20 (0,5)

OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



MIDLINE 80 P1254

1209 x 80 x 124



MIDLINE 80 P1254 ANO

298 01 88 ANO

1 x 2~EVG

INCL.1 x CABLE 3 x 0,75mm²

MIDLINE 80 P1254 EVG DIM ANO

298 01 88 ED ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

INCL.1 x CABLE 5 x 0,75mm²

DOWN-UP

INCL.1 x MID80 54 PC SBL

INCL.4 x MID80 CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz

G5 / 2 x T16 54W

IP20 (0,5)

OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



FULL OPTION P1254

2126 x 200 x 60



FULL OPTION P1254 ANO

260 02 88 ANO

1 x 2~EVG

INCL.1 x CABLE 3 x 0,75mm²

FULL OPTION P1254 EVG DIM ANO

260 02 88 ED ANO

1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

INCL.1 x CABLE 5 x 0,75mm²

DOWN-UP

INCL.4 x FO CABLE SUSP. SINGLE AUTO. 1.6m

230-240V / 50-60Hz

G5 / 2 x T16 54W

IP20 (0,5)

OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



CLIPPER P1258

2200 x 118 x 54



CLIPPER P1258 ANO

262 01 82 ANO

DOWN

INCL.CLIPPER COVER

INCL.2 x CL CABLE SUSP. TWIN AUTO. 1.6m

INCL.1 x CABLE 3 x 0,75mm²

CABLING 1 CIRCUIT

230-240V / 50Hz / 2 x 1~KVG

G13 / 2 x T26 58W

IP20 (0,5)

OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



OPTIONS



CABLE BASE R

203 99 55 ANO


0,1



CABLE BASE S

203 99 56 ANO

0,1




COVERSET R

204 00 62 ANO

204 00 90 ANO

204 00 100 ANO



COVERSET S

204 62 62 ANO

204 80 80 ANO

204 90 90 ANO

INTERIOR LIGHTING

OBJECT LIGHTING

FULL OPTION P

CLIPPER P

NoBody 300 P



INTERIOR LIGHTING

OBJECT LIGHTING

NoBody 300 P
MIDLINE 80 P




INTERIOR LIGHTING — OBJECT LIGHTING
XTREAM 328



INTERIOR LIGHTING **OBJECT LIGHTING**
XTREAM 328

XTREAM 328



XTREAM 328 ANO

274 23 03 ANO

INCL. 1 x REMOTE CONVERTOR

INCL. 1 x LINEAR POTENTIOMETER 100 kOhm



G5 / 230-240V / 50-60Hz / 3 x 1~EVG DIM

3 x T16-RGB 28W


IP20

OPTIONS :

COVERSET R 62-90-100 / S 62-80-90



OPTIONS



COVERSET R

Ø62

Ø90

Ø100

COVERSET R 62


COVERSET R 90

COVERSET R 100

204 00 62 ANO

204 00 90 ANO

204 00 100 ANO



COVERSET S

□ 62

□ 80

□ 90

COVERSET S 62

COVERSET S 80

COVERSET S 90

204 62 62 ANO

204 80 80 ANO


204 90 90 ANO

INTERIOR LIGHTING — OBJECT LIGHTING
BE COOL



INTERIOR LIGHTING OBJECT LIGHTING
BE COOL

BE COOL C



EVG 2 x T16 54W

BE COOL C 254

274 26 254

INCL.2 x CABLE SUSPENSION 1.6m




BE COOL C 254 3m

274 26 254 3m

INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W



OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



EVG DIMMABLE BY SWITCH DIM / DSI - 2 x T16 54W

BE COOL C 254 EVG DIM

274 26 254 ED

INCL.2 x CABLE SUSPENSION 1.6m




BE COOL C 254 EVG DIM 3m

274 26 254 ED 3m

INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 5 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
2 x T16 54W




OPTIONS :

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90



BE COOL




EVG 2 x T16 54W

BE COOL 254

274 25 254

INCL.1 x CABLE 3 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W





EVG DIMMABLE BY SWITCH DIM / DSI - 2 x T16 54W

BE COOL 254 EVG DIM

274 25 254 ED

INCL.1 x CABLE 5 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
2 x T16 54W



OPTIONS



CABLE BASE R

203 99 55 ANO


0,1



CABLE BASE S

203 99 56 ANO

0,1




COVERSET R

204 00 62 ANO

204 00 90 ANO

204 00 100 ANO



COVERSET S

62 204 62 62 ANO

80 204 80 80 ANO

90 204 90 90 ANO

INTERIOR LIGHTING — OBJECT LIGHTING
BE COOL




INTERIOR LIGHTING — OBJECT LIGHTING
BE COOL



RANDOM C 411H


RANDOM COLLECTION : INFO 6



0<1600
RANDOM C 411H T50 ANO
274 70 411 ANO
 INCL.4 x CABLE SUSPENSION 1.6m

0<3000
RANDOM C 411H T50 ANO 3m
274 70 411 ANO 3m
 INCL.4 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
 G53 / 230-240V / 50-60Hz / TE
 4 x QR-LP111 35-50W




ACCESSORIES / OPTIONS :

CLIP 111 + FRONTGLASS 111
 CLIP 111 + COLOUR FILTER 111
 CLIP 111 + LENS 111
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



RANDOM C 411V


RANDOM COLLECTION : INFO 6



0<1600
RANDOM C 411V T50 ANO
274 71 411 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000
RANDOM C 411V T50 ANO 3m
274 71 411 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
 G53 / 230-240V / 50-60Hz / TE
 4 x QR-LP111 35-50W



ACCESSORIES / OPTIONS :

CLIP 111 + FRONTGLASS 111
 CLIP 111 + COLOUR FILTER 111
 CLIP 111 + LENS 111
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



OPTIONS




CABLE BASE R
203 99 55 ANO

0,1



0,1



CABLE BASE S
203 99 56 ANO

0,1




0,1




COVERSET R
 Ø10 2 204 00 62 ANO
 Ø90 204 00 90 ANO
 Ø100 204 00 100 ANO

0,1




COVERSET S
 Ø10 2 204 62 62 ANO
 Ø80 204 80 80 ANO
 Ø90 204 90 90 ANO

0,1




COVERSET S
 Ø10 2 204 62 62 ANO
 Ø80 204 80 80 ANO
 Ø90 204 90 90 ANO

0,1



COVERSET S
 Ø10 2 204 62 62 ANO
 Ø80 204 80 80 ANO
 Ø90 204 90 90 ANO

0,1






COVERSET S
 Ø10 2 204 62 62 ANO
 Ø80 204 80 80 ANO
 Ø90 204 90 90 ANO

0,1

INTERIOR LIGHTING — OBJECT LIGHTING
RANDOM








RANDOM 411

RANDOM COLLECTION : INFO 6

**RANDOM 411 T50 ANO****274 72 411 ANO**G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W**ACCESSORIES :**CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111

RANDOM 211

RANDOM COLLECTION : INFO 6

**RANDOM 211 T50 ANO****274 72 211 ANO**G53 / 230-240V / 50-60Hz / TE
2 x QR-LP111 35-50W**ACCESSORIES :**CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111**ACCESSORIES****CLIP 111 A**
201 27 99 A**FRONTGLASS 111**
201 17 00**COLOUR FILTER 111**
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●**LENS 111**
201 47 11

INTERIOR LIGHTING — OBJECT LIGHTING
RANDOM



INTERIOR LIGHTING

OBJECT LIGHTING



RANDOM



INTERIOR LIGHTING — OBJECT LIGHTING
RANDOM



INTERIOR LIGHTING OBJECT LIGHTING
RANDOM


RANDOM PLAY RANDOM COLLECTION : INFO 6

RANDOM 118 RANDOM COLLECTION : INFO 6

RANDOM 118 ANO
274 75 118 ANO

DIRECT FIXATION

INCL.1 x RANDOM 18 PC SBL

G24d-2 / 230-240V / 50Hz / 1 x 1~KVG

1 x TC-D 18W





RANDOM 118 EVG ANO
274 75 118 E ANO

DIRECT FIXATION

INCL.1 x RANDOM 18 PC SBL

G24q-2 / 230-240V / 50-60Hz / 1 x 1~EVG

1 x TC-DEL 18W



RANDOM 124 RANDOM COLLECTION : INFO 6

RANDOM 124 ANO
274 75 124 ANO

DIRECT FIXATION

INCL.1 x RANDOM 24 PC SBL

G5 / 230-240V / 50-60Hz / 1 x 1~EVG

1 x T16 24W


RANDOM 124 EVG DIM ANO
274 75 124 ED ANO



DIRECT FIXATION

INCL.1 x RANDOM 24 PC SBL

G5 / 230-240V / 50-60Hz / 1 x 1~EVG DIM

DIMMING BY SWITCH DIM / DSI

1 x T16 24W


RANDOM PLAY EVG DIM ANO
206 01 00 ED ANO

INCL.1 x RANDOM 54 PC SBL

INCL.1 x SWITCH

 INCL.1 x CABLE 3 x 0,75mm² 2m

G5 / 230-240V / 50-60Hz / 1 x 1~EVG DIM

DIMMING BY SWITCH DIM

1 x T16 54W




INTERIOR LIGHTING OBJECT LIGHTING
RANDOM



RANDOM C 154


RANDOM COLLECTION : INFO 6



EVG 1 x T16 54W

**RANDOM C 154 ANO****274 74 154 ANO**

INCL.2 x CABLE SUSPENSION 1.6m

**RANDOM C 154 ANO 3m****274 74 154 ANO 3m**

INCL.2 x CABLE SUSPENSION 3m

INCL.1 x RANDOM 54 PC SBL
INCL.1 x CABLE 3 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x T16 54W



OPTIONS :

CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90



EVG DIMMABLE BY SWITCH DIM / DSI - 1 x T16 54W


**RANDOM C 154 EVG DIM ANO****274 74 154 ED ANO**

INCL.2 x CABLE SUSPENSION 1.6m

**RANDOM C 154 EVG DIM ANO 3m****274 74 154 ED ANO 3m**

INCL.2 x CABLE SUSPENSION 3m

INCL.1 x RANDOM 54 PC SBL
INCL.1 x CABLE 5 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 1~EVG DIM
1 x T16 54W




OPTIONS :

CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90




RANDOM 154

RANDOM COLLECTION : INFO 6

**RANDOM 154 ANO****274 75 154 ANO**


DIRECT FIXATION

INCL.1 x RANDOM 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x T16 54W


**RANDOM 154 EVG DIM ANO****274 75 154 ED ANO**

DIRECT FIXATION

INCL.1 x RANDOM 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 1~EVG DIM
DIMMING BY SWITCH DIM / DSI
1 x T16 54W



OPTIONS



COVERSET R

Ø62


Ø90

Ø100

COVERSET R 62

COVERSET R 90

COVERSET R 100

204 00 62 ANO**204 00 90 ANO****204 00 100 ANO**

COVERSET S

□ 62

□ 80

□ 90

COVERSET S 62

COVERSET S 80


COVERSET S 90

204 62 62 ANO**204 80 80 ANO****204 90 90 ANO**

INTERIOR LIGHTING — OBJECT LIGHTING
RANDOM

RANDOM C 254

RANDOM COLLECTION : INFO 6




EVG 2 x T16 54W

RANDOM C 254 ANO
274 74 254 ANO
INCL.2 x CABLE SUSPENSION 1.6m

RANDOM C 254 ANO 3m
274 74 254 ANO 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x RANDOM 254 PC SBL
INCL.1 x CABLE 3 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W



OPTIONS :
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90




EVG DIMMABLE BY SWITCH DIM / DSI - 2 x T16 54W

RANDOM C 254 EVG DIM ANO
274 74 254 ED ANO
INCL.2 x CABLE SUSPENSION 1.6m

RANDOM C 254 EVG DIM ANO 3m
274 74 254 ED ANO 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x RANDOM 254 PC SBL
INCL.1 x CABLE 5 x 0,75mm²
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
2 x T16 54W




OPTIONS :
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90




RANDOM 254


RANDOM COLLECTION : INFO 6




RANDOM 254 ANO
274 75 254 ANO
DIRECT FIXATION
INCL.1 x RANDOM 254 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W





RANDOM 254 EVG DIM ANO
274 75 254 ED ANO
DIRECT FIXATION
INCL.1 x RANDOM 254 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM / DSI
2 x T16 54W



OPTIONS




CABLE BASE R
203 99 55 ANO



CABLE BASE S
203 99 56 ANO

INTERIOR LIGHTING — OBJECT LIGHTING
RANDOM




INTERIOR LIGHTING — OBJECT LIGHTING
RANDOM



RAND 211


RAND COLLECTION : INFO 3



RAND 211 T50 A

285 52 21 A

G53 / 230-240V / 50-60Hz / TE
2 x QR-LP111 35-50W




ACCESSORIES :

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



RAND 411


RAND COLLECTION : INFO 3



RAND 411 T50 A

285 54 41 A

G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W




ACCESSORIES :

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



RAND 311


RAND COLLECTION : INFO 3



RAND 311 T50 A

285 53 31 A

G53 / 230-240V / 50-60Hz / TE
3 x QR-LP111 35-50W




ACCESSORIES :

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



RAND 511


RAND COLLECTION : INFO 3



RAND 511 T50 A

285 55 51 A

G53 / 230-240V / 50-60Hz / TE
5 x QR-LP111 35-50W





ACCESSORIES :


CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111




ACCESSORIES




CLIP 111 A
201 27 99 A



FRONTGLASS 111
201 17 00




COLOUR FILTER 111
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●




LENS 111
201 47 11


INTERIOR LIGHTING **OBJECT LIGHTING**
SKEELER

SKEELER 311 T50**SKEELER 311 T50****285 31 31**

G53 / 230-240V / 50-60Hz / TE
3 x QR-LP111 35-50W

**ACCESSORIES :**

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111


**SKEELER 311 PRO****SKEELER 311 PRO****285 31 00**

FIXATION ON PROFILES


G53 / 12V / EXCL.TRANSFO

3 x QR-LP111 35-50-75-100W


3 x QR-HP111 + 75-100W

**ACCESSORIES :**



CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111

**SKEELER 411 T50****SKEELER 411 T50****285 41 41**

G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W


**ACCESSORIES :**

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111


**SKEELER 311 TV50****SKEELER 311 TV50****285 31 35**INCL.1 x CABLE 3 x 0,75mm² 2m + SWITCH

G53 / 230-240V / 50-60Hz / TE


3 x QR-LP111 35-50W

**ACCESSORIES :**


CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111

**ACCESSORIES**

CLIP 111 A
201 27 99 A



FRONTGLASS 111
201 17 00



COLOUR FILTER 111
201 27 11
201 27 12
201 27 13
201 27 14



LENS 111
201 47 11

INTERIOR LIGHTING — OBJECT LIGHTING
RAND



INTERIOR LIGHTING — OBJECT LIGHTING
 RAND
 SKEELER



INTERIOR LIGHTING — OBJECT LIGHTING
SKEELER



INTERIOR LIGHTING — OBJECT LIGHTING
SKEELER



INTERIOR LIGHTING — OBJECT LIGHTING
SKEELER



INTERIOR LIGHTING — OBJECT LIGHTING
SKEELER




INTERIOR LIGHTING — OBJECT LIGHTING
B-CRAFT®




INTERIOR LIGHTING — OBJECT LIGHTING
B-CRAFT®

B-CRAFT® 111

CRAFT COLLECTION : INFO 3

**B-CRAFT® 111 ALU****310 12 30 ALU**

G53 / 12V / EXCL.TRANSFO
1 x QR-LP111 35-50-75-100W




ACCESSORIES / OPTIONS :

CRAFTRING 111


COVERSET R 62-90-100

**B-CRAFT® 211**

CRAFT COLLECTION : INFO 3

**B-CRAFT® 211 ALU****310 14 30 ALU**

G53 / 12V / EXCL.TRANSFO
2 x QR-LP111 35-50-75-100W




ACCESSORIES / OPTIONS :

CRAFTRING 111


COVERSET R 62-90-100

**B-CRAFT® 111 T50**

CRAFT COLLECTION : INFO 3

**B-CRAFT® 111 T50 ALU****310 12 35 ALU**

G53 / 230-240V / 50-60Hz / TE
1 x QR-LP111 35-50W




ACCESSORIES / OPTIONS :

CRAFTRING 111


COVERSET R 62-90-100

**B-CRAFT® 111 T50 AD**

CRAFT COLLECTION : INFO 3

**B-CRAFT® 111 T50 AD ALU****310 11 35 AD ALU**

INCL.1 x 3F MULTI ADAPTOR
G53 / 230-240V / 50-60Hz / TE
1 x QR-LP111 35-50W




ACCESSORIES :


CRAFTRING 111




ACCESSORIES / OPTIONS




CRAFTTRING 111 ANO
310 00 99 ANO

**COVERSET R**


Ø62 **204 00 62 ANO**
Ø90 **204 00 90 ANO**
Ø100 **204 00 100 ANO**




B-CRAFT® H30 ALU
310 12 51 ALU
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W




OPTIONS :
COVERSET R 62-90-100




B-CRAFT® 2H30 ALU
310 14 51 ALU
E27Ls / 230-240V / 50-60Hz
2 x QPAR30 75W




OPTIONS :
COVERSET R 62-90-100




B-CRAFT® H30 AD ALU
310 11 51 AD ALU
INCL. 1 x 3F MULTI ADAPTOR
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W




OPTIONS



COVERSET R		
Ø62	COVERSET R 62	204 00 62 ANO
Ø90	COVERSET R 90	204 00 90 ANO
Ø100	COVERSET R 100	204 00 100 ANO




B-CRAFT® 2H30 AD ALU
310 13 51 AD ALU
INCL. 1 x 3F MULTI ADAPTOR
E27Ls / 230-240V / 50-60Hz
2 x QPAR30 75W




INTERIOR LIGHTING — OBJECT LIGHTING
B-CRAFT®

B-CRAFT® 111 Hi

CRAFT COLLECTION : INFO 3

**B-CRAFT® 111 Hi ALU****310 12 41 ALU**

GU10 / 230-240V / 50-60Hz
1 x QPAR111 75W




OPTIONS :



COVERSET R 62-90-100

**B-CRAFT® 111 Hi AD**


CRAFT COLLECTION : INFO 3

**B-CRAFT® 111 Hi AD ALU****310 11 41 AD ALU**


INCL.1 x 3F MULTI ADAPTOR
GU10 / 230-240V / 50-60Hz
1 x QPAR111 75W

**B-CRAFT® HIT**

CRAFT COLLECTION : INFO 3

**B-CRAFT® HIT ALU****310 12 62 ALU**

INCL.1 x CLIP 111 + REFLECTOR FL-35° + GLASS UV-STOP
G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG
1 x HIT 35-70W



ON REQUEST :


REFLECTOR S-15° / WFL-55°

OPTIONS :


COVERSET R 62-90-100

**B-CRAFT® 2HIT**

CRAFT COLLECTION : INFO 3

**B-CRAFT® 2HIT ALU****310 14 62 ALU**

INCL.2 x CLIP 111 + REFLECTOR FL-35° + GLASS UV-STOP
G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG
2 x HIT 35-70W



ON REQUEST :

REFLECTOR S-15° / WFL-55°

OPTIONS :

COVERSET R 62-90-100



INTERIOR LIGHTING

OBJECT LIGHTING


C-CRAFT®

C-CRAFT® H30

CRAFT COLLECTION : INFO 3



C-CRAFT® H30 ALU

310 22 51 ALUE27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W

OPTIONS :

COVERSET R 62-90-100




C-CRAFT® 2H30

CRAFT COLLECTION : INFO 3



C-CRAFT® 2H30 ALU

310 24 51 ALUE27Ls / 230-240V / 50-60Hz
2 x QPAR30 75W

OPTIONS :

COVERSET R 62-90-100




C-CRAFT® H30 AD

CRAFT COLLECTION : INFO 3



C-CRAFT® H30 AD ALU


310 21 51 AD ALUINCL.1 x 3F MULTI ADAPTOR
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W

C-CRAFT® 2H30 AD

CRAFT COLLECTION : INFO 3



C-CRAFT® 2H30 AD ALU


310 23 51 AD ALUINCL.1 x 3F MULTI ADAPTOR
E27Ls / 230-240V / 50-60Hz
2 x QPAR30 75W

C-CRAFT® HIT

CRAFT COLLECTION : INFO 3



C-CRAFT® HIT ALU

310 22 62 ALUINCL.1 x CLIP 111
+ REFLECTOR FL-35° + GLASS UV-STOP
G12 / 230-240V / 50-60Hz
EXCL.KVG-EVG
1 x HIT 35-70W

OPTIONS :

COVERSET R 62-90-100



ON REQUEST :


REFLECTOR S-15° / WFL-55°

C-CRAFT® 2HIT

CRAFT COLLECTION : INFO 3



C-CRAFT® 2HIT ALU

310 24 62 ALUINCL.2 x CLIP 111
+ REFLECTOR FL-35° + GLASS UV-STOP
G12 / 230-240V / 50-60Hz
EXCL.KVG-EVG
2 x HIT 35-70W

OPTIONS :

COVERSET R 62-90-100




ON REQUEST :

REFLECTOR S-15° / WFL-55°


INTERIOR LIGHTING — OBJECT LIGHTING
C-CRAFT®

C-CRAFT® 111

CRAFT COLLECTION : INFO 3

**C-CRAFT® 111 ALU****310 22 30 ALU**

G53 / 12V / EXCL. TRANSFO
1 x QR-LP111 35-50-75-100W




ACCESSORIES / OPTIONS :

CRAFTRING 111


COVERSET R 62-90-100

**C-CRAFT® 211**

CRAFT COLLECTION : INFO 3

**C-CRAFT® 211 ALU****310 24 30 ALU**

G53 / 12V / EXCL. TRANSFO
2 x QR-LP111 35-50-75-100W




ACCESSORIES / OPTIONS :

CRAFTRING 111


COVERSET R 62-90-100

**C-CRAFT® 111 Hi**

CRAFT COLLECTION : INFO 3

**C-CRAFT® 111 Hi ALU****310 22 41 ALU**

GU10 / 230-240V / 50-60Hz
1 x QPAR111 75W




OPTIONS :


COVERSET R 62-90-100

**C-CRAFT® 111 Hi AD**


CRAFT COLLECTION : INFO 3

**C-CRAFT® 111 Hi AD ALU****310 21 41 AD ALU**


INCL. 1 x 3F MULTI ADAPTOR
GU10 / 230-240V / 50-60Hz
1 x QPAR111 75W



ACCESSORIES / OPTIONS



CRAFTRING 111 ANO
310 00 99 ANO




COVERSET R
Ø62 **204 00 62 ANO**
Ø90 **204 00 90 ANO**
Ø100 **204 00 100 ANO**

INTERIOR LIGHTING — OBJECT LIGHTING
C-HYPERCRAFT®



ACCESSORIES



CRAFTRING 111 ANO
310 00 99 ANO



INTERIOR LIGHTING


OBJECT LIGHTING

B-HYPERCRAFT®

C-HYPERCRAFT®

B-HYPERCRAFT®

CRAFT COLLECTION : INFO 3


**B-HYPERCRAFT® 2HIT-35 ALU****310 15 1235 E ALU**

INCL. 2 x CLIP 111 + REFLECTOR FL-35° + GLASS UV-STOP

INCL. 1 x SWITCH

G12 / 230-240V / 50-60Hz / 2 x 1 ~EVG

2 x HIT 35W



ON REQUEST :

REFLECTOR S-15° / WFL-55°


B-HYPERCRAFT® 2HIT-70 ALU**310 15 1270 E ALU**

INCL. 2 x CLIP 111 + REFLECTOR FL-35° + GLASS UV-STOP

INCL. 1 x SWITCH

G12 / 230-240V / 50-60Hz / 2 x 1 ~EVG

2 x HIT 70W




ON REQUEST :

REFLECTOR S-15° / WFL-55°



C-HYPERCRAFT® 2H30


CRAFT COLLECTION : INFO 3

**C-HYPERCRAFT® 2H30 ALU****310 25 1230 ALU**

INCL. 1 x SWITCH


E27Ls / 230-240V / 50-60Hz

2 x QPAR30 75W



C-HYPERCRAFT® 411


CRAFT COLLECTION : INFO 3

**C-HYPERCRAFT® 411 T50 ALU****310 26 1411 ALU**

INCL. 1 x SWITCH


G53 / 230-240V / 50-60Hz / TE

4 x QR-LP111 35-50W



ACCESSORIES :

CRAFTRING 111


C-HYPERCRAFT® 411
+ CRAFTRING 111

INTERIOR LIGHTING — OBJECT LIGHTING
LINK



INTERIOR LIGHTING — OBJECT LIGHTING
LINK

LINK PRO HIC




LINK PRO HIC A

284 70 10 A


FIXATION ON PROFILES

INCL.1 x REFLECTOR FL-27°
+ GLASS UV-STOPG8.5 / 230-240V / 50-60Hz
EXCL.KVG-EVG

1 x HIT-CRI 35-70W



LINK PRO H111




LINK PRO H111 A

284 70 11 A

FIXATION ON PROFILES

GX8.5 / 230-240V / 50-60Hz
EXCL.KVG-EVG

1 x HIPAR111 35W




ACCESSORIES :

COLOUR FILTER H111



LINK HIC



LINK HIC A

284 71 10 A


INCL.1 x REFLECTOR FL-27°

+ GLASS UV-STOP


G8.5 / 230-240V / 50-60Hz

EXCL.KVG-EVG

1 x HIT-CRI 35-70W



LINK H111




LINK H111 A

284 71 11 A

GX8.5 / 230-240V / 50-60Hz

EXCL.KVG-EVG

1 x HIPAR111 35W




ACCESSORIES :

COLOUR FILTER H111



LINK 2HIC

LINK 2HIC



LINK 2HIC A

284 71 20 A


INCL.2 x REFLECTOR FL-27°

+ GLASS UV-STOP



G8.5 / 230-240V / 50-60Hz

EXCL.KVG-EVG

2 x HIT-CRI 35-70W



LINK 2H111




LINK 2H111 A

284 71 21 A

GX8.5 / 230-240V / 50-60Hz

EXCL.KVG-EVG

2 x HIPAR111 35W



ACCESSORIES :

COLOUR FILTER H111



LINK H111 + COLOUR FILTER H111 GREEN

ACCESSORIES



COLOUR FILTER H111

201 26 11

201 26 12

201 26 13


201 26 14

INTERIOR LIGHTING — OBJECT LIGHTING
LABO




INTERIOR LIGHTING — OBJECT LIGHTING
LABO

LABO HIC




LABO HIC-35 A
284 72 35 E A

INCL.1 x REFLECTOR FL-27°
+ GLASS UV-STOP
GX8.5 / 230-240V / 50-60Hz
1 x 1~EVG
1 x HIT-CRI 35W




OPTIONS :

COVERSET R 90-100



LABO HIC-70 A
284 72 70 E A


INCL.1 x REFLECTOR FL-27°
+ GLASS UV-STOP
GX8.5 / 230-240V / 50-60Hz
1 x 1~EVG
1 x HIT-CRI 70W



OPTIONS :


COVERSET R 90-100

LABO H111



LABO H111-35 A
284 72 11 E A

GX8.5 / 230-240V / 50-60Hz
1 x 1~EVG
1 x HIPAR111 35W




ACCESSORIES / OPTIONS :

COLOUR FILTER H111
COVERSET R 90-100




LABO 2HIC




LABO 2HIC-35 A
284 73 35 E A

INCL.2 x REFLECTOR FL-27°
+ GLASS UV-STOP
GX8.5 / 230-240V / 50-60Hz
2 x 1~EVG
2 x HIT-CRI 35W




LABO 2HIC-70 A
284 73 70 E A

INCL.2 x REFLECTOR FL-27°
+ GLASS UV-STOP
GX8.5 / 230-240V / 50-60Hz
2 x 1~EVG
2 x HIT-CRI 70W




LABO 2H111



LABO 2H111-35 A
284 73 11 E A

GX8.5 / 230-240V / 50-60Hz
2 x 1~EVG
2 x HIPAR111 35W



ACCESSORIES :

COLOUR FILTER H111




LABO H111 + COLOUR FILTER H111 BLUE

ACCESSORIES / OPTIONS



COLOUR FILTER H111

201 26 11 ●
201 26 12 ●
201 26 13 ●
201 26 14 ●



COVERSET R

Ø90 204 00 90 ANO
Ø100 204 00 100 ANO

ACCESSORIES



CLIP 111 A
201 27 99 A



FRONTGLASS 111
201 17 00



COLOUR FILTER 111
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●



LENS 111
201 47 11



DICROIC FILTER 50
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●



COLOUR FILTER H111
201 26 11 ●
201 26 12 ●
201 26 13 ●
201 26 14 ●

OPTIONS




CLUB DISC ALU
284 29 99 ALU




COVERSET R
Ø62 204 00 62 ANO
Ø90 204 00 90 ANO
Ø100 204 00 100 ANO

CLUB S 1105




CLUB S 1105 T50 A
284 21 1105 A
GX5.3 / 230-240V / 50-60Hz / TE
1 x QR-C51 COATED 20-35-50W




ACCESSORIES / OPTIONS :
DICROIC FILTER 50
CLUB DISC
COVERSET R 62-90-100



CLUB S 1107




CLUB S 1107 T50 A
284 21 1107 A
BA15d / 230-240V / 50-60Hz / TE
1 x QR-LP70 20-50W




OPTIONS :
CLUB DISC
COVERSET R 62-90-100



CLUB S HIT




CLUB S HIT-35 A
284 20 1135 E A
INCL.1 x CLIP 111
+ REFLECTOR FL-35°
+ GLASS UV-STOP
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 35W




ON REQUEST :
REFLECTOR S-15° / WFL-55°

CLUB S 1111




CLUB S 1111 T50 A
284 21 1111 A
G53 / 230-240V / 50-60Hz / TE
1 x QR-LP111 35-50W




ACCESSORIES / OPTIONS :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
CLUB DISC
COVERSET R 62-90-100



CLUB S H30



CLUB S H30 A
284 20 1130 A
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W




OPTIONS :
CLUB DISC
COVERSET R 62-90-100



INTERIOR LIGHTING — OBJECT LIGHTING
CLUB S


CLUB COLLECTION : INFO 3

CLUB S 1205



CLUB S 1205 T50 A
284 21 1205 A


GX5.3 / 230-240V / 50-60Hz / TE
2 x QR-C51 COATED 20-35-50W



ACCESSORIES / OPTIONS :
DICROIC FILTER 50
CLUB DISC
COVERSET R 62-90-100




CLUB S 1207



CLUB S 1207 T50 A
284 21 1207 A


BA15d / 230-240V / 50-60Hz / TE
2 x QR-LP70 20-50W



OPTIONS :
CLUB DISC
COVERSET R 62-90-100




CLUB S 2H111



CLUB S 2H111-35 A

284 22 1235 E A


GX8.5 / 230-240V / 50-60Hz / 2 x 1~EVG
2 x HIPAR111 35W



ACCESSORIES / OPTIONS :
COLOUR FILTER H111




CLUB S 2HIC



CLUB S 2HIC-35 A

284 23 1235 E A


INCL.2 x REFLECTOR FL-27°
+ GLASS UV-STOP
G8.5 / 230-240V / 50-60Hz / 2 x 1~EVG
2 x HIT-CRI 35W




CLUB S 2HIC-70 A

284 23 1270 E A

INCL.2 x REFLECTOR FL-27°
+ GLASS UV-STOP
G8.5 / 230-240V / 50-60Hz / 2 x 1~EVG
2 x HIT-CRI 70W




CLUB S 1211



CLUB S 1211 T50 A
284 21 1211 A


G53 / 230-240V / 50-60Hz / TE
2 x QR-LP111 35-50W



ACCESSORIES / OPTIONS :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
CLUB DISC
COVERSET R 62-90-100




CLUB S 2H30



CLUB S 2H30 A
284 20 1230 A


E27Ls / 230-240V / 50-60Hz
2 x QPAR30 75W



OPTIONS :
CLUB DISC
COVERSET R 62-90-100




CLUB S 2HIT



CLUB S 2HIT A



284 20 1270 A

INCL.2 x CLIP 111
+ REFLECTOR FL-35° + GLASS UV-STOP
G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG
2 x HIT 35-70W





ON REQUEST :
REFLECTOR S-15° / WFL-55°
OPTIONS :
CLUB DISC
COVERSET R 62-90-100





**CLUB S 1405 T50 A****284 21 1405 A**GX5.3 / 230-240V / 50-60Hz / TE
4 x QR-C51 COATED 20-35-50W

ACCESSORIES / OPTIONS :



DICROIC FILTER 50
COVERSET R 90-100**CLUB S 1407 T50 A****284 21 1407 A**BA15d / 230-240V / 50-60Hz / TE
4 x QR-LP70 20-50W

OPTIONS :

COVERSET R 90-100

**CLUB S 1411 T50 A****284 21 1411 A**G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W

ACCESSORIES / OPTIONS :

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
COVERSET R 90-100**CLUB S 4H30 A****284 20 1430 A**E27Ls / 230-240V / 50-60Hz
4 x QPAR30 75W

OPTIONS :

COVERSET R 90-100



OPTIONS

**CLUB DISC ALU**
284 29 99 ALU




0,1

**COVERSET R**Ø90 **204 00 90 ANO**
Ø100 **204 00 100 ANO**

0,1



ACCESSORIES


**CLIP 111 A**
201 27 99 A**FRONTGLASS 111**
201 17 00**COLOUR FILTER 111**
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●**LENS 111**
201 47 11

INTERIOR LIGHTING **OBJECT LIGHTING**
CLUB X

CLUB COLLECTION : INFO 3


CLUB X 2H30

54 x 15


**CLUB X 2H30 A****284 30 1230 A**

E27Ls / 230-240V / 50-60Hz

2 x QPAR30 75W

**CLUB X 2HIT**

114 x 50


**CLUB X 2HIT A****284 30 1270 A**

INCL.2 x CLIP 111 + REFLECTOR FL-35°

+ GLASS UV-STOP


G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG

2 x HIT 35-70W




ON REQUEST :

REFLECTOR S-15° / WFL-55°


**CLUB XB 2H30****CLUB XB 2H30 A****284 31 1230 A**

E27Ls / 230-240V / 50-60Hz

2 x QPAR30 75W

**CLUB XB 2HIT**

114 x 50


**CLUB XB 2HIT A****284 31 1270 A**

INCL.2 x CLIP 111 + REFLECTOR FL-35°

+ GLASS UV-STOP


G12 / 230-240V / 50-60Hz / EXCL.KVG-EVG

2 x HIT 35-70W




ON REQUEST :

REFLECTOR S-15° / WFL-55°

**CLUB XB 1205****CLUB XB 1205 T50 A****284 31 1205 A**


GX5.3 / 230-240V / 50-60Hz / TE

2 x QR-C51 COATED 20-35-50W




ACCESSORIES :

DICROIC FILTER 50

**CLUB XB 1211****CLUB XB 1211 T50 A****284 31 1211 A**

G53 / 230-240V / 50-60Hz / TE

2 x QR-LP111 35-50W




ACCESSORIES :

CLIP 111 + FRONTGLASS 111


CLIP 111 + COLOUR FILTER 111

CLIP 111 + LENS 111

**CLUB XB 1411****CLUB XB 1411 T50 A****284 31 1411 A**

G53 / 230-240V / 50-60Hz / TE

4 x QR-LP111 35-50W



ACCESSORIES :

CLIP 111 + FRONTGLASS 111

CLIP 111 + COLOUR FILTER 111

CLIP 111 + LENS 111

**ACCESSORIES****DICROIC FILTER 50**


201 30 11

201 30 12

201 30 13

201 30 14

CLUB C 1205



0<1600 **CLUB C 1205 T50 A**
284 51 1205 A
 INCL.2 x CABLE SUSPENSION 1.6m


0<3000 CLUB C 1205 T50 A 3m
284 51 1205 A 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
GX5.3 / 230-240V / 50-60Hz / TE
2 x QR-C51 COATED 20-35-50W

ACCESSORIES / OPTIONS :
DICROIC FILTER 50
CLUB DISC
COVERSET R 62-90-100



CLUB C 1411




0<1600 **CLUB C 1411 T50 A**
284 51 1411 A
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 CLUB C 1411 T50 A 3m
284 51 1411 A 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W

ACCESSORIES / OPTIONS :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
COVERSET R 90-100

**CLUB C 1211**

0<1600 **CLUB C 1211 T50 A**
284 51 1211 A
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000

CLUB C 1211 T50 A 3m
284 51 1211 A 3m
INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
G53 / 230-240V / 50-60Hz / TE
2 x QR-LP111 35-50W






ACCESSORIES / OPTIONS :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
CLUB DISC
COVERSET R 62-90-100



CLUB C 1405



0<1600 **CLUB C 1405 T50 A**
284 51 1405 A
INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **CLUB C 1405 T50 A 3m**
284 51 1405 A 3m
 INCL 2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
GX5.3 / 230-240V / 50-60Hz / TE
4 x QR-C51 COATED 20-35-50W

ACCESSORIES / OPTIONS :
 DICROIC FILTER 50
 COVERSET R 90-100



ACCESSORIES



 **CLIP 111 A**
201 27 99 A



 **FRONTGLASS 111**
201 17 00
Ø100



 **COLOUR FILTER 111**
 201 27 11 
 201 27 12 
 201 27 13 
 201 27 14 




LENS 111
201 47 11

INTERIOR LIGHTING

OBJECT LIGHTING
CLUB C

CLUB COLLECTION : INFO 3


CLUB C 2HIC




0<1600
CLUB C 2HIC-35 EVG A
284 53 1235 E A
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000
CLUB C 2HIC-35 EVG A 3m
284 53 1235 E A 3m
 INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
 INCL.2 x REFLECTOR FL-27°
 + GLASS UV-STOP
 G8.5 / 230-240V / 50-60Hz / 2 x 1~EVG
 2 x HIT-CRI 35W




ACCESSORIES / OPTIONS :
 CLUB DISC
 COVERSET R 62-90-100



0<1600
CLUB C 2HIC-70 EVG A
284 53 1270 E A
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000
CLUB C 2HIC-70 EVG A 3m
284 53 1270 E A 3m
 INCL.2 x CABLE SUSPENSION 3m


INCL.1 x CABLE 3 x 0,75mm²
 INCL.2 x REFLECTOR FL-27°
 + GLASS UV-STOP
 G8.5 / 230-240V / 50-60Hz / 2 x 1~EVG
 2 x HIT-CRI 70W



ACCESSORIES / OPTIONS :
 CLUB DISC
 COVERSET R 62-90-100




CLUB C 2H111



0<1600
CLUB C 2H111-35 EVG A
284 52 1235 E A
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000
CLUB C 2H111-35 EVG A 3m
284 52 1235 E A 3m
 INCL.2 x CABLE SUSPENSION 3m

INCL.1 x CABLE 3 x 0,75mm²
 GX8.5 / 230-240V / 50-60Hz / 2 x 1~EVG
 2 x HIPAR111 35W



ACCESSORIES / OPTIONS :
 COLOUR FILTER H111
 CLUB DISC
 COVERSET R 62-90-100



OPTIONS



CLUB DISC ALU
284 29 99 ALU

0,1



COVERSET R
 Ø62 **204 00 62 ANO**
 Ø90 **204 00 90 ANO**
 Ø100 **204 00 100 ANO**

0,1




ACCESSORIES



DICROIC FILTER 50
 201 30 11
 201 30 12
 201 30 13
 201 30 14





COLOUR FILTER H111
 201 26 11
 201 26 12
 201 26 13
 201 26 14

CLUB XL 2H30

CLUB XL 2H30 04 A
284 6004 1230 A
 INCL.2 x CLUB XL TUBE 400mm

CLUB XL 2H30 10 A
284 6010 1230 A
 INCL.2 x CLUB XL TUBE 1000mm


E27Ls / 230-240V / 50-60Hz
 2 x QPAR30 75W

**CLUB XL 2HIT**


CLUB XL 2HIT 04 A
284 6004 1270 A
 INCL.2 x CLUB XL TUBE 400mm

CLUB XL 2HIT 10 A
284 6010 1270 A
 INCL.2 x CLUB XL TUBE 1000mm

INCL.2 x CLIP 111 + REFLECTOR FL-35°
 + GLASS UV-STOP
 G12 / 230-240V / 50Hz / EXCL.KVG-EVG
 2 x HIT 35-70W





ON REQUEST :
 REFLECTOR S-15° / WFL-55°

**CLUB XBL 2H30**

CLUB XBL 2H30 04 A
284 6104 1230 A
 INCL.2 x CLUB XL TUBE 400mm

CLUB XBL 2H30 10 A
284 6110 1230 A
 INCL.2 x CLUB XL TUBE 1000mm


E27Ls / 230-240V / 50-60Hz
 2 x QPAR30 75W

**CLUB XBL 2HIT**

CLUB XBL 2HIT 04 A
284 6104 1270 A
 INCL.2 x CLUB XL TUBE 400mm

CLUB XBL 2HIT 10 A
284 6110 1270 A
 INCL.2 x CLUB XL TUBE 1000mm

INCL.2 x CLIP 111 + REFLECTOR FL-35°
 + GLASS UV-STOP
 G12 / 230-240V / 50Hz / EXCL.KVG-EVG
 2 x HIT 35-70W




ON REQUEST :
 REFLECTOR S-15° / WFL-55°

ACCESSORIES


CLIP 111 A
201 27 99 A



FRONTGLASS 111
201 17 00



COLOUR FILTER 111
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●



LENS 111
201 47 11

INTERIOR LIGHTING — OBJECT LIGHTING
CLUB



INTERIOR LIGHTING OBJECT LIGHTING
CLUB



INTERIOR LIGHTING — OBJECT LIGHTING
CLUB



INTERIOR LIGHTING — OBJECT LIGHTING
CLUB



INTERIOR LIGHTING — OBJECT LIGHTING
CLUB



INTERIOR LIGHTING — OBJECT LIGHTING
STUDIO




ACCESSORIES




-  **DICROIC FILTER 50**
 201 30 11 ●
 201 30 12 ●
 201 30 13 ●
 201 30 14 ●

INTERIOR LIGHTING — OBJECT LIGHTING
STUDIO

STUDIO Z 1205




STUDIO Z 1207



STUDIO Z 1205 T50 A

288 41 1205 A


GX5.3 / 230-240V / 50-60Hz / TE
2 x QR-CB51 20-35-50W

ACCESSORIES / OPTIONS :
DICROIC FILTER 50
STUDIO DISC
COVERSET R 62-90-100



STUDIO Z 1207 T50 A


288 41 1207 A

BA15d / 230-240V / 50-60Hz / TE
2 x QR-LP70 20-50W

ACCESSORIES / OPTIONS :
STUDIO DISC
COVERSET R 62-90-100




STUDIO Z 1211



STUDIO Z 1211 T50 A


288 41 1211 A

G53 / 230-240V / 50-60Hz / TE
2 x QR-LP111 35-50W

ACCESSORIES / OPTIONS :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
STUDIO DISC
COVERSET R 62-90-100




STUDIO x 1411



STUDIO x 1411 T50 A

288 31 1411 A

G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W

ACCESSORIES / OPTIONS :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
COVERSET R 90-100



OPTIONS



STUDIO DISC A

288 49 99 A




COVERSET R

Ø62 204 00 62 ANO
Ø90 204 00 90 ANO
Ø100 204 00 100 ANO



ACCESSORIES




CLIP 111 A
201 27 99 A



FRONTGLASS 111
201 17 00



COLOUR FILTER 111
201 27 11
201 27 12
201 27 13
201 27 14



LENS 111
201 47 11

INTERIOR LIGHTING

OBJECT LIGHTING

SPACELAB

ACCESSORIES



CLIP 50 A
201 30 98 A

0,1



DICROIC FILTER 50
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●

0,1



CLIP 111 A
201 27 99 A

0,1



FRONTGLASS 111
201 17 00

0,1



COLOUR FILTER 111
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●

0,1



LENS 111
201 47 11

0,1

OPTIONS



CABLE BASE R
203 99 55 ANO

0,1



CABLE BASE S
203 99 56 ANO

0,1



COVERSET R
Ø62 204 00 62 ANO
Ø90 204 00 90 ANO
Ø100 204 00 100 ANO

0,1




COVERSET S
62 204 00 62 ANO
80 204 80 80 ANO
90 204 90 90 ANO

0,1



SPACELAB 1205 T50




SPACELAB 1205 T50 A
282 11 1205 A
GU5.3 / 230-240V / 50-60Hz / TE
2 x QR-CB51 20-35-50W
IP20 (0,5)

ACCESSORIES :
CLIP 50 + DICROIC FILTER 50




SPACELAB 1250 Hi



SPACELAB 1250 Hi A
282 11 1250 A
GU10 / 230-240V / 50-60Hz
2 x QPAR16 50W
IP20 (0,5)



SPACELAB 1405 T50




SPACELAB 1405 T50 A
282 11 1405 A
GU5.3 / 230-240V / 50-60Hz / TE
4 x QR-CB51 20-35-50W
IP20 (0,5)

ACCESSORIES :
CLIP 50 + DICROIC FILTER 50



SPACELAB 1450 Hi



SPACELAB 1450 Hi A
282 11 1450 A
GU10 / 230-240V / 50-60Hz
4 x QPAR16 50W
IP20 (0,5)



SPACELAB 1605 T50



SPACELAB 1605 T50 A
282 11 1605 A
GU5.3 / 230-240V / 50-60Hz / TE
6 x QR-CB51 20-35-50W
IP20 (0,5)

ACCESSORIES :
CLIP 50 + DICROIC FILTER 50




SPACELAB 1650 Hi



SPACELAB 1650 Hi A
282 11 1650 A
GU10 / 230-240V / 50-60Hz
6 x QPAR16 50W
IP20 (0,5)

SPACELAB 1211 T50



SPACELAB 1211 T50 A
282 11 1211 A
G53 / 230-240V / 50-60Hz / TE
2 x QR-LP111 35-50W
IP20 (0,5)

ACCESSORIES :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



SPACELAB 1411 T50




SPACELAB 1411 T50 A
282 11 1411 A
G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W
IP20 (0,5)

ACCESSORIES :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111




SPACELAB 1611 T50



SPACELAB 1611 T50 A
282 11 1611 A
G53 / 230-240V / 50-60Hz / TE
6 x QR-LP111 35-50W
IP20 (0,5)

ACCESSORIES :
CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111




INCL.1 x CABLE 3 x 0,75mm²

INTERIOR LIGHTING

OBJECT LIGHTING


SPACELAB C

SPACELAB C 1205 T50



0<1600
SPACELAB C 1205 T50 A
282 21 1205 A
 INCL.4 x CABLE SUSPENSION 1.6m


0<3000
SPACELAB C 1205 T50 A 3m
282 21 1205 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 GU5.3 / 230-240V / 50-60Hz / TE
 2 x QR-CB51 20-35-50W



ACCESSORIES / OPTIONS :
 CLIP 50 + DICROIC FILTER 50
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




SPACELAB C 1250 Hi



SPACELAB C 1250 Hi A
282 21 1250 A
 INCL.4 x CABLE SUSPENSION 1.6m


SPACELAB C 1250 Hi A 3m
282 21 1250 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 GU10 / 230-240V / 50-60Hz
 2 x QPAR16 50W



OPTIONS :
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




SPACELAB C 1211 T50



SPACELAB C 1211 T50 A
282 21 1211 A
 INCL.4 x CABLE SUSPENSION 1.6m


SPACELAB C 1211 T50 A 3m
282 21 1211 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 G53 / 230-240V / 50-60Hz / TE
 2 x QR-LP111 35-50W



ACCESSORIES / OPTIONS :
 CLIP 111 + FRONTGLASS 111
 CLIP 111 + COLOUR FILTER 111
 CLIP 111 + LENS 111
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




SPACELAB C 1405 T50



0<1600
SPACELAB C 1405 T50 A
282 21 1405 A
 INCL.4 x CABLE SUSPENSION 1.6m


0<3000
SPACELAB C 1405 T50 A 3m
282 21 1405 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 GU5.3 / 230-240V / 50-60Hz / TE
 4 x QR-CB51 20-35-50W



ACCESSORIES / OPTIONS :
 CLIP 50 + DICROIC FILTER 50
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




SPACELAB C 1450 Hi



SPACELAB C 1450 Hi A
282 21 1450 A
 INCL.4 x CABLE SUSPENSION 1.6m


SPACELAB C 1450 Hi A 3m
282 21 1450 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 GU10 / 230-240V / 50-60Hz
 4 x QPAR16 50W



OPTIONS :
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




SPACELAB C 1411 T50



SPACELAB C 1411 T50 A
282 21 1411 A
 INCL.4 x CABLE SUSPENSION 1.6m


SPACELAB C 1411 T50 A 3m
282 21 1411 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 G53 / 230-240V / 50-60Hz / TE
 4 x QR-LP111 35-50W



ACCESSORIES / OPTIONS :
 CLIP 111 + FRONTGLASS 111
 CLIP 111 + COLOUR FILTER 111
 CLIP 111 + LENS 111
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




SPACELAB C 1605 T50



0<1600
SPACELAB C 1605 T50 A
282 21 1605 A
 INCL.4 x CABLE SUSPENSION 1.6m


0<3000
SPACELAB C 1605 T50 A 3m
282 21 1605 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 GU5.3 / 230-240V / 50-60Hz / TE
 6 x QR-CB51 20-35-50W



ACCESSORIES / OPTIONS :
 CLIP 50 + DICROIC FILTER 50
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




SPACELAB C 1650 Hi



SPACELAB C 1650 Hi A
282 21 1650 A
 INCL.4 x CABLE SUSPENSION 1.6m


SPACELAB C 1650 Hi A 3m
282 21 1650 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 GU10 / 230-240V / 50-60Hz
 6 x QPAR16 50W



OPTIONS :
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




SPACELAB C 1611 T50



SPACELAB C 1611 T50 A
282 21 1611 A
 INCL.4 x CABLE SUSPENSION 1.6m

SPACELAB C 1611 T50 A 3m
282 21 1611 A 3m
 INCL.4 x CABLE SUSPENSION 3m
 G53 / 230-240V / 50-60Hz / TE
 6 x QR-LP111 35-50W



ACCESSORIES / OPTIONS :
 CLIP 111 + FRONTGLASS 111
 CLIP 111 + COLOUR FILTER 111
 CLIP 111 + LENS 111
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



INTERIOR LIGHTING

OBJECT LIGHTING

SPACELAB



ACCESSORIES



12 CLIP 50 A
Ø50 201 30 98 A
0,1



DICROIC FILTER 50
Ø50
201 30 11
201 30 12
201 30 13
201 30 14

INTERIOR LIGHTING

OBJECT LIGHTING

SPACELAB



INTERIOR LIGHTING — OBJECT LIGHTING
SPACELAB




INTERIOR LIGHTING

OBJECT LIGHTING

GRID 4R

GRID 4R QR CABLE


**GRID 4R QR CABLE A**
280 14 02 A

INCL.4 x CABLE SUSPENSION 1.6m
4 x QR-LP111 35-50-75-100W
4 x QR-HP111 + 75-100W

GRID 4R QR CABLE A 3m**280 14 02 A 3m**

INCL.4 x CABLE SUSPENSION 3m
4 x QR-LP111 35-50W


INCL.4 x CABLE 2.5mm²
G53 / 12V / EXCL.TRANSFO

**ACCESSORIES :**

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



GRID 4R QRT50 CABLE


**GRID 4R QRT50 CABLE A**
280 15 24 A

INCL.4 x CABLE SUSPENSION 1.6m

GRID 4R QRT50 CABLE A 3m**280 15 24 A 3m**

INCL.4 x CABLE SUSPENSION 3m


INCL.1 x CABLE 3 x 0,75mm²
G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W

**ACCESSORIES / OPTIONS :**


CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90



GRID 4R QR PIVOT

**GRID 4R QR PIVOT A****280 14 01 A**


INCL.4 x CABLE 2.5mm²
G53 / 12V / EXCL.TRANSFO
4 x QR-LP111 35-50-75-100W
4 x QR-HP111 + 75-100W

**ACCESSORIES :**


CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111



GRID 4R QRT50 PIVOT

**GRID 4R QRT50 PIVOT A****280 15 23 A**

INCL.1 x CABLE 3 x 0,75mm²
G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W

**ACCESSORIES / OPTIONS :**

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90



OPTIONS




CABLE BASE R
203 99 55 ANO

0.1



CABLE BASE S
203 99 56 ANO

0.1



COVERSET R
204 00 62 ANO
204 00 90 ANO
204 00 100 ANO

0.1



COVERSET S
204 62 62 ANO
204 80 80 ANO
204 90 90 ANO

0.1



INTERIOR LIGHTING

OBJECT LIGHTING

GRID 4SH

GRID 4R


GRID 4SH QR CABLE

**GRID 4SH QR CABLE A**
280 22 02 AINCL.4 x CABLE SUSPENSION 1.6m
4 x QR-LP111 35-50-75-100W
4 x QR-HP111 + 75-100W**GRID 4SH QR CABLE A 3m**
280 22 02 A 3mINCL.4 x CABLE SUSPENSION 3m
4 x QR-LP111 35-50WINCL.4 x CABLE 2.5mm²
G53 / 12V / EXCL.TRANSFO


ACCESSORIES :

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111


GRID 4SH QRT100 CABLE

**GRID 4SH QRT100 CABLE A**
280 22 26 A

INCL.4 x CABLE SUSPENSION 1.6m

**GRID 4SH QRT100 CABLE A 3m**
280 22 26 A 3m


INCL.4 x CABLE SUSPENSION 3m

INCL.8 x CABLE 1.5mm²
G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50-75-100W
4 x QR-HP111 + 75-100W

ACCESSORIES :

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111


GRID 4SH QRT50 CABLE

**GRID 4SH QRT50 CABLE A**
280 22 88 A

INCL.4 x CABLE SUSPENSION 1.6m

**GRID 4SH QRT50 CABLE A 3m**
280 22 88 A 3m



INCL.4 x CABLE SUSPENSION 3m

INCL.4 x CABLE 2.5mm²
G53 / 230-240V / 50-60Hz / TE
4 x QR-LP111 35-50W

ACCESSORIES :

CLIP 111 + FRONTGLASS 111
CLIP 111 + COLOUR FILTER 111
CLIP 111 + LENS 111

ACCESSORIES



INTERIOR LIGHTING — OBJECT LIGHTING
GRID



INTERIOR LIGHTING ■ OBJECT LIGHTING
GRID





INTERIOR LIGHTING

OBJECT LIGHTING

SOLID

SOLID B2

SOLID COLLECTION : INFO 6





SOLID B2 ALU

251 66 20 ALU

GU10 / 230-240V / 50-60Hz
2 x QPAR16 50W

SOLID B2+

SOLID COLLECTION : INFO 6




SOLID B2+ ALU

251 62 20 ALU

GU10 / 230-240V / 50-60Hz
2 x QPAR16 50W

SOLID B20

SOLID COLLECTION : INFO 6



SOLID B20 ALU

251 66 22 ALU



GU10 / 230-240V / 50-60Hz

2 x QPAR16 50W

ORIENTABLE 0°-30°

SOLID B1

SOLID COLLECTION : INFO 6



SOLID B1 ALU

251 65 20 ALU

GU10 / 230-240V / 50-60Hz

1 x QPAR16 50W



OPTIONS :

COVERSET S 62-80-90



SOLID B40

SOLID COLLECTION : INFO 6



SOLID B40 ALU

251 65 21 ALU

GU10 / 230-240V / 50-60Hz

1 x QPAR16 50W

ORIENTABLE 0°-90°



OPTIONS :

COVERSET S 62-80-90



SOLID B40+

SOLID COLLECTION : INFO 6



SOLID B40+ ALU

251 61 21 ALU

GU10 / 230-240V / 50-60Hz

1 x QPAR16 50W


ORIENTABLE 0°-90°

OPTIONS :

COVERSET S 62-80-90



OPTIONS



COVERSET R

Ø62

Ø90

Ø100

COVERSET R 62


COVERSET R 90

COVERSET R 100

204 00 62 ANO

204 00 90 ANO

204 00 100 ANO



COVERSET S

Ø62

Ø80

Ø90

COVERSET S 62

COVERSET S 80

COVERSET S 90

204 62 62 ANO

204 80 80 ANO

204 90 90 ANO


INTERIOR LIGHTING

OBJECT LIGHTING

CREDO
SOLID
BOXY

CREDO 50 Hi


CREDO COLLECTION : INFO 4



CREDO 50 Hi A

250 40 50 A

GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W




OPTIONS :
COVERSET S 62-80-90



CREDO 250 Hi


CREDO COLLECTION : INFO 4



CREDO 250 Hi A



250 42 50 A

GU10 / 230-240V / 50-60Hz
2 x QPAR16 50W



SOLID B1C


SOLID COLLECTION : INFO 6



SOLID B1C ALU

251 65 30 ALU


GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W



OPTIONS :
COVERSET R 62-90-100




BOXY



BOXY ALU

251 67 20 ALU

GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W



OPTIONS :
COVERSET S 90



INTERIOR LIGHTING — OBJECT LIGHTING
BOXY



INTERIOR LIGHTING — OBJECT LIGHTING
SOLID




INTERIOR LIGHTING — OBJECT LIGHTING
Mr. JUNIOR



INTERIOR LIGHTING **OBJECT LIGHTING**
Mr. JUNIOR



Mr. JUNIOR



Mr. JUNIOR A

226 31 30 A

INCL.1 x CABLE 3 x 0,75mm² 2m + SWITCH

E27Ls / 230-240V / 50-60Hz

1 x A60 15-25-40W

1 x TC-TSE 15-20-23W

1 x TC-SB 9-13-18-25W






INTERIOR LIGHTING ■ **OBJECT LIGHTING**
JETI-S

JETI-S


JETI COLLECTION : INFO 6



JETI-S

271 61 21

INCL.3 x CABLE SUSPENSION 1.6m



JETI-S 3m

271 61 21 3m

INCL.3 x CABLE SUSPENSION 3m


INCL.1 x CABLE 3 x 0,75mm²

E27Ls / 230-240V / 50-60Hz

1 x A60 15-25-40W

1 x TC-TSE 15-20-23W

1 x TC-SB 9-13-18-25W




OPTIONS :

COVERSET R 62-90-100 / S 62-80-90



OPTIONS




COVERSET R

Ø62

Ø90 COVERSET R 90

Ø100 COVERSET R 100



COVERSET S

□ 62


☐ 80 **COVERSET S 80**

☐ 90 **COVERSET S 90**

INTERIOR LIGHTING — OBJECT LIGHTING
YES!



INTERIOR LIGHTING — OBJECT LIGHTING
YES!

YES! OT50**YES! OT50****285 11 16**




INCL. 1 x YES! FRONTGLASS

INCL. 1 x SWITCH

INCL. 1 x CABLE 3 x 0,75mm² 2m

GX5.3 / 230-240V / 50-60Hz / TE

1 x QT12 20-35-50W



**YES! WT50****YES! WT50****285 11 11**

INCL. 1 x YES! FRONTGLASS

INCL. 1 x SWITCH

GX5.3 / 230-240V / 50-60Hz / TE

1 x QT12 20-35-50W



INTERIOR LIGHTING — OBJECT LIGHTING
GOCAR




INTERIOR LIGHTING


OBJECT LIGHTING

GOCAR
SHOWCAR


GOCAR

**GOCAR HIT-35 ANO****287 41 54 E ANO**


INCL.1 x REFLECTOR FL-35°
+ GLASS UV-STOP
INCL.1 x SWITCH
INCL.1 x CABLE 3 x 0,75mm² 2m
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 35W

**GOCAR H30 ANO****287 41 22 ANO**


INCL.1 x SWITCH
INCL.1 x CABLE 3 x 0,75mm² 2m
INCL.DIMMING BY SWITCH DIM
E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W

**GOCAR HIT-70 ANO****287 41 55 E ANO**


INCL.1 x REFLECTOR FL-35°
+ GLASS UV-STOP
INCL.1 x SWITCH
INCL.1 x CABLE 3 x 0,75mm² 2m
G12 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIT 70W




SHOWCAR

**SHOWCAR C30-35 ANO****287 51 113 E ANO**

INCL.1 x SWITCH
INCL.1 x CABLE 3 x 0,75mm² 2m
E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIPAR30 35W

**SHOWCAR C30-70 ANO****287 51 117 E ANO**

INCL.1 x SWITCH
INCL.1 x CABLE 3 x 0,75mm² 2m
E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
1 x HIPAR30 70W



INTERIOR LIGHTING — OBJECT LIGHTING
SHOWCAR



INTERIOR LIGHTING — OBJECT LIGHTING
SHOWCAR




INTERIOR LIGHTING — OBJECT LIGHTING
GRAND CAFE



INTERIOR LIGHTING **OBJECT LIGHTING**
GRAND CAFE



GRAND CAFE FT50



GRAND CAFE FT50


287 31 35

INCL.1 x SWITCH

INCL.1 x CABLE 3 x 0,75mm² 2m

G53 / 230-240V / 50-60Hz / TE

3 x QR-LP111 35-50W




ACCESSORIES :




CLIP 111 + FRONTGLASS 111

CLIP 111 + COLOUR FILTER 111


CLIP 111 + LENS 111



ACCESSORIES

CLIP 111 B
201 27 99 BFRONTGLASS 111
201 17 00

COLOUR FILTER 111
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●

LENS 111
201 47 11

INTERIOR LIGHTING

OBJECT LIGHTING

INSPECTOR


TWO OF US



INTERIOR LIGHTING **OBJECT LIGHTING**

INSPECTOR
TWO OF US


INSPECTOR



INSPECTOR A

289 12 50 A



GX5.3 / 12V / EXCL.TRANSFO
2 x QR-C51 COATED 20-35-50W




ACCESSORIES / OPTIONS :

DICROIC FILTER 50

COVERSET R 62-90-100




INSPECTOR T50



INSPECTOR T50 A



289 12 51 A

GX5.3 / 230-240V / 50-60Hz / TE
2 x QR-C51 COATED 20-35-50W




ACCESSORIES :

DICROIC FILTER 50




TWO OF US



TWO OF US T50 A

272 22 51 A

GX5.3 / 230-240V / 50-60Hz / TE
2 x QR-C51 COATED 20-35-50W



ACCESSORIES :

DICROIC FILTER 50




ACCESSORIES / OPTIONS



DICROIC FILTER 50

201 30 11	●
201 30 12	●
201 30 13	●
201 30 14	●



COVERSET R

Ø62	204 00 62 ANO
Ø90	204 00 90 ANO
Ø100	204 00 100 ANO


INTERIOR LIGHTING

OBJECT LIGHTING


CASE

SHOWCASE

CASE C




SHOWCASE C



0<1600 **CASE C C30-35 ANO**
284 81 30 E ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **CASE C C30-35 ANO 3m**
284 81 30 E ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.1 x CABLE 3 x 0,75mm²
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 35W




OPTIONS :
 COVERSET R 62-90-100



CASE C C30-70 ANO
284 81 70 E ANO
 INCL.2 x CABLE SUSPENSION 1.6m

CASE C C30-70 ANO 3m
284 81 70 E ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.1 x CABLE 3 x 0,75mm²
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 70W




OPTIONS :
 COVERSET R 62-90-100



0<1600 **SHOWCASE C C30-35 ANO**
284 86 30 E ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000 **SHOWCASE C C30-35 ANO 3m**
284 86 30 E ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.1 x CABLE 3 x 0,75mm²
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 35W




OPTIONS :
 COVERSET R 62-90-100



SHOWCASE C C30-70 ANO
284 86 70 E ANO
 INCL.2 x CABLE SUSPENSION 1.6m


SHOWCASE C C30-70 ANO 3m
284 86 70 E ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.1 x CABLE 3 x 0,75mm²
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 70W




OPTIONS :
 COVERSET R 62-90-100




CASE




SHOWCASE




CASE C30-35 ALU
284 80 30 E ALU
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 35W




CASE C30-70 ALU
284 80 70 E ALU
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 70W




SHOWCASE C30-35 ALU
284 85 30 E ALU
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 35W



SHOWCASE C30-70 ALU
284 85 70 E ALU
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 70W



OPTIONS




COVERSET R

Ø62 **COVERSET R 62** 204 00 62 ANO
 Ø90 **COVERSET R 90** 204 00 90 ANO
 Ø100 **COVERSET R 100** 204 00 100 ANO

INTERIOR LIGHTING **OBJECT LIGHTING**
MEMO

MEMO C

DOME COLLECTION : INFO 4



0<1600
 **MEMO C C30-35 ANO**
284 91 30 E ANO
 INCL.2 x CABLE SUSPENSION 1.6m




MEMO C C30-70 ANO
284 91 70 E ANO
 INCL.2 x CABLE SUSPENSION 1.6m

MEMO C TC ANO
284 91 10 ANO
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000
 **MEMO C C30-35 ANO 3m**
284 91 30 E ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.1 x CABLE 3 x 0,75mm²
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 35W

MEMO C C30-70 ANO 3m
284 91 70 E ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.1 x CABLE 3 x 0,75mm²
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 70W

MEMO C TC ANO 3m
284 91 10 ANO 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.1 x CABLE 3 x 0,75mm²
 GX24q-4 / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x TC-TEL 42W



OPTIONS :
 COVERSET R 62-90-100



OPTIONS :
 COVERSET R 62-90-100




OPTIONS :
 COVERSET R 62-90-100




MEMO


DOME COLLECTION : INFO 4




MEMO C30-35 ANO
284 90 30 E ANO
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 35W




MEMO C30-70 ANO
284 90 70 E ANO
 E27Hs / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIPAR30 70W



MEMO TC ANO
284 90 10 ANO
 GX24q-4 / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x TC-TEL 42W



OPTIONS



COVERSET R

Ø62 **COVERSET R 62** **204 00 62 ANO**
 Ø90 **COVERSET R 90** **204 00 90 ANO**
 Ø100 **COVERSET R 100** **204 00 100 ANO**

INTERIOR LIGHTING — OBJECT LIGHTING
GOTHIC





INTERIOR LIGHTING — OBJECT LIGHTING
GOTHIC





GOTHIC

DOME COLLECTION : INFO 4



0<1600
 **GOTHIC ALU**
286 01 21 ALU
 INCL.2 x CABLE SUSPENSION 1.6m

0<3000
 **GOTHIC ALU 3m**
286 01 21 ALU 3m
 INCL.2 x CABLE SUSPENSION 3m
 INCL.1 x CABLE 2 x 0,75mm²
 E27Ls / 230-240V / 50-60Hz
 1 x QPAR30 75W
 1 x TCR-TSE 20W



OPTIONS :
 COVERSET R 62-90-100



INTERIOR LIGHTING — OBJECT LIGHTING
GOTHIC



INTERIOR LIGHTING — OBJECT LIGHTING
GOTHIC



INTERIOR LIGHTING — OBJECT LIGHTING
SUNSET DOME




INTERIOR LIGHTING

OBJECT LIGHTING

CREDO DOME
SUNSET DOME


CREDO DOME H30

DOME COLLECTION : INFO 4



CREDO DOME H30 A
250 31 30 A

E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W




OPTIONS :
COVERSET S 90



SUNSET 1 DOME H30

DOME COLLECTION : INFO 4




SUNSET 1 DOME H30 A
250 21 30 A

E27Ls / 230-240V / 50-60Hz
1 x QPAR30 75W
1 x TCR-TSE 20W



SUNSET 2 DOME H30

DOME COLLECTION : INFO 4




SUNSET 2 DOME H30 A
250 22 30 A

E27Ls / 230-240V / 50-60Hz
2 x QPAR30 75W
2 x TCR-TSE 20W




SUNSET 3 DOME H30

DOME COLLECTION : INFO 4




SUNSET 3 DOME H30 A
250 23 30 A

E27Ls / 230-240V / 50-60Hz
3 x QPAR30 75W
3 x TCR-TSE 20W



OPTIONS



□ 90

COVERSET S 90

204 90 90 ANO


INTERIOR LIGHTING — OBJECT LIGHTING
SPACEDOME



INTERIOR LIGHTING — OBJECT LIGHTING
SPACEDOME

SPACEDOME I

DOME COLLECTION : INFO 4



SPACEDOME I-2H30 A

283 10 1230 A

E27Ls / 230-240V / 50-60Hz

2 x QPAR30 75W

2 x TCR-TSE 20W



SPACEDOME II

DOME COLLECTION : INFO 4

SPACEDOME II-2H30 A



283 70 1230 A

INCL. 2 x SPACEDOME II TUBE 300mm

E27Ls / 230-240V / 50-60Hz

2 x QPAR30 75W

2 x TCR-TSE 20W



SPACEDOME II-4H30 A


283 70 1430 A

INCL. 2 x SPACEDOME II TUBE 300mm

E27Ls / 230-240V / 50-60Hz

4 x QPAR30 75W

4 x TCR-TSE 20W



SPACEDOME III

DOME COLLECTION : INFO 4

SPACEDOME III-2H30 A

283 80 1230 A


INCL. 2 x SPACEDOME III TUBE 800mm

+ CABLE SUSPENSION 1.5m

E27Ls / 230-240V / 50-60Hz

2 x QPAR30 75W

2 x TCR-TSE 20W



SPACEDOME III-4H30 A

283 80 1430 A


INCL. 2 x SPACEDOME III TUBE 800mm

+ CABLE SUSPENSION 1.5m

E27Ls / 230-240V / 50-60Hz


4 x QPAR30 75W

4 x TCR-TSE 20W



INTERIOR LIGHTING WALL LAMPS

INTERIOR LIGHTING WALL LAMPS




TYPE	INT
AVANT GARDE	281
AXEND	303
BACKSPACE	268
BOOST	283
BOTERO	283
CAMUS	267
CONNECT	271
CROSS	265
DEEP SQUARE	289
ENTER 124	293
FLATSCREEN	269
GRAND CAMUS	267
GRANSLAM	287
HELI	304
INSITE	265
INVISION	242
JETI-L	254
KUBIC	247
LEDS GO®	260
LIMIT 007	291
MASTERS	287
OBER	257
OPTIK	247
ORBIT	251
PIXEL	255
RECTO VERSO	294
SECTOR	247
SERVER	271
SOLID	253
SQUARE	299
ST.POL	257
SUPERVISION	243
T FLOR 2	277
TOASTER	253
TOMAS	247
TRANSIT	247
TWINS	247
UNIT	253
VICE VERSA	295
VISION	242
WAVE	271

INTERIOR LIGHTING

WALL LAMPS

VISION
INVISION


VISION O1



VISION O1 ALU

278 30 40 ALU


INCL.2 x VISION GLASS SBL OPAL
G9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W



ACCESSORIES / OPTIONS :
VISION GLASS SBL COLOUR
COVERSET R 62-90-100




VISION DO2



VISION DO2 ALU

278 30 44 ALU


INCL.4 x VISION GLASS SBL OPAL
G9 / 230-240V / 50-60Hz
2 x QT14 25-40-60W



ACCESSORIES / OPTIONS :
VISION GLASS SBL COLOUR
COVERSET R 62-90-100




VISION DO1



VISION DO1 ALU

278 30 42 ALU



INCL.2 x VISION GLASS SBL OPAL
G9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W



ACCESSORIES / OPTIONS :
VISION GLASS SBL COLOUR
COVERSET R 62-90-100




VISION DB2



VISION DB2 ALU

278 30 46 ALU

INCL.4 x VISION GLASS SBL OPAL
G9 / 230-240V / 50-60Hz
2 x QT14 25-40-60W



ACCESSORIES :
VISION GLASS SBL COLOUR




INVISION

SYSTEM 1

110 x 80

max.35



SYSTEM 2

110 x 80




INVISION O1 S1 ALU

202 30 40 ALU


INVISION O1 S2 ALU

202 30 41 ALU


INCL.1 x INVISION GLASS SBL OPAL
G9 / 230-240V / 50-60Hz
1 x QT14 25-40W



ACCESSORIES :
INVISION GLASS SBL COLOUR



OPTIONS





COVERSET R

Ø62	COVERSET R 62	204 00 62 ANO
Ø90	COVERSET R 90	204 00 90 ANO
Ø100	COVERSET R 100	204 00 100 ANO

INTERIOR LIGHTING

WALL LAMPS
SUPERVISION


SUPERVISION B1



SUPERVISION B1 ALU

278 31 21 ALU

INCL. 2 x SUPERVISION PC OPAL
G24d-3 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-D 26W





ACCESSORIES :

SUPERVISION GLASS SBL COLOUR




SUPERVISION DO1



SUPERVISION DO1 EVG ALU

278 33 27 E ALU

INCL. 2 x SUPERVISION PC OPAL
G24q-3 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x TC-DEL 26W




ACCESSORIES :

SUPERVISION GLASS SBL COLOUR




SUPERVISION O1



SUPERVISION O1 EVG ALU

278 33 26 E ALU

INCL. 2 x SUPERVISION PC OPAL
G24q-3 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x TC-DEL 26W





ACCESSORIES :

SUPERVISION GLASS SBL COLOUR




SUPERVISION DB2



SUPERVISION DB2 EVG ALU

278 34 27 E ALU

INCL. 4 x SUPERVISION PC OPAL
G24q-3 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x TC-DEL 26W





ACCESSORIES :


SUPERVISION GLASS SBL COLOUR



ROTATION



ACCESSORIES



(IN)VISION GLASS SBL COLOUR

278 38 11 QT14 MAX.40W
278 38 12 QT14 MAX.40W
278 38 13 QT14 MAX.40W



SUPERVISION GLASS SBL COLOUR

278 39 11 QT14 MAX.40W
278 39 12 QT14 MAX.40W
278 39 13 QT14 MAX.40W

INTERIOR LIGHTING

WALL LAMPS

VISION
INVISION

INTERIOR LIGHTING

WALL LAMPS

VISION

INVISION

SUPERVISION



INTERIOR LIGHTING

WALL LAMPS


KUBIC
SECTOR

INTERIOR LIGHTING

WALL LAMPS

TRANSIT / TWINS / OPTIK
SECTOR / TOMAS / KUBIC


TRANSIT



TRANSIT ALU

275 03 40 ALUG9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W

SECTOR



SECTOR ALU


278 35 40 ALUG9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W

OPTIONS :

COVERSET S 62-80-90



TWINS




TWINS ALU

278 45 40 ALUG9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W



TOMAS



TOMAS ALU


278 40 40 ALUG9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W

OPTIONS :

COVERSET S 62-80-90




OPTIK



OPTIK ALU

271 31 40 ALUG9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W

KUBIC



KUBIC ALU



271 41 80 ALUG9 / 230-240V / 50-60Hz
1 x QT14 CLEAR 25-40-60-75W

OPTIONS :

COVERSET S 62-80-90



OPTIONS



COVERSET S

☐ 62	COVERSET S 62	204 62 62 ANO
☐ 80	COVERSET S 80	204 80 80 ANO
☐ 90	COVERSET S 90	204 90 90 ANO


INTERIOR LIGHTING

WALL LAMPS

SECTOR

KUBIC

TWINS



INTERIOR LIGHTING

WALL LAMPS

TOMAS

TRANSIT


OPTIK



INTERIOR LIGHTING WALL LAMPS
ORBIT



OPTIONS



COVERSET S

☐ 62

☐ 80

☐ 90

COVERSET S 62

COVERSET S 80

COVERSET S 90

204 62 62 ANO


204 80 80 ANO

204 90 90 ANO

INTERIOR LIGHTING **WALL LAMPS**
ORBIT

ORBIT HP

AWARD
DESIGN PLUS
light+building
FRANKFURT 2000



ORBIT HP ALU


271 11 40 ALU

G9 / 230-240V / 50-60Hz
1 x QT14 CLEAR 25-40-60-75W




IP20 850°C (1) (A)

OPTIONS :
COVERSET S 80-90



ORBIT 2 HP



ORBIT 2 HP ALU


271 22 40 ALU

G9 / 230-240V / 50-60Hz
2 x QT14 CLEAR 25-40-60-75W




IP20 850°C (1) (A)

OPTIONS :
COVERSET S 80-90



ORBIT S HP



ORBIT S HP ALU

271 30 40 ALU

G9 / 230-240V / 50-60Hz
1 x QT14 CLEAR 25-40-60-75W




IP20 850°C (1) (A)

OPTIONS :
COVERSET S 62-80-90



ORBIT S12



ORBIT S12 ALU

271 31 00 ALU

GX5.3 / 12V / EXCL. TRANSFO
1 x QT12 20-35-50W



IP20 850°C (0,5) (A)

OPTIONS :
COVERSET S 62-80-90
















INTERIOR LIGHTING

WALL LAMPS

UNIT
TOASTER
SOLID



INTERIOR LIGHTING **WALL LAMPS**UNIT
TOASTER
SOLID**UNIT****UNIT A**
278 20 40 AG9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W**TOASTER****TOASTER A**
278 10 40 AG9 / 230-240V / 50-60Hz
1 x QT14 25-40-60W**SOLID W1+****SOLID COLLECTION : INFO 6****SOLID W1+ ALU****251 51 20 ALU**GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W**OPTIONS :**
COVERSET S 62-80-90**SOLID W2+****SOLID COLLECTION : INFO 6****SOLID W2+ ALU****251 52 20 ALU**GU10 / 230-240V / 50-60Hz
2 x QPAR16 50W**SOLID W1****SOLID COLLECTION : INFO 6****SOLID W1 ALU****251 55 20 ALU**GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W**OPTIONS :**
COVERSET S 62-80-90**SOLID W5+****SOLID COLLECTION : INFO 6****SOLID W5+ ALU****251 51 10 ALU**GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W**OPTIONS :**
COVERSET S 90**OPTIONS****COVERSET S**


☐ 62	COVERSET S 62	204 62 62 ANO
☐ 80	COVERSET S 80	204 80 80 ANO
☐ 90	COVERSET S 90	204 90 90 ANO

INTERIOR LIGHTING **WALL LAMPS**
JETI-L



JETI-L

JETI COLLECTION : INFO 6




JETI-L


271 51 90

G13 / 230-240V / 50Hz / 1 x 1~KVG

1 x T26 15W



DESIGN FRANS VAN PRAET - DELTA LIGHT

INTERIOR LIGHTING **WALL LAMPS**
PIXEL
**PIXEL****PIXEL ALU****273 50 51 ALU**

GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-CB51 20-35-50W

 IP20 $\leq 0,5$


INTERIOR LIGHTING

WALL LAMPS



OBER
ST. POL

INTERIOR LIGHTING

WALL LAMPS


ST. POL
OBER

ST. POL



ST. POL ALU

214 63 01 ALU



GX5.3 / 12V / EXCL. TRANSFO
1 x QT12 20-35W

OPTIONS :

COVERSET S 62-80-90




ST. POL 2



ST. POL 2 ALU

214 65 01 ALU


GX5.3 / 12V / EXCL. TRANSFO
2 x QT12 20-35W

OPTIONS :

COVERSET S 80-90



OBER



OBER ALU

214 63 71 ALU


E14 / 230-240V / 50-60Hz
1 x C35 15-25-40-60W
1 x IT-4 25 15-25W

OPTIONS :

COVERSET S 62-80-90



OBER 2



OBER 2 ALU

214 65 71 ALU


E14 / 230-240V / 50-60Hz
2 x C35 15-25-40-60W
2 x IT-4 25 15-25W

OPTIONS :

COVERSET S 80-90




OBER TC



OBER TC ALU

214 63 21 ALU


E14 / 230-240V / 50-60Hz
1 x TC-DSE 12W

OPTIONS :

COVERSET S 80-90



OPTIONS



COVERSET S

□ 62

□ 80

□ 90

COVERSET S 62

COVERSET S 80

COVERSET S 90

204 62 62 ANO

204 80 80 ANO

204 90 90 ANO



INTERIOR LIGHTING WALL LAMPS
OBER

INTERIOR LIGHTING

WALL LAMPS

ST. POL

OBER



INTERIOR LIGHTING **WALL LAMPS**
LEDS GO®


LEDS GO® 24V

LEDS GO® COLLECTION : INFO 6



60 x 60 x 30


max.20

**LEDS GO® 24V ANO**
300 30 21 ANOINCL.24 x LED WHITE / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP20

LEDS GO® 4Q IN

LEDS GO® COLLECTION : INFO 6



38 x 37 x 38

**LEDS GO® 4Q IN WHITE ANO**
302 10 01 ANOINCL.4 x LED WHITE Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY



LED IP66

OPTIONS :

LEDS GO® 4Q CONCRETE BOX




LEDS GO® 4Q IN + LEDS GO® 4Q CONCRETE BOX

**OPTIONS****LEDS GO® POWER SUPPLY**
300 90 90230-240V / 50-60Hz
14V-DC / 0,8A

LED IP20



43 x 43

**LEDS GO® 4Q CONCRETE BOX**
302 19 21

IP66

**LEDS GO® 4Q IN RED ANO**
302 10 01 RED ANOINCL.4 x LED RED Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY

LED IP66

OPTIONS :

LEDS GO® 4Q CONCRETE BOX

**LEDS GO® 4Q IN GREEN ANO**
302 10 01 GR ANOINCL.4 x LED GREEN Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY

LED IP66

OPTIONS :


LEDS GO® 4Q CONCRETE BOX

**LEDS GO® 4Q IN BLUE ANO**
302 10 01 BL ANOINCL.4 x LED BLUE Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP66

OPTIONS :

LEDS GO® 4Q CONCRETE BOX




INTERIOR LIGHTING **WALL LAMPS**
LEDS GO®



LEDS GO® 3S WHITE ANO
301 00 50 ANO

INCL.3 x LED WHITE Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP20



LEDS GO® 3S RED ANO
301 00 50 RED ANO

INCL.3 x LED RED Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP20



LEDS GO® 3S GREEN ANO
301 00 50 GR ANO

INCL.3 x LED GREEN Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY

LED IP20



LEDS GO® 3S BLUE ANO
301 00 50 BL ANO


INCL.3 x LED BLUE Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY

LED IP20



40 x 40 x 40
max.20


SYSTEM 1



LEDS GO® 4Q ON WHITE S1 ANO
302 10 21 ANO

INCL.4 x LED WHITE Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP66



LEDS GO® 4Q ON RED S1 ANO
302 10 21 RED ANO

INCL.4 x LED RED Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP66



LEDS GO® 4Q ON GREEN S1 ANO
302 10 21 GR ANO

INCL.4 x LED GREEN Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY

LED IP66




LEDS GO® 4Q ON BLUE S1 ANO
302 10 21 BL ANO

INCL.4 x LED BLUE Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY

LED IP66


SYSTEM 2



LEDS GO® 4Q ON WHITE S2 ANO
302 10 22 ANO

INCL.4 x LED WHITE Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP66



LEDS GO® 4Q ON RED S2 ANO
302 10 22 RED ANO

INCL.4 x LED RED Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP66



LEDS GO® 4Q ON GREEN S2 ANO
302 10 22 GR ANO

INCL.4 x LED GREEN Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY

LED IP66




LEDS GO® 4Q ON BLUE S2 ANO
302 10 22 BL ANO

INCL.4 x LED BLUE Ø5mm / 14V-DC
EXCL.LEDS GO® POWER SUPPLY


LED IP66

OPTIONS :
LEDS GO® 4Q CONCRETE BOX

INTERIOR LIGHTING WALL LAMPS
LEDS GO®



INTERIOR LIGHTING WALL LAMPS
LEDS GO®



INTERIOR LIGHTING



WALL LAMPS

IN-SITE


CROSS



INTERIOR LIGHTING **WALL LAMPS**
IN-SITE
CROSS

IN-SITE**CROSS****IN-SITE ALU****221 71 01 ALU**

GX5.3 / 12V / EXCL.TRANSFO
2 x QR-C51 COATED 20-35-50W


**OPTIONS :**

COVERSET S 62-80-90

**CROSS INOX****223 51 40 INOX**




INOX 316 L

G9 / 230-240V / 50-60Hz
1 x QT14 CLEAR 25-40-60W

**CROSS INOX EP****223 51 40 INOX EP**


INOX 316 L

G9 / 230-240V / 50-60Hz
1 x QT14 CLEAR 25-40-60W

**OPTIONS****COVERSET S**

☐ 62	COVERSET S 62	204 62 62 ANO
☐ 80	COVERSET S 80	204 80 80 ANO
☐ 90	COVERSET S 90	204 90 90 ANO

INTERIOR LIGHTING WALL LAMPS
CAMUS






INTERIOR LIGHTING

WALL LAMPS





CAMUS

GRAND CAMUS


CAMUS

**CAMUS ANO**
275 01 01 ANOR7s / 230-240V / 50-60Hz
1 x QT-DE12 150W



GRAND CAMUS

**GRAND CAMUS R7s ANO**
275 02 01 ANOR7s / 230-240V / 50-60Hz
1 x QT-DE12 150W**GRAND CAMUS TC ANO**
275 02 02 ANOG23 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-S 11W


INTERIOR LIGHTING **WALL LAMPS**
BACKSPACE

BACKSPACE 26**BACKSPACE 26 ANO****274 80 26 ANO**


INCL. 1 x BACKSPACE 26 PC SBL
G24d-3 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-D 26W

**BACKSPACE 36****BACKSPACE 36 ANO****274 80 36 ANO**

INCL. 1 x BACKSPACE 36 PC SBL
2G11 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-L 36W



INTERIOR LIGHTING **WALL LAMPS**
FLATSCREEN

FLATSCREEN R7s**FLATSCREEN R7s INOX****274 85 50 INOX**



INCL.1 x FLATSCREEN R7s GLASS SBL DOWN

INCL.1 x FLATSCREEN R7s GLASS UP

INOX 316 L

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W

**FLATSCREEN 236****FLATSCREEN 236 INOX****274 85 236 INOX**


INCL.1 x FLATSCREEN 236 PC OPAL DOWN

INCL.1 x FLATSCREEN 236 PC UP

INOX 316 L

2G11 / 230-240V / 50Hz / 2 x 1~KVG

2 x TC-L 36W

**FLATSCREEN 255****FLATSCREEN 255 INOX****274 85 255 INOX**

2G11 / 230-240V / 50-60Hz / 1 x 2~EVG

FLATSCREEN 255 EVG DIM INOX**274 85 255 ED INOX**

2G11 / 230-240V / 50-60Hz / 1 x 2~EVG DIM


DIMMING BY SWITCH DIM / DSI

INCL.1 x FLATSCREEN 255 GLASS SBL DOWN

INCL.1 x FLATSCREEN 255 GLASS UP

INOX 316 L

2 x TC-L 55W



INTERIOR LIGHTING

WALL LAMPS

WAVE
SERVER


INTERIOR LIGHTING

WALL LAMPS

WAVE

SERVER

WAVE





WAVE A


277 01 02 A

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W



SERVER R7s




SERVER R7s A


274 11 50 A

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W



SERVER 224



SERVER 224 A

274 11 22 A

G5 / 230-240V / 50-60Hz / 1 x 2~EVG

SERVER 224 EVG DIM A

274 11 22 ED A

G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM

DIMMING BY SWITCH DIM / DSI

INCL. 1 x SERVER 224 PC SBL DOWN


2 x T16 24W



INTERIOR LIGHTING


WALL LAMPS

CONNECT




CONNECT-I



MOD. DEP.

**CONNECT-I 624 A****274 12 24 A**


INCL. 2 x CONNECT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 24W

**CONNECT-I 624 EVG DIM A****274 12 24 ED A**



INCL. 2 x CONNECT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM
2 x T16 24W

**CONNECT-I 1254 A****274 12 54 A**


INCL. 2 x CONNECT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W

**CONNECT-I 1254 EVG DIM A****274 12 54 ED A**


INCL. 2 x CONNECT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM
2 x T16 54W

**CONNECT-I 1580 A****274 12 80 A**

INCL. 2 x CONNECT 80 PC SBL
G5 / 230-240V / 50-60Hz / 2 x 1~EVG
2 x T16 80W

**CONNECT-I 1580 EVG DIM A****274 12 80 ED A**


INCL. 2 x CONNECT 80 PC SBL
G5 / 230-240V / 50-60Hz / 2 x 1~EVG DIM
DIMMING BY SWITCH DIM
2 x T16 80W





INTERIOR LIGHTING **WALL LAMPS**
CONNECT

CONNECT-O



MOD. DEP.

**CONNECT-O 624 A****274 13 24 A**


INCL.2 x CONNECT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 24W

**CONNECT-O 1254 A****274 13 54 A**


INCL.2 x CONNECT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W

**CONNECT-O 1580 A****274 13 80 A**


INCL.2 x CONNECT 80 PC SBL
G5 / 230-240V / 50-60Hz / 2 x 1~EVG
2 x T16 80W

**CONNECT-O 624 EVG DIM A****274 13 24 ED A**


INCL.2 x CONNECT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM
2 x T16 24W

**CONNECT-O 1254 EVG DIM A****274 13 54 ED A**


INCL.2 x CONNECT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM
2 x T16 54W

**CONNECT-O 1580 EVG DIM A****274 13 80 ED A**



INCL.2 x CONNECT 80 PC SBL
G5 / 230-240V / 50-60Hz / 2 x 1~EVG DIM
DIMMING BY SWITCH DIM
2 x T16 80W

**CONNECT-A**


MOD. DEP.

**CONNECT-A 624 ANO****274 14 24 ANO**


INCL.2 x CONNECT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 24W

**CONNECT-A 1254 ANO****274 14 54 ANO**


INCL.2 x CONNECT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W

**CONNECT-A 624 EVG DIM ANO****274 14 24 ED ANO**

INCL.2 x CONNECT 24 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM
2 x T16 24W

**CONNECT-A 1254 EVG DIM ANO****274 14 54 ED ANO**

INCL.2 x CONNECT 54 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM
2 x T16 54W





INTERIOR LIGHTING

WALL LAMPS
CONNECT


INTERIOR LIGHTING WALL LAMPS
T FLOR 2



INTERIOR LIGHTING **WALL LAMPS**
T FLOR 2

T FLOR 2-12


MOD. DEP.



T FLOR 2-1228H ANO
270 50 28 ANO
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 28W




T FLOR 2-1254Q ANO
270 50 54 ANO
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 54W




T FLOR 2-1254QSD ANO
270 52 54 ANO
INCL.1 x SWITCH
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM / DSI
2 x T16 54W

**T FLOR 2-6**



MOD. DEP.



T FLOR 2-614H ANO
270 50 14 ANO
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 14W



T FLOR 2-624Q ANO
270 50 24 ANO
G5 / 230-240V / 50-60Hz / 1 x 2~EVG
2 x T16 24W



T FLOR 2-624QSD ANO
270 52 24 ANO
INCL.1 x SWITCH
G5 / 230-240V / 50-60Hz / 1 x 2~EVG DIM
DIMMING BY SWITCH DIM / DSI
2 x T16 24W



INTERIOR LIGHTING WALL LAMPS
T FLOR 2



INTERIOR LIGHTING WALL LAMPS
T FLOR 2




INTERIOR LIGHTING

WALL LAMPS
AVANT GARDE

INTERIOR LIGHTING **WALL LAMPS**
AVANT GARDE


AVANT GARDE

DOME COLLECTION : INFO 4

**AVANT GARDE 111 ALU****286 10 1111 ALU**

G53 / 12V / EXCL. TRANSFO

1 x QR-LP111 35-50-75-100W

1 x QR-HP111 +  75-100W

ACCESSORIES / OPTIONS :

FRONTGLASS 118 / IP43


COLOUR FILTER 118 / IP43

COVERSET S 62-80-90

**AVANT GARDE H30 ALU****286 10 1130 ALU**

E27Ls / 230-240V / 50-60Hz

1 x QPAR30 75W




OPTIONS :

COVERSET S 62-80-90




AVANT GARDE T

DOME COLLECTION : INFO 4

**AVANT GARDE 111 T50 ALU****286 11 1111 ALU**

G53 / 230-240V / 50-60Hz / TE

1 x QR-LP111 35-50W



ACCESSORIES :



FRONTGLASS 118 / IP43

COLOUR FILTER 118 / IP43


**AVANT GARDE TC ALU****286 11 1118 ALU**

GX24d-2 / 230-240V / 50Hz / 1 x 1~KVG

1 x TC-T 18W



ACCESSORIES

**FRONTGLASS 118**
201 19 00**COLOUR FILTER 118**
201 29 11 ●
201 29 12 ●
201 29 13 ●
201 29 14 ●**COVERSET S**

□ 62

□ 80

□ 90

COVERSET S 62**COVERSET S 80****COVERSET S 90****204 62 62 ANO****204 80 80 ANO****204 90 90 ANO**

INTERIOR LIGHTING

WALL LAMPS

BOTERO

BOOST




INTERIOR LIGHTING

WALL LAMPS


BOTERO
BOOST

BOTERO




BOTERO 50 Hi ANO

279 42 03 ANO

GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W

BOTERO ANO

279 42 01 ANO

GX5.3 / 12V / EXCL. TRANSFO
1 x QR-C51 COATED 20-35-50W


ACCESSORIES :

CLIP 50 + DICROIC FILTER 50



BOTERO T50 ANO

279 42 02 ANO



GX5.3 / 230-240V / 50-60Hz / TE
1 x QR-C51 COATED 20-35-50W

ACCESSORIES :

CLIP 50 + DICROIC FILTER 50




BOTERO TC




BOTERO TC ANO

279 42 20 ANO


G23 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-S 11W

BOTERO WINDOW




BOTERO WINDOW 50 Hi ANO

279 42 13 ANO

GU10 / 230-240V / 50-60Hz
1 x QPAR16 50W

BOTERO WINDOW ANO

279 42 11 ANO

GX5.3 / 12V / EXCL. TRANSFO
1 x QR-C51 COATED 20-35-50W


ACCESSORIES :

CLIP 50 + DICROIC FILTER 50



BOTERO WINDOW T50 ANO

279 42 12 ANO



GX5.3 / 230-240V / 50-60Hz / TE
1 x QR-C51 COATED 20-35-50W

ACCESSORIES :

CLIP 50 + DICROIC FILTER 50




BOOST




BOOST HIC-70 A

279 43 66 A

INCL. 1 x BOOST GLASS UV-STOP
INCL. 1 x CONDENSATOR
G8,5 / 230-240V / 50Hz / 1 x 1~KVG
1 x HIT-CRI 70W

BOOST HIC-70 EVG A

279 43 66 E A

INCL. 1 x BOOST GLASS UV-STOP
G8,5 / 230-240V / 50Hz / 1 x 1~EVG
1 x HIT-CRI 70W

ACCESSORIES



CLIP 50 A/ B
201 30 98 A
201 30 98 B




DICROIC FILTER 50
201 30 11
201 30 12
201 30 13
201 30 14

INTERIOR LIGHTING WALL LAMPS
BOTERO



INTERIOR LIGHTING WALL LAMPS
GRANSLAM



INTERIOR LIGHTING

WALL LAMPS

GRANSLAM

MASTERS



INTERIOR LIGHTING

WALL LAMPS

GRANSLAM
MASTERS

GRANSLAM



iF Award
Hannover Messe 1995


GRANSLAM ◇

279 40 01 ◇

◇ = ALU / ANO / C / W

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-C51 COATED 20-35-50W




GRANSLAM T50 ◇

279 40 02 ◇

◇ = ALU / ANO / C / W

GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-C51 COATED 20-35-50W




GRANSLAM 50 Hi ◇

279 40 03 ◇

◇ = ALU / ANO / C / W

GU10 / 230-240V / 50-60Hz

1 x QPAR16 50W




GRANSLAM COLLECTION : INFO 4

MOD. DEP.



MASTERS

486 x 65 x 70




MASTERS A

279 41 01 A

GX5.3 / 12V / EXCL.TRANSFO

1 x QR-C51 COATED 20-35-50W



OPTIONS / ACCESSORIES :

MASTERS PLASTERKIT

MASTERS CONCRETE BOX

DICROIC FILTER 50




MASTERS T50 A

279 41 02 A

GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-C51 COATED 20-35-50W



OPTIONS / ACCESSORIES :

MASTERS PLASTERKIT

MASTERS CONCRETE BOX

DICROIC FILTER 50




MASTERS 50 Hi A

279 41 03 A

GU10 / 230-240V / 50-60Hz

1 x QPAR16 50W




OPTIONS :

MASTERS PLASTERKIT


MASTERS CONCRETE BOX

OPTIONS

500 x 75



600 x 175 x 120



MASTERS PLASTERKIT

279 41 99



MASTERS CONCRETE BOX

279 41 98



ACCESSORIES



DICROIC FILTER 50

201 30 11

201 30 12

201 30 13

201 30 14

INTERIOR LIGHTING WALL LAMPS
GRANSLAM



INTERIOR LIGHTING WALL LAMPS
GRANSLAM



INTERIOR LIGHTING WALL LAMPS
LIMIT 007




INTERIOR LIGHTING **WALL LAMPS**
LIMIT 007

OPTIONS

345 x 107 x 160

max.15



LIMIT 007 BOX
274 98 007

2,2




LIMIT 007 + LIMIT 007 BOX

LIMIT 007

LIMIT COLLECTION : INFO 5

313 x 75 x 160

max.15



LIMIT 007 ANO
274 47 007 ANO

GU5.3 / 12V / EXCL.TRANSFO
1 x QR-CB51 20-35-50W
ORIENTABLE 0°-30°

IP20 0,9 0,5

OPTIONS / ACCESSORIES :
LIMIT 007 BOX
CLIP 50 + DICROIC FILTER 50



ACCESSORIES



CLIP 50 A/W
201 30 98 A
201 30 98 W
0,1





DICROIC FILTER 50
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●

INTERIOR LIGHTING WALL LAMPS
ENTER 124



INTERIOR LIGHTING **WALL LAMPS** ENTER 124

ACCESSORIES



ENTER 124 PC RED
274 01 82

0,2

ENTER 124 PC GREEN
274 01 83

0,2


ENTER 124 PC BLUE
274 01 88

0,2

OPTIONS

600 x 165

645 x 255 x 90



ENTER 124 PLASTERKIT
274 01 99

0,5

ENTER 124 CONCRETE BOX
274 01 98

1,2


ENTER 124

ENTER COLLECTION : INFO 5




595 x 160 x 80

max.20



ENTER 124 A
274 01 31 A


INCL.1 x ENTER 124 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 1 ~EVG
1 x T16 24W



ACCESSORIES / OPTIONS :
ENTER 124 PC COLOUR
ENTER 124 PLASTERKIT
ENTER 124 CONCRETE BOX

ENTER 124 EVG DIM A
274 01 31 ED A

INCL.1 x ENTER 124 PC SBL
G5 / 230-240V / 50-60Hz / 1 x 1 ~EVG DIM
DIMMING BY SWITCH DIM / DSI
1 x T16 24W





ACCESSORIES / OPTIONS :
ENTER 124 PC COLOUR
ENTER 124 PLASTERKIT
ENTER 124 CONCRETE BOX



INTERIOR LIGHTING **WALL LAMPS** VICE VERSA

VICE VERSA XS

147 x 107 x 70




VICE VERSA XS A

276 05 40 A

G9 / 230-240V / 50-60Hz

1 x QT14 25-40W



OPTIONS :


VICE VERSA XS PLASTERKIT

VICE VERSA XS CONCRETE BOX

VICE VERSA S

240 x 165 x 80

max.15




VICE VERSA S TC A

276 04 21 A

G24d-1 / 230-240V / 50Hz / 1 x 1~KVG

1 x TC-D 10W



OPTIONS :

VICE VERSA S PLASTERKIT


VICE VERSA S CONCRETE BOX

VICE VERSA S R7s A

276 04 25 A

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W



OPTIONS :



VICE VERSA S PLASTERKIT

VICE VERSA S CONCRETE BOX

VICE VERSA L

320 x 235 x 85

max.20




VICE VERSA L TC A

276 03 21 A

G24d-3 / 230-240V / 50Hz / 1 x 1~KVG

1 x TC-D 26W



OPTIONS :

VICE VERSA L PLASTERKIT

VICE VERSA L CONCRETE BOX


VICE VERSA L HIT-DE70 A

276 03 27 A

INCL.1 x VICE VERSA L GLASS UV-STOP

RX7s / 230-240V / 50-60Hz / EXCL.KVG-EVG

1 x HIT-DE 70W



OPTIONS :

VICE VERSA L PLASTERKIT


VICE VERSA L CONCRETE BOX

VICE VERSA L R7s A

276 03 25 A

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W



OPTIONS :

VICE VERSA L PLASTERKIT

VICE VERSA L CONCRETE BOX


VICE VERSA L HIT-DE150 A

276 03 28 A

INCL.1 x VICE VERSA L GLASS UV-STOP

RX7s / 230-240V / 50-60Hz / EXCL.KVG-EVG

1 x HIT-DE 150W



OPTIONS :

VICE VERSA L PLASTERKIT

VICE VERSA L CONCRETE BOX

INTERIOR LIGHTING WALL LAMPS
VICE VERSA



INTERIOR LIGHTING

WALL LAMPS

VICE VERSA

RECTO VERSO



INTERIOR LIGHTING WALL LAMPS
SQUARE




INTERIOR LIGHTING

WALL LAMPS

SQUARE


SQUARE ON




SQUARE ON TC A

276 01 11 A

G24d-3 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-D 26W




SQUARE ONO



SQUARE ONO TC A

276 01 01 A


G24d-3 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-D 26W



SQUARE ONO R7s A


276 01 05 A

R7s / 230-240V / 50-60Hz
1 x QT-DE12 150W



SQUARE IN


290 x 290 x 60



SQUARE IN TC A

276 02 11 A

G24d-3 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-D 26W




OPTIONS :

SQUARE IN PLASTERKIT
SQUARE IN CONCRETE BOX

DEEP SQUARE

265 x 260 x 105


max.25



DEEP SQUARE TC A

276 02 21 A


G24d-3 / 230-240V / 50Hz / 1 x 1~KVG
1 x TC-D 26W



DEEP SQUARE TC EVG A

276 02 21 E A


G24q-3 / 230-240V / 50-60Hz / 1 x 1~EVG
1 x TC-DEL 26W



DEEP SQUARE QT A

276 02 23 A


E27Ls / 230-240V / 50-60Hz
1 x QT32 60-75-100-150W



DEEP SQUARE R7s A

276 02 25 A

R7s / 230-240V / 50-60Hz
1 x QT-DE12 150-200W




OPTIONS :

DEEP SQUARE PLASTERKIT
DEEP SQUARE CONCRETE BOX

OPTIONS

290 x 275




DEEP SQUARE PLASTERKIT

276 02 29

0,6

375 x 375 x 130




DEEP SQUARE CONCRETE BOX

276 02 98

1,2

295 x 295




SQUARE IN PLASTERKIT

276 02 19

0,4

375 x 375 x 85



SQUARE IN CONCRETE BOX

276 02 93

1

INTERIOR LIGHTING WALL LAMPS
SQUARE



INTERIOR LIGHTING WALL LAMPS
SQUARE





INTERIOR LIGHTING WALL LAMPS
AXEND




INTERIOR LIGHTING **WALL LAMPS**
AXEND

AXEND**SYSTEM 1**
 265 x 60 x 75


 max.35
**SYSTEM 2**
 265 x 60 x 75

AXEND S1 A
273 01 82 A
AXEND S2 A
273 01 81 A

INCL. 1 x AXEND PC SBL
G23 / 230V - 50Hz / 1 x 1~KVG
1 x TC-S 11W



OPTIONS :
AXEND PLASTERKIT
AXEND CONCRETE BOX

OPTIONS
 275 x 60

 305 x 160 x 100

AXEND PLASTERKIT
273 01 99
 0,2

AXEND CONCRETE BOX
273 01 98
 0,6


INTERIOR LIGHTING

WALL LAMPS

HELI 2

HELI 2 WHITE



253 x 55 x 70


HELI 2 WHITE ANO**202 32 11 ANO**

INCL. 1 x HELI 2 PC OPAL
G23 / 230V / 50Hz / 1 x 1~KVG
1 x TC-S 9W

0,9 IP40 0,5

OPTIONS :

HELI 2 PLASTERKIT
HELI 2 CONCRETE BOX



HELI 2 SQUARE WHITE



253 x 55 x 70


HELI 2 SQUARE WHITE ANO**202 32 11 S ANO**

INCL. 1 x HELI 2 SQUARE PC OPAL
G23 / 230V / 50Hz / 1 x 1~KVG
1 x TC-S 9W

0,9 IP40 0,5

OPTIONS :

HELI 2 PLASTERKIT
HELI 2 CONCRETE BOX



HELI 2 BLUE



253 x 55 x 70


HELI 2 BLUE ANO**202 32 12 ANO**

INCL. 1 x HELI 2 PLEXI BLUE
G23 / 230V / 50Hz / 1 x 1~KVG
1 x TC-S 9W

0,9 IP40 0,5

OPTIONS :

HELI 2 PLASTERKIT
HELI 2 CONCRETE BOX



HELI 2 SQUARE BLUE



253 x 55 x 70


HELI 2 SQUARE BLUE ANO**202 32 12 S ANO**

INCL. 1 x HELI 2 SQUARE PLEXI BLUE
G23 / 230V / 50Hz / 1 x 1~KVG
1 x TC-S 9W

0,9 IP40 0,5


OPTIONS :

HELI 2 PLASTERKIT
HELI 2 CONCRETE BOX



OPTIONS


265 x 60



HELI 2 PLASTERKIT
202 32 99


0,2

337 x 145 x 100



HELI 2 CONCRETE BOX
202 32 98

0,3




LEDS GO® POWER SUPPLY
300 90 90

230-240V / 50-60Hz
14V-DC / 0,8A

0,2 IP20




75 x 75



HELI 1 PLASTERKIT
202 31 99

0,1

155 x 155 x 90




HELI 1 CONCRETE BOX
202 31 98

0,1


INTERIOR LIGHTING **WALL LAMPS**
HELI 1




71 x 64 x 70




71 x 64 x 70



71 x 64 x 70




71 x 64 x 70



HELI 1 WHITE ANO

202 31 00 ANO

INCL.1 x HELI 1 GLASS SBL
G4 / 12V / EXCL.TRANSFO
1 x QT9 5-10-20W




OPTIONS :

HELI 1 PLASTERKIT
HELI 1 CONCRETE BOX

HELI 1 BLUE ANO

202 31 02 ANO

INCL.1 x HELI 1 GLASS BLUE
G4 / 12V / EXCL.TRANSFO
1 x QT9 5-10-20W




OPTIONS :

HELI 1 PLASTERKIT
HELI 1 CONCRETE BOX

HELI 1 WINDOW WHITE ANO

202 31 05 ANO

INCL.1 x HELI 1 GLASS SBL
G4 / 12V / EXCL.TRANSFO
1 x QT9 5-10-20W




OPTIONS :

HELI 1 PLASTERKIT
HELI 1 CONCRETE BOX

HELI 1 WINDOW BLUE ANO


202 31 07 ANO

INCL.1 x HELI 1 GLASS BLUE
G4 / 12V / EXCL.TRANSFO
1 x QT9 5-10-20W





OPTIONS :


HELI 1 PLASTERKIT
HELI 1 CONCRETE BOX



71 x 64 x 70



71 x 64 x 70



INCL.1 x HELI 1 GLASS SBL
14V-DC
EXCL.LEDS GO® POWER SUPPLY

LED IP40


OPTIONS :

HELI 1 PLASTERKIT
HELI 1 CONCRETE BOX

HELI 1 SCREEN ANO

202 31 10 ANO

INCL.1 x HELI 1 GLASS
G4 / 12V / EXCL.TRANSFO
1 x QT9 5-10-20W



OPTIONS :

HELI 1 PLASTERKIT
HELI 1 CONCRETE BOX

HELI 1 LED WHITE ANO

202 31 50 ANO

INCL.4 x LED WHITE Ø5mm



HELI 1 LED RED ANO

202 31 51 ANO

INCL.4 x LED RED Ø5mm



HELI 1 LED GREEN ANO

202 31 52 ANO

INCL.4 x LED GREEN Ø5mm

HELI 1 LED BLUE ANO

202 31 53 ANO

INCL.4 x LED BLUE Ø5mm

INTERIOR LIGHTING WALL LAMPS
HELI 1




INTERIOR LIGHTING ■ WALL LAMPS
HELI 1




Profiles

INTERIOR LIGHTING — PROFILES




TYPE	INT
BIG BROTHER	378
CLIPPER	404
FULL OPTION	388
IQ	368
MACROLINE 160	360
MICROLINE 30	342
MICROLINE 50	342
MIDLINE 80	352
MIDLINE 100	352
NoBody 140	318
NoBody 200	324
NoBody 300	330
NON-STOP®	310
ONELINER	314
TWIST	398

NON-STOP®



INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES


NON-STOP®



NON-STOP® PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615



NS - PROFILE ANO


269 00 00 ANO

MAX.L / PROFILE : 6m

Kg / m



NON-STOP® END CAP



NS - END CAP ANO


269 03 01 ANO



NS - PROFILE + NS - END CAP




NON-STOP® WALL FIXATION



NS - WALL FIXATION UP

269 06 10



NS - WALL FIXATION DOWN

269 06 11



NON-STOP® CORNER




NS - CORNER 180°

269 06 01




NON-STOP® MODULES T16

EVG L 450mm
230-240V / 50-60Hz



EVG

Lmm

LAMP



INCL.POLYCARBONATE PRISMA




NS - T16 2 x 24W SERIE PC PRISMA

269 62 57 E

VARIABLE

2 x T16 24W G5




0,8

NS - T16 2 x 54W SERIE PC PRISMA

269 62 87 E

VARIABLE

2 x T16 54W G5



1,6

INCL.POLYCARBONATE PRISMA




NS - T16 1 x 24W PC PRISMA

269 62 55 E

610

1 x T16 24W G5




0,5

NS - T16 1 x 54W PC PRISMA

269 62 85 E

1210

1 x T16 54W G5



0,8


L = 40



STANDARD CABLING 1 CIRCUIT

NS - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY

INTERIOR LIGHTING — PROFILES
NON-STOP®




INTERIOR LIGHTING PROFILES
NON-STOP®



ONELINER



INCL.CABLING 1 CIRCUIT / IP20




INTERIOR LIGHTING PROFILES ONELINER



ONELINER PROFILE


MOD.DEP.

TOL.DIN 1748/4 - DIN 17615


ONL - PROFILE ANO
267 00 00 ANO



 MAX.L / PROFILE : 6m
 Kg / m


ONELINER END CAP


ONL - END CAP ANO
267 03 01 ANO


ONL - PROFILE + ONL - END CAP

ONELINER FIXATION




ONELINER CORNERS


ONL - CORNER 180°
267 06 01

ONL - CORNER 90° INT
267 06 06

ONL - CORNER 90° EXT
267 06 16


ONELINER MODULES T16



ONL - PC SBL DOWN

ONL - PC SBL UP


 STANDARD CABLING 1 CIRCUIT INCL.
 ONL - CONNECTION PLATE CURRENT SUPPLY

 [EVG] L 450mm
 230-240V / 50-60Hz

EVG


Lmm

 DIMMABLE BY SWITCH DIM / DSI
 [EVG] L 450mm
 230-240V / 50-60Hz


EVG DIM

Lmm

LAMP





DOWN



UP



INCL.POLYCARBONATE SBL



ONL - T16 2 x 24W SERIE PC SBL


267 61 57 E

1210

267 61 57 ED

1210

2 x T16 24W G5



0,8

ONL - T16 2 x 54W SERIE PC SBL


267 61 87 E

2410

267 61 87 ED


2410

2 x T16 54W G5



1,6

INCL.POLYCARBONATE SBL



ONL - T16 1 x 24W PC SBL


267 61 55 E

605

267 61 55 ED

605

1 x T16 24W G5



0,5

ONL - T16 1 x 54W PC SBL


267 61 85 E

1205

267 61 85 ED

1205



1 x T16 54W G5



0,8

OPTIONS

CONTROL EVG DIMMABLE



DSI-T SWITCH CONTROL / CIRCUIT

260 95 T

300

0,1

DSI-IR INFRARED CONTROL / 1 CIRCUIT

260 95 IR

300

0,1

DSI-2IR INFRARED CONTROL / 2 CIRCUITS

260 95 2IR

300

0,1

INFRARED RECEIVER RECESSED

260 95 IREL

100

0,1

INFRARED EMITTOR

260 95 IRS

0,1

DSI-AD 1-10V CONTROL / CIRCUIT

260 95 AD

300

0,1

INTERIOR LIGHTING PROFILES
ONELINER



INTERIOR LIGHTING PROFILES
ONELINER



NoBody 140




INTERIOR LIGHTING — PROFILES NoBody 140



NoBody 140 PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615



NB140 - PROFILE ANO


330 00 00 ANO

MAX.L / PROFILE : 6m

Kg / m

2,9

NoBody 140 END CAP




NB140 - PROFILE + NB140 - END CAP

NB140 - END CAP ALU

330 03 01 ALU

0,1

NoBody 140 CABLE SUSPENSION




NB140 - CABLE SUSPENSION SINGLE AUTOMATIC ANO

L 1.6m 330 09 01 ANO

L 3.5m 330 09 03 ANO

L 6.0m 330 09 06 ANO

0,1




NB140 - CABLE SUSPENSION TWIN AUTOMATIC ANO

L 1.6m 330 13 01 ANO

0,1

NoBody 140 CORNERS - WALL FIXATION



NB140 - CORNER 180°

330 06 01

0,3



NB140 - CORNER 135°

330 06 05


0,3



NB140 - CORNER 90°

330 06 06

0,3



NB140 - WALL FIXATION 90°

330 06 10

0,3

CURRENT SUPPLY



CABLE


3 x 0.75mm²

L 1.6m 296 98 51

L 3.5m 296 98 53

L 6.0m 296 98 56

0,3



CURLY CABLE A

3 x 0.75mm²

L 1.6m 260 98 51 A

L 3.5m 260 98 53 A

0,5

CABLE

5 x 0.75mm²

L 1.6m 296 99 51

L 3.5m 296 99 53

L 6.0m 296 99 56

CURLY CABLE A

5 x 0.75mm²

L 1.6m 260 99 51 A

L 3.5m 260 99 53 A

OPTIONS :

CABLE BASE R / S



OPTIONS :

CABLE BASE R / S



OPTIONS - CABLE BASE



CABLE BASE R ANO

203 99 55 ANO

0,1



CABLE BASE S ANO

203 99 56 ANO

0,1

OPTIONS :

COVERSET R 62-90-100



OPTIONS :

COVERSET S 62-80-90



OPTIONS - COVERSET



Ø62 COVERSET R 62

204 00 62 ANO

0,1

Ø90 COVERSET R 90

204 00 90 ANO

Ø100 COVERSET R 100

204 00 100 ANO



□ 62 COVERSET S 62

204 62 62 ANO

□ 80 COVERSET S 80


204 80 80 ANO

□ 90 COVERSET S 90

204 90 90 ANO

0,1

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

NoBody 140



NoBody 140 MODULES

L = 200

**NB140 - RB50****330 61 201**


GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-CB51 20-35-50W


ORIENTABLE 0°-30°



ACCESSORIES :





L = 350

**NB140 - R7s UP****330 62 30**

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W



L = 300

**NB140 - RB250****330 61 202**


GX5.3 / 230-240V / 50-60Hz / TE

2 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



ACCESSORIES :



L = 100

**NB140 - OBJECT PLATE****330 61 44**

EXCL. 1 x GOTHIC /

CLUB S T50 - H30 / CLUB C T50 - H30 /

STUDIO Z T50 / STUDIO X T50 / CRAFT T50 - H30 /

CASE C / SHOWCASE C / MEMO C

230-240V / 50-60Hz



L = 100

**NB140 - SINGLE JACK****330 61 10**

EXCL. 1 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

1 x 20-35-50W



L = 200

**NB140 - TWIN JACK****330 61 16**


EXCL. 2 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

2 x 20-35-50W




L = 300

**NB140 - LINK PRO 35 EVG****330 61 41 E**

EXCL. 1 x LINK PRO H111-35 / LINK PRO HIC-35

230-240V / 50-60Hz / EVG


1 x 35W

**NB140 - LINK PRO 70 EVG****330 61 42 E**

EXCL. 1 x LINK PRO HIC-70

230-240V / 50-60Hz / EVG

1 x 70W

50W L = 120
100W L = 240**NB140 - SKEELER****330 60 35 NB140 - SKEELER 3 x 50W****330 60 37 NB140 - SKEELER 3 x 100W**

EXCL. 1 x SKEELER 311 PRO

230-240V / 50-60Hz / TE




L = 40


STANDARD CABLING 1 CIRCUIT

**NB140 - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY**

OPTIONS :

NB140 - CABLING EXTRA CIRCUIT / MODULE**330 90 01**

ACCESSORIES

**DICROIC FILTER 50**



201 30 11

201 30 12

201 30 13

201 30 14

INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING **PROFILES**
 NoBody 140
**NoBody 140 MODULES T16**
 EVG L 450mm
 230-240V / 50-60Hz


 DIMMABLE BY SWITCH DIM / DSI
 EVG L 450mm
 230-240V / 50-60Hz
EVG

Lmm


EVG DIM

Lmm

LAMP


 INCL.1 x POLYCARBONATE OPAL DOWN
 ACCESSORIES :
 POLYCARBONATE CLEAR UP


NB140 - T16 2 x 24W PAR. PC OPAL DOWN	330 61 56 E	1010	330 61 56 ED	1010	2 x T16 24W G5		1,2
NB140 - T16 2 x 24W PAR. UP	330 62 56 E	1010	330 62 56 ED	1010	2 x T16 24W G5		1,2
NB140 - T16 2 x 24W PAR. PC OPAL DOWN-UP	330 63 56 E	1010	330 63 56 ED	1010	2 x T16 24W G5		1,2
NB140 - T16 2 x 54W PAR. PC OPAL DOWN	330 61 86 E	1610	330 61 86 ED	1610	2 x T16 54W G5		1,2
NB140 - T16 2 x 54W PAR. UP	330 62 86 E	1610	330 62 86 ED	1610	2 x T16 54W G5		1,2
NB140 - T16 2 x 54W PAR. PC OPAL DOWN-UP	330 63 86 E	1610	330 63 86 ED	1610	2 x T16 54W G5		1,2

NoBody 140 MODULES T16 BAP
 EVG L 450mm
 230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
 EVG L 450mm
 230-240V / 50-60Hz
EVG

Lmm


EVG DIM

Lmm




LAMP




INCL.1 x BAP DOWN



NB140 - T16 2 x 24W PAR. BAP DOWN	330 61 56 EB	1030	330 61 56 EDB	1030	2 x T16 24W G5		1,4
NB140 - T16 2 x 54W PAR. BAP DOWN	330 61 86 EB	1630	330 61 86 EDB	1630	2 x T16 54W G5		1,4

OPTIONS**CONTROL EVG DIMMABLE**

DSI-T SWITCH CONTROL / CIRCUIT	260 95 T	300	0,1
DSI-IR INFRARED CONTROL / 1 CIRCUIT	260 95 IR	300	0,1
DSI-2IR INFRARED CONTROL / 2 CIRCUITS	260 95 2IR	300	0,1
INFRARED RECEIVER RECESSED	260 95 IREL	100	0,1
INFRARED EMITTER	260 95 IRS		0,1
DSI-AD 1-10V CONTROL / CIRCUIT	260 95 AD	300	0,1

ACCESSORIES**NB140 - PC CLEAR UP**

NB140 - T16 24W	330 52 55	0,3
NB140 - T16 54W	330 52 85	0,5

INTERIOR LIGHTING PROFILES
NoBody 140



INTERIOR LIGHTING

PROFILES

NoBody 140



NoBody 200



INTERIOR LIGHTING

PROFILES


NoBody 200





NoBody 200 PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615



NoBody 200 END CAP



NB200 - PROFILE + NB200 - END CAP

NB200 - PROFILE ANO

331 00 00 ANO

MAX.L / PROFILE : 6m

Kg / m


2,6

NB200 - END CAP ALU

331 03 01 ALU

0,2

NoBody 200 CABLE SUSPENSION



NB200 - CABLE SUSPENSION SINGLE AUTOMATIC ANO

L 1.6m

331 09 01 ANO


L 3.5m

331 09 03 ANO

L 6.0m

331 09 06 ANO

0,1




NB200 - CABLE SUSPENSION TWIN AUTOMATIC ANO

L 1.6m

331 13 01 ANO

0,1

NoBody 200 CORNERS - WALL FIXATION



NB200 - CORNER 180°

331 06 01

0,3



NB200 - CORNER 135°

331 06 05


0,3



NB200 - CORNER 90°

331 06 06

0,3



NB200 - WALL FIXATION 90°

331 06 10

0,3

CURRENT SUPPLY



CABLE

3 x 0.75mm²

L 1.6m

296 98 51


L 3.5m

296 98 53

L 6.0m

296 98 56

0,3



CURLY CABLE A

3 x 0.75mm²

L 1.6m

260 98 51 A

L 3.5m

260 98 53 A

0,5

CABLE

5 x 0.75mm²

L 1.6m

296 99 51

L 3.5m

296 99 53

L 6.0m

296 99 56

CURLY CABLE A

5 x 0.75mm²

L 1.6m

260 99 51 A

L 3.5m

260 99 53 A

OPTIONS :

CABLE BASE R / S



OPTIONS :

CABLE BASE R / S



OPTIONS - CABLE BASE



CABLE BASE R ANO

203 99 55 ANO

0,1



CABLE BASE S ANO

203 99 56 ANO

0,1

OPTIONS :

COVERSET R 62-90-100



OPTIONS :

COVERSET S 62-80-90



OPTIONS - COVERSET



Ø62

COVERSET R 62

204 00 62 ANO

Ø90

COVERSET R 90

204 00 90 ANO

Ø100

COVERSET R 100

204 00 100 ANO

0,1



□ 62

COVERSET S 62

204 62 62 ANO

□ 80

COVERSET S 80

204 80 80 ANO


□ 90

COVERSET S 90

204 90 90 ANO

0,1

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

NoBody 200



NoBody 200 MODULES

L = 200

**NB200 - RB50****331 61 201**

GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-CB51 20-35-50W


ORIENTABLE 0°-30°



ACCESSORIES :





L = 350

**NB200 - R7s UP****331 62 30**

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W



L = 300

**NB200 - RB250****331 61 202**


GX5.3 / 230-240V / 50-60Hz / TE

2 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



ACCESSORIES :



L = 100

**NB200 - OBJECT PLATE****331 61 44**

EXCL.1 x GOTHIC /

CLUB S T50 - H30 / CLUB C T50 - H30 /

STUDIO Z T50 / STUDIO X T50 / CRAFT T50 - H30 /

CASE C / SHOWCASE C / MEMO C

230-240V / 50-60Hz



L = 230

**NB200 - RB111****331 61 231**


G53 / 230-240V / 50-60Hz / TE

1 x QR-LP111 35-50W


ORIENTABLE 0°-30°



ACCESSORIES :



L = 300

**NB200 - LINK PRO 35 EVG****331 61 41 E**


EXCL.1 x LINK PRO H111-35 / LINK PRO HIC-35

230-240V / 50-60Hz / EVG

1 x 35W



L = 370

**NB200 - RB211****331 61 232**


G53 / 230-240V / 50-60Hz / TE

2 x QR-LP111 35-50W

ORIENTABLE 0°-30°



ACCESSORIES :

**NB200 - LINK PRO 70 EVG****331 61 42 E**

EXCL.1 x LINK PRO HIC-70

230-240V / 50-60Hz / EVG

1 x 70W




L = 100

**NB200 - SINGLE JACK****331 61 10**

EXCL.1 x SPOT JAC ΔΔ °° ◊

230-240V / 50-60Hz / TE

1 x 20-35-50W

50W L = 120
100W L = 240**NB200 - SKEELER****331 60 35 NB200 - SKEELER 3 x 50W****331 60 37 NB200 - SKEELER 3 x 100W**

EXCL.1 x SKEELER 311 PRO

230-240V / 50-60Hz / TE



L = 200

**NB200 - TWIN JACK****331 61 16**

EXCL.2 x SPOT JAC ΔΔ °° ◊

230-240V / 50-60Hz / TE

2 x 20-35-50W



L = 40

STANDARD CABLING 1 CIRCUIT

**NB200 - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY**

OPTIONS :

NB200 - CABLING EXTRA CIRCUIT / MODULE**331 90 01**

ACCESSORIES



DICROIC FILTER 50



201 30 11 ●

201 30 12 ●

201 30 13 ●

201 30 14 ●

INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING **PROFILES**
 NoBody 200
**NoBody 200 MODULES T16**
 EVG L 450mm
 230-240V / 50-60Hz


 DIMMABLE BY SWITCH DIM / DSI
 EVG L 450mm
 230-240V / 50-60Hz
EVG

Lmm

EVG DIM

Lmm

LAMP



 INCL.1 x POLYCARBONATE OPAL DOWN
 ACCESSORIES :
 POLYCARBONATE CLEAR UP
**NB200 - T16 2 x 24W PAR. PC OPAL DOWN****331 61 56 E**

650

331 61 56 ED

650

2 x T16 24W G5



1,2


NB200 - T16 2 x 24W PAR. UP**331 62 56 E**

650

331 62 56 ED

650

2 x T16 24W G5



1,2


NB200 - T16 2 x 24W PAR. PC OPAL DOWN-UP**331 63 56 E**

650

331 63 56 ED

650

2 x T16 24W G5



1,2


NB200 - T16 2 x 54W PAR. PC OPAL DOWN**331 61 86 E**

1250

331 61 86 ED

1250

2 x T16 54W G5



1,2


NB200 - T16 2 x 54W PAR. UP**331 62 86 E**

1250

331 62 86 ED

1250

2 x T16 54W G5



1,2


NB200 - T16 2 x 54W PAR. PC OPAL DOWN-UP**331 63 86 E**

1250


331 63 86 ED

1250

2 x T16 54W G5



1,2

NoBody 200 MODULES T16 BAP
 EVG L 450mm
 230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
 EVG L 450mm
 230-240V / 50-60Hz
EVG

Lmm



EVG DIM

Lmm

LAMP



INCL.1 x BAP DOWN


**NB200 - T16 2 x 24W PAR. BAP DOWN****331 61 56 EB**

650

331 61 56 EDB

650

2 x T16 24W G5



1,4


NB200 - T16 2 x 54W PAR. BAP DOWN**331 61 86 EB**

1250




331 61 86 EDB

1250

2 x T16 54W G5



1,4

OPTIONS**CONTROL EVG DIMMABLE****DSI-T SWITCH CONTROL / CIRCUIT****260 95 T**

300

0,1

DSI-IR INFRARED CONTROL / 1 CIRCUIT**260 95 IR**

300

0,1

DSI-2IR INFRARED CONTROL / 2 CIRCUITS**260 95 2IR**

300

0,1

INFRARED RECEIVER RECESSED**260 95 IREL**

100

0,1

INFRARED EMITTER**260 95 IRS**

0,1

DSI-AD 1-10V CONTROL / CIRCUIT**260 95 AD**

300



0,1

ACCESSORIES**NB200 - PC CLEAR UP****NB200 - T16 24W****331 52 55**

0,3

NB200 - T16 54W**331 52 85**

0,5

ACCESSORIES



INTERIOR LIGHTING

PROFILES

NoBody 200



NoBody 300




INTERIOR LIGHTING **PROFILES** NoBody 300



NoBody 300 PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615




NB300 - PROFILE ANO

268 00 00 ANO

MAX.L / PROFILE : 6m
Kg / m

5,9

NoBody 300 END CAP




NB300 - PROFILE + NB300 - END CAP

NB300 - END CAP ALU

268 03 01 ALU

0,2

NoBody 300 CABLE SUSPENSION



NB300 - CABLE SUSPENSION

SINGLE AUTOMATIC ANO

L 1.6m 268 09 01 ANO
L 3.5m 268 09 03 ANO
L 6.0m 268 09 06 ANO

0,1

NoBody 300 CORNERS - WALL FIXATION



NB300 - CORNER 180°

268 06 01

0,3

NB300 - CORNER 135°


268 06 05

0,3

NB300 - CORNER 90°

268 06 06

0,3



NB300 - WALL FIXATION 90°

268 06 10

0,3

CURRENT SUPPLY




CABLE

3 x 0.75mm²

L 1.6m 296 98 51
L 3.5m 296 98 53
L 6.0m 296 98 56

0,3



CURLY CABLE A

3 x 0.75mm²

L 1.6m 260 98 51 A
L 3.5m 260 98 53 A

0,5

CABLE

5 x 0.75mm²

L 1.6m 296 99 51
L 3.5m 296 99 53
L 6.0m 296 99 56

CURLY CABLE A

5 x 0.75mm²

L 1.6m 260 99 51 A
L 3.5m 260 99 53 A

OPTIONS :

CABLE BASE R / S



OPTIONS :

CABLE BASE R / S



OPTIONS - CABLE BASE



CABLE BASE R ANO

203 99 55 ANO

0,1



CABLE BASE S ANO

203 99 56 ANO

0,1

OPTIONS :

COVERSET R 62-90-100



OPTIONS :

COVERSET S 62-80-90



OPTIONS - COVERSET



Ø62 COVERSET R 62
204 00 62 ANO
Ø90 COVERSET R 90
204 00 90 ANO
Ø100 COVERSET R 100
204 00 100 ANO

0,1




□ 62 COVERSET S 62
204 62 62 ANO
□ 80 COVERSET S 80
204 80 80 ANO
□ 90 COVERSET S 90
204 90 90 ANO

0,1


INTERIOR LIGHTING PROFILES
NoBody 300




ACCESSORIES




CLIP 111 B
201 27 99 B



FRONTGLASS 111
201 17 00




COLOUR FILTER 111
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●



LENS 111
201 47 11

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

NoBody 300



NoBody 300 MODULES

L = 200

**NB300 - RB50****268 61 201**


GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



ACCESSORIES :



L = 100

**NB300 - SINGLE JACK****268 61 10**

EXCL.1 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

1 x 20-35-50W



L = 200

**NB300 - RB250****268 61 202**


GX5.3 / 230-240V / 50-60Hz / TE

2 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



ACCESSORIES :




L = 100

**NB300 - DOUBLE JACK****268 61 15**

EXCL.2 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

2 x 20-35-50W



L = 230

**NB300 - RB111****268 61 231**

G53 / 230-240V / 50-60Hz / TE

1 x QR-LP111 35-50W


ORIENTABLE 0°-30°



ACCESSORIES :





L = 350


**NB300 - R7s UP****268 62 30**

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W



L = 370

**NB300 - RB211****268 61 232**

G53 / 230-240V / 50-60Hz / TE

2 x QR-LP111 35-50W

ORIENTABLE 0°-30°



ACCESSORIES :



L = 100

**NB300 - OBJECT PLATE****268 61 44**

EXCL.1 x GOTHIC /

CLUB S T50 - H30 / CLUB C T50 - H30 /

STUDIO Z T50 / STUDIO X T50 / CRAFT T50 - H30 /

CASE C / SHOWCASE C / MEMO C

230-240V / 50-60Hz



L = 580

**NB300 - RB311****268 61 233**

G53 / 230-240V / 50-60Hz / TE

3 x QR-LP111 35-50W


ORIENTABLE 0°-30°



ACCESSORIES :




L = 300

**NB300 - LINK PRO 35 EVG****268 61 41 E**


EXCL.1 x LINK PRO H111-35 / LINK PRO HIC-35

230-240V / 50-60Hz / EVG

1 x 35W



L = 720

**NB300 - RB411****268 61 234**

G53 / 230-240V / 50-60Hz / TE

4 x QR-LP111 35-50W

ORIENTABLE 0°-30°



ACCESSORIES :




L = 40

STANDARD CABLING 1 CIRCUIT

**NB300 - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY**

OPTIONS :

NB300 - CABLING EXTRA CIRCUIT / MODULE**268 90 01**

ACCESSORIES

**DICROIC FILTER 50**




201 30 11 ●

201 30 12 ●

201 30 13 ●

201 30 14 ●

INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING  **PROFILES**
NoBody 300
**NoBody 300 MODULES T16**
EVG L 450mm
230-240V / 50-60Hz


DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz





EVG Lmm **EVG DIM** Lmm LAMP 

INCL.2 x POLYCARBONATE SBL DOWN

ACCESSORIES :



POLYCARBONATE CLEAR UP





NB300 - T16 2 x 24W PAR. PC SBL DOWN	268 61 56 E	670	268 61 56 ED	670	2 x T16 24W G5		1,2
NB300 - T16 2 x 24W PAR. UP	268 62 56 E	630	268 62 56 ED	630	2 x T16 24W G5		1,2
NB300 - T16 2 x 24W PAR. PC SBL DOWN-UP	268 63 56 E	670	268 63 56 ED	670	2 x T16 24W G5		1,2
NB300 - T16 2 x 54W PAR. PC SBL DOWN	268 61 86 E	1270	268 61 86 ED	1270	2 x T16 54W G5		1,2
NB300 - T16 2 x 54W PAR. UP	268 62 86 E	1230	268 62 86 ED	1230	2 x T16 54W G5		1,2
NB300 - T16 2 x 54W PAR. PC SBL DOWN-UP	268 63 86 E	1270	268 63 86 ED	1270	2 x T16 54W G5		1,2

ACCESSORIES :

POLYCARBONATE CLEAR UP



NB300 - T16 4 x 24W PAR. UP	268 62 58 E	630	268 62 58 ED	630	4 x T16 24W G5		1,5
NB300 - T16 4 x 54W PAR. UP	268 62 88 E	1230	268 62 88 ED	1230	4 x T16 54W G5		1,5



NoBody 300 MODULES T16 L50
EVG L 450mm
230-240V / 50-60Hz



DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz


EVG Lmm **EVG DIM** Lmm LAMP 

INCL.2 x POLYCARBONATE SBL DOWN

INCL.CABLING 2 CIRCUITS





NB300 - T16 2 x 24W PAR. PC SBL DOWN-UP L50	268 63 565 E	670	268 63 565 ED	670	2 x T16 24W G5		1,5
					2 x QR-CB51 20-35-50W GX5.3		
NB300 - T16 2 x 54W PAR. PC SBL DOWN-UP L50	268 63 865 E	1270	268 63 865 ED	1270	2 x T16 54W G5		1,5
					2 x QR-CB51 20-35-50W GX5.3		

NoBody 300 MODULES T16 BAP
EVG L 450mm
230-240V / 50-60Hz

DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

EVG Lmm **EVG DIM** Lmm LAMP 


INCL.1 x BAP DOWN



NB300 - T16 2 x 24W PAR. BAP DOWN	268 61 56 EB	670	268 61 56 EDB	670	2 x T16 24W G5		1,2
NB300 - T16 2 x 54W PAR. BAP DOWN	268 61 86 EB	1270	268 61 86 EDB	1270	2 x T16 54W G5		1,2

INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING  **PROFILES**
 NoBody 300

**OPTIONS****CONTROL EVG DIMMABLE**

DSI-T SWITCH CONTROL / CIRCUIT	260 95 T	300	0,1
DSI-IR INFRARED CONTROL / 1 CIRCUIT	260 95 IR	300	0,1
DSI-2IR INFRARED CONTROL / 2 CIRCUITS	260 95 2IR	300	0,1
INFRARED RECEIVER RECESSED	260 95 IREL	100	0,1
INFRARED EMITTER	260 95 IRS		0,1
DSI-AD 1-10V CONTROL / CIRCUIT	260 95 AD	300	0,1

ACCESSORIES**NB300 - PC CLEAR UP**

NB300 - T16 24W	268 52 55		0,3
NB300 - T16 54W	268 52 85		0,5



INTERIOR LIGHTING — PROFILES
NoBody 300



INTERIOR LIGHTING

PROFILES

NoBody 300



INTERIOR LIGHTING PROFILES
NoBody 300



INTERIOR LIGHTING PROFILES
NoBody 300





INTERIOR LIGHTING PROFILES
NoBody 300



MICROLINE 30

MICROLINE 50



CURRENT SUPPLY



CABLE

3 x 0.75mm²

0,3

L 1.6m

296 98 51

L 3.5m

296 98 53

L 6.0m

296 98 56

CABLE

5 x 0.75mm²

L 1.6m

296 99 51

L 3.5m

296 99 53

L 6.0m

296 99 56

OPTIONS :

CABLE BASE R / S



CURLY CABLE A

3 x 0.75mm²

0,5

L 1.6m

260 98 51 A

L 3.5m

260 98 53 A

CURLY CABLE A

5 x 0.75mm²

L 1.6m

260 99 51 A

L 3.5m

260 99 53 A

OPTIONS :

CABLE BASE R / S

OPTIONS - CABLE BASE



CABLE BASE R ANO

203 99 55 ANO


0,1



CABLE BASE S ANO

203 99 56 ANO

0,1



OPTIONS :

COVERSET R 62-90-100

OPTIONS :

COVERSET S 62-80-90

OPTIONS - COVERSET



Ø62

COVERSET R 62

204 00 62 ANO

Ø90

COVERSET R 90

204 00 90 ANO

Ø100

COVERSET R 100

204 00 100 ANO



0,1



□ 62

COVERSET S 62

204 62 62 ANO

□ 80

COVERSET S 80

204 80 80 ANO

□ 90

COVERSET S 90

204 90 90 ANO



0,1

INTERIOR LIGHTING


PROFILES

MICROLINE 30
MICROLINE 50

MICROLINE 30 PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615


MIC30 - PROFILE ANO
296 00 00 ANOMAX.L / PROFILE : 6m
Kg / m

1,8

MICROLINE 50 PROFILE


MOD.DEP.

TOL.DIN 1748/4 - DIN 17615

MIC50 - PROFILE ANO
297 00 00 ANOMAX.L / PROFILE : 6m
Kg / m

1,8

MICROLINE 30 END CAP


MIC30 - END CAP ANO
296 03 01 ANO

0,1



MIC30 - PROFILE + MIC30 - END CAP

MICROLINE 50 END CAP


MIC50 - END CAP ANO
297 03 01 ANO

0,1




MIC50 - PROFILE + MIC50 - END CAP

MICROLINE 30 CABLE SUSPENSION - DIRECT FIXATION

MIC30 - CABLE SUSPENSION
SINGLE AUTOMATIC ANOL 1.6m 296 09 01 ANO
L 3.5m 296 09 03 ANO
L 6.0m 296 09 06 ANO

0,1




41 x (L + 5) x 62

MICROLINE 50 DIRECT FIXATION


41 x (L + 5) x 100

max.22

MIC50 - INSIDE CLIP
297 14 01

0,1

MICROLINE 30 CORNERS - WALL FIXATION

MIC30 - CORNER 180°
296 06 01


0,3

MIC30 - CORNER 135°
296 06 05

0,3


MIC30 - CORNER 90°
296 06 06

0,3

MIC30 - WALL FIXATION 90°
296 06 10

0,3

MICROLINE 50 CORNERS

MIC50 - CORNER 180°
297 06 01

0,3

MIC50 - CORNER 135°
297 06 05

0,3

MIC50 - CORNER 90°
297 06 06


0,3

OPTIONS

MIC - PC SBL PROFILE
296 02 05 SBLMAX.L / PROFILE : 5.8m
Kg / m

0,1

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

MICROLINE 30



MICROLINE 30 MODULES

L = 300



MIC30 - SINGLE JACK

296 61 10


EXCL.1 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

1 x 20-35-50W



L = 355



MIC30 - TWIN JACK

296 61 16

EXCL.2 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

2 x 20-35-50W



MICROLINE 30 MODULES T16



EVG L 450mm
230-240V / 50-60Hz

DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

EVG

Lmm



EVG DIM

Lmm

LAMP



INCL.2 x POLYCARBONATE SBL DOWN



MIC30 - T16 2 x 24W SERIE PC SBL DOWN

296 61 57 E

1625

296 61 57 ED

1625

2 x T16 24W G5



0,8

MIC30 - T16 2 x 54W SERIE PC SBL DOWN


296 61 87 E

2825

296 61 87 ED



2825

2 x T16 54W G5



1,6

INCL.1 x POLYCARBONATE SBL DOWN



MIC30 - T16 1 x 24W PC SBL DOWN


296 61 55 E

1060

296 61 55 ED

1060

1 x T16 24W G5



0,5

MIC30 - T16 1 x 54W PC SBL DOWN


296 61 85 E

1660

296 61 85 ED


1660

1 x T16 54W G5



0,8

MICROLINE 30 MODULES T16 BAP



EVG L 450mm
230-240V / 50-60Hz

DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

EVG

Lmm



EVG DIM

Lmm

LAMP



INCL.2 x BAP DOWN



MIC30 - T16 2 x 24W SERIE BAP DOWN

296 61 57 EB

1625

296 61 57 EDB

1625

2 x T16 24W G5



0,8

MIC30 - T16 2 x 54W SERIE BAP DOWN


296 61 87 EB

2825

296 61 87 EDB



2825

2 x T16 54W G5



1,6

INCL.1 x BAP DOWN



MIC30 - T16 1 x 24W BAP DOWN


296 61 55 EB

1060

296 61 55 EDB

1060

1 x T16 24W G5



0,5

MIC30 - T16 1 x 54W BAP DOWN


296 61 85 EB

1660

296 61 85 EDB

1660




1 x T16 54W G5



0,8

OPTIONS

CONTROL EVG DIMMABLE



DSI-T SWITCH CONTROL / CIRCUIT

260 95 T

300

0,1

DSI-IR INFRARED CONTROL / 1 CIRCUIT

260 95 IR

300

0,1

DSI-2IR INFRARED CONTROL / 2 CIRCUITS

260 95 2IR

300

0,1

INFRARED RECEIVER RECESSED

260 95 IREL

100

0,1

INFRARED EMITTER

260 95 IRS

0,1


DSI-AD 1-10V CONTROL / CIRCUIT

260 95 AD

300

0,1

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

MICROLINE 50



MICROLINE 50 MODULES

L = 300



MIC50 - SINGLE JACK

297 61 10

EXCL.1 x SPOT JAC ΔΔ °° ◇


230-240V / 50-60Hz / TE

1 x 20-35-50W

0,3



L = 355



MIC50 - TWIN JACK


297 61 16

EXCL.2 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

2 x 20-35-50W

0,3



MICROLINE 50 MODULES T16



EVG L 450mm
230-240V / 50-60Hz

DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

EVG

Lmm


EVG DIM

Lmm

LAMP

Kg

INCL.2 x POLYCARBONATE SBL DOWN



MIC50 - T16 2 x 24W SERIE PC SBL DOWN


297 61 57 E

1210

297 61 57 ED

1210

2 x T16 24W G5



0,8

MIC50 - T16 2 x 54W SERIE PC SBL DOWN


297 61 87 E

2410

297 61 87 ED


2410

2 x T16 54W G5



1,6

INCL.1 x POLYCARBONATE SBL DOWN



MIC50 - T16 1 x 24W PC SBL DOWN

297 61 55 E

605

297 61 55 ED

605

1 x T16 24W G5



0,5

MIC50 - T16 1 x 54W PC SBL DOWN


297 61 85 E

1205

297 61 85 ED

1205

1 x T16 54W G5



0,8

MICROLINE 50 MODULES T16 BAP



EVG L 450mm
230-240V / 50-60Hz

DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

EVG

Lmm



EVG DIM

Lmm

LAMP

Kg

INCL.2 x BAP DOWN



MIC50 - T16 2 x 24W SERIE BAP DOWN

297 61 57 EB

1210

297 61 57 EDB

1210

2 x T16 24W G5



0,8

MIC50 - T16 2 x 54W SERIE BAP DOWN


297 61 87 EB

2410

297 61 87 EDB


2410

2 x T16 54W G5



1,6

INCL.1 x BAP DOWN



MIC50 - T16 1 x 24W BAP DOWN

297 61 55 EB

605

297 61 55 EDB

605

1 x T16 24W G5



0,5

MIC50 - T16 1 x 54W BAP DOWN


297 61 85 EB

1205

297 61 85 EDB

1205

1 x T16 54W G5



0,8

L = 70

STANDARD CABLING 1 CIRCUIT

MIC30 - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY

OPTIONS :

MIC30 - CABLING EXTRA CIRCUIT / MODULE

296 90 01




STANDARD CABLING 1 CIRCUIT

MIC50 - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY

OPTIONS :

MIC50 - CABLING EXTRA CIRCUIT / MODULE

297 90 01



INTERIOR LIGHTING

PROFILES

MICROLINE 50
MICROLINE 30

INTERIOR LIGHTING

PROFILES

MICROLINE 30






INTERIOR LIGHTING

PROFILES

MICROLINE 30





INTERIOR LIGHTING

PROFILES

MICROLINE 30



MIDLINE 80

MIDLINE 100



CURRENT SUPPLY



CABLE
3 x 0.75mm²
L 1.6m **296 98 51**
L 3.5m **296 98 53**
L 6.0m **296 98 56**

0,3



CURLY CABLE A
3 x 0.75mm²
L 1.6m **260 98 51 A**
L 3.5m **260 98 53 A**

0,5

L 1.6m
L 3.5m
L 6.0m

L 1.6m
L 3.5m

CABLE
5 x 0.75mm²
L 1.6m **296 99 51**
L 3.5m **296 99 53**
L 6.0m **296 99 56**

OPTIONS :
CABLE BASE R / S 

CURLY CABLE A
5 x 0.75mm²
L 1.6m **260 99 51 A**
L 3.5m **260 99 53 A**

OPTIONS :
CABLE BASE R / S 

OPTIONS - CABLE BASE



CABLE BASE R ANO
203 99 55 ANO

0,1



CABLE BASE S ANO
203 99 56 ANO

0,1

OPTIONS :
COVERSET R 62-90-100 

OPTIONS :
COVERSET S 62-80-90 

OPTIONS - COVERSET



Ø62 **COVERSET R 62**
204 00 62 ANO
Ø90 **COVERSET R 90**
204 00 90 ANO
Ø100 **COVERSET R 100**
204 00 100 ANO

0,1



□ 62 **COVERSET S 62**
204 62 62 ANO
□ 80 **COVERSET S 80**
204 80 80 ANO
□ 90 **COVERSET S 90**
204 90 90 ANO

0,1

INTERIOR LIGHTING

PROFILES


MIDLINE 80
MIDLINE 100



MIDLINE 80 PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615
80



MID80 - PROFILE ANO
298 00 00 ANO


MAX.L / PROFILE : 6m
Kg / m

4,5

MIDLINE 100 PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615
80




MID100 - PROFILE ANO
299 00 00 ANO

MAX.L / PROFILE : 6m
Kg / m

4,5

MIDLINE 80 END CAP




MID80 - END CAP ANO
298 03 01 ANO

0,1



MID80 - PROFILE + MID80 - END CAP

MIDLINE 100 END CAP




MID100 - END CAP ANO
299 03 01 ANO

0,1




MID100 - PROFILE + MID100 - END CAP

MIDLINE 80 CABLE SUSPENSION - DIRECT FIXATION




MID80
CABLE SUSPENSION
SINGLE AUTOMATIC ANO

L 1.6m **298 09 01 ANO**
L 3.5m **298 09 03 ANO**
L 6.0m **298 09 06 ANO**




MID80
CABLE SUSPENSION
TWIN AUTOMATIC ANO
298 13 01 ANO

0,1




84 x (L + 5) x 124



MIDLINE 100 DIRECT FIXATION

90 x (L + 5) x 135

max.35



MID100 - INSIDE CLIP
299 14 01


0,1

MIDLINE 80 CORNERS - WALL FIXATION



MID80 - CORNER 180°
298 06 01

0,3



MID80 - CORNER 135°
298 06 05


0,3



MID80 - CORNER 90°
298 06 06

0,3

MIDLINE 100 CORNERS



MID100 - CORNER 180°
299 06 01

0,3





MID100 - CORNER 135°
299 06 05

0,3



MID100 - CORNER 90°
299 06 06

0,3



MID80 - WALL FIXATION 90°
298 06 10

0,3

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

MIDLINE 80



MIDLINE 80 MODULES


L = 405

MID80 - RB50 A**298 61 201 A****MID80 - RB50 B****298 61 201 B**

GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



L = 150

MID80 - SINGLE JACK**298 61 10**

EXCL.1 x SPOT JAC ΔΔ °° ◊

1 x 20-35-50W

230-240V / 50-60Hz / TE



L = 480

MID80 - RB250 A**298 61 202 A****MID80 - RB250 B****298 61 202 B**

GX5.3 / 230-240V / 50-60Hz / TE

2 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



L = 215

MID80 - TWIN JACK**298 61 16**

EXCL.2 x SPOT JAC ΔΔ °° ◊

2 x 20-35-50W

230-240V / 50-60Hz / TE



L = 780

MID80 - RB350 A**298 61 203 A****MID80 - RB350 B****298 61 203 B**

GX5.3 / 230-240V / 50-60Hz / TE

3 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



L = 100

MID80 - OBJECT PLATE**298 61 44**

EXCL.1 x GOTHIC /

CLUB S T50 - H30 / CLUB C T50 - H30 /


STUDIO Z T50 / STUDIO X T50 / CRAFT T50 - H30 /

CASE C / SHOWCASE C / MEMO C

230-240V / 50-60Hz



L = 300

**MID80 - LINK PRO 35 EVG****298 61 41 E**

EXCL.1 x LINK PRO H111-35 / LINK PRO HIC-35

230-240V / 50-60Hz / EVG

1 x 35W

MID80 - LINK PRO 70 EVG**298 61 42 E**

EXCL.1 x LINK PRO HIC-70

230-240V / 50-60Hz / EVG


1 x 70W




STANDARD CABLING 1 CIRCUIT

**MID80 - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY**

OPTIONS :

**MID80 - CABLING EXTRA CIRCUIT / MODULE
298 90 01**

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

MIDLINE 100



MIDLINE 100 MODULES


L = 405

MID100 - RB50 A**299 61 201 A****MID100 - RB50 B****299 61 201 B**

GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



L = 150

MID100 - SINGLE JACK**299 61 10**

EXCL.1 x SPOT JAC ΔΔ °° ◇

1 x 20-35-50W

230-240V / 50-60Hz / TE




L = 480

MID100 - RB250 A**299 61 202 A****MID100 - RB250 B****299 61 202 B**

GX5.3 / 230-240V / 50-60Hz / TE

2 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°




L = 215

MID100 - TWIN JACK**299 61 16**

EXCL.2 x SPOT JAC ΔΔ °° ◇

2 x 20-35-50W

230-240V / 50-60Hz / TE



L = 780

MID100 - RB350 A**299 61 203 A****MID100 - RB350 B****299 61 203 B**

GX5.3 / 230-240V / 50-60Hz / TE

3 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



L = 100

MID100 - OBJECT PLATE**299 61 44**

EXCL.1 x GOTHIC /

CLUB S T50 - H30 / CLUB C T50 - H30 /

STUDIO Z T50 / STUDIO X T50 / CRAFT T50 - H30 /

CASE C / SHOWCASE C / MEMO C

230-240V / 50-60Hz



L = 300

MID100 - LINK PRO 35 EVG**299 61 41 E**

EXCL.1 x LINK PRO H111-35 / LINK PRO HIC-35

230-240V / 50-60Hz / EVG


1 x 35W

MID100 - LINK PRO 70 EVG**299 61 42 E**

EXCL.1 x LINK PRO HIC-70

230-240V / 50-60Hz / EVG

1 x 70W



STANDARD CABLING 1 CIRCUIT

**MID100 - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY**

OPTIONS :

**MID100 - CABLING EXTRA CIRCUIT / MODULE
299 90 01**

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING **PROFILES** MIDILINE 80



MIDILINE 80 MODULES T16 / T26 / TC-L



DOWN

KVG L 300mm
230V / 50Hz

EVG L 450mm
230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz
KVG

Lmm

EVG

Lmm



EVG DIM

Lmm


LAMP



INCL.1 x POLYCARBONATE SBL DOWN

**MID80 - T16 2 x 24W PAR. PC SBL DOWN****298 61 56 E** 605**298 61 56 ED** 605


2 x T16 24W G5



0,8



MID80 - T16 2 x 54W PAR. PC SBL DOWN**298 61 86 E** 1205**298 61 86 ED** 1205

2 x T16 54W G5



1,2

INCL.1 x POLYCARBONATE SBL DOWN

**MID80 - T26 1 x 36W PC SBL DOWN****298 61 71** 1255**298 61 71 E** 1255**298 61 71 ED** 1255

1 x T26 36W G13



0,8

MID80 - CAPACITOR T26 1 x 36W**298 90 71** 120

0,1

MID80 - T26 1 x 58W PC SBL DOWN**298 61 81** 1555**298 61 81 E** 1555**298 61 81 ED** 1555

1 x T26 58W G13






1,5

MID80 - CAPACITOR T26 1 x 58W**298 90 81** 120

0,1

INCL.1 x POLYCARBONATE SBL DOWN

**MID80 - TC-L 1 x 36W PC SBL DOWN****298 61 65** 450**298 61 65 E** 450**298 61 65 ED** 450

1 x TC-L 36W 2G11



0,8

MID80 - CAPACITOR TC-L 1 x 36W**298 90 65** 120

0,1


MID80 - TC-L 1 x 55W PC SBL DOWN**298 61 75 E** 560**298 61 75 ED** 560

1 x TC-L 55W 2G11



0,9

MIDILINE 80 MODULES T16 / T26 BAP



DOWN

KVG L 300mm
230V / 50Hz

EVG L 450mm
230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz
KVG

Lmm

EVG

Lmm



EVG DIM

Lmm


LAMP



INCL.1 x BAP DOWN

**MID80 - T16 2 x 24W PAR. BAP DOWN****298 61 56 EB** 605**298 61 56 EDB** 605


2 x T16 24W G5



0,8



MID80 - T16 2 x 54W PAR. BAP DOWN**298 61 86 EB** 1205**298 61 86 EDB** 1205

2 x T16 54W G5



1,2

INCL.1 x BAP DOWN

**MID80 - T26 1 x 36W BAP DOWN****298 61 71 B** 1300**298 61 71 EB** 1300**298 61 71 EDB** 1300

1 x T26 36W G13



0,8

MID80 - CAPACITOR T26 1 x 36W**298 90 71** 120

0,1

MID80 - T26 1 x 58W BAP DOWN**298 61 81 B** 1600**298 61 81 EB** 1600**298 61 81 EDB** 1600

1 x T26 58W G13






1,5

MID80 - CAPACITOR T26 1 x 58W**298 90 81** 120

0,1

OPTIONS

CONTROL EVG DIMMABLE

**DSI-T SWITCH CONTROL / CIRCUIT****260 95 T** 300

0,1

DSI-IR INFRARED CONTROL / 1 CIRCUIT**260 95 IR** 300

0,1

DSI-2IR INFRARED CONTROL / 2 CIRCUITS**260 95 2IR** 300

0,1

INFRARED RECEIVER RECESSED**260 95 IREL** 100

0,1

INFRARED EMITTER**260 95 IRS**

0,1


DSI-AD 1-10V CONTROL / CIRCUIT**260 95 AD** 300

0,1

INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING **PROFILES**
MIDLINE 100
**MIDLINE 100 MODULES T16 / T26 / TC-L**
KVG L 300mm
 230V / 50Hz

EVG L 450mm
 230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
 230-240V / 50-60Hz


DOWN

KVG

Lmm

EVG

Lmm


EVG DIM

Lmm


LAMP



INCL.1 x POLYCARBONATE SBL DOWN

**MID100 - T16 2 x 24W PAR. PC SBL DOWN****299 61 56 E** 605**299 61 56 ED** 605


2 x T16 24W G5



0,8



MID100 - T16 2 x 54W PAR. PC SBL DOWN**299 61 86 E** 1205**299 61 86 ED** 1205

2 x T16 54W G5



1,2

INCL.1 x POLYCARBONATE SBL DOWN

**MID100 - T26 1 x 36W PC SBL DOWN****299 61 71** 1255**299 61 71 E** 1255**299 61 71 ED** 1255

1 x T26 36W G13



0,8

MID100 - CAPACITOR T26 1 x 36W**299 90 71** 120

0,1

MID100 - T26 1 x 58W PC SBL DOWN**299 61 81** 1555**299 61 81 E** 1555**299 61 81 ED** 1555

1 x T26 58W G13






1,5

MID100 - CAPACITOR T26 1 x 58W**299 90 81** 120

0,1

INCL.1 x POLYCARBONATE SBL DOWN

**MID100 - TC-L 1 x 36W PC SBL DOWN****299 61 65** 450**299 61 65 E** 450**299 61 65 ED** 450

1 x TC-L 36W 2G11



0,8

MID100 - CAPACITOR TC-L 1 x 36W**299 90 65** 120


0,1

MID100 - TC-L 1 x 55W PC SBL DOWN**299 61 75 E** 560**299 61 75 ED** 560


1 x TC-L 55W 2G11



0,9

MIDLINE 100 MODULES T16 / T26 BAP
KVG L 300mm
 230V / 50Hz

EVG L 450mm
 230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
 230-240V / 50-60Hz


DOWN

KVG

Lmm

EVG

Lmm



EVG DIM

Lmm


LAMP



INCL.1 x BAP DOWN

**MID100 - T16 2 x 24W PAR. BAP DOWN****299 61 56 EB** 605**299 61 56 EDB** 605


2 x T16 24W G5



0,8



MID100 - T16 2 x 54W PAR. BAP DOWN**299 61 86 EB** 1205**299 61 86 EDB** 1205

2 x T16 54W G5



1,2

INCL.1 x BAP DOWN

**MID100 - T26 1 x 36W BAP DOWN****299 61 71 B** 1300**299 61 71 EB** 1300**299 61 71 EDB** 1300

1 x T26 36W G13



0,8

MID100 - CAPACITOR T26 1 x 36W**299 90 71** 120

0,1

MID100 - T26 1 x 58W BAP DOWN**299 61 81 B** 1600**299 61 81 EB** 1600**299 61 81 EDB** 1600




1 x T26 58W G13



1,5

MID100 - CAPACITOR T26 1 x 58W**299 90 81** 120

0,1

OPTIONS**CONTROL EVG DIMMABLE****DSI-T SWITCH CONTROL / CIRCUIT****260 95 T**

300

0,1

DSI-IR INFRARED CONTROL / 1 CIRCUIT**260 95 IR**

300

0,1

DSI-2IR INFRARED CONTROL / 2 CIRCUITS**260 95 2IR**

300

0,1

INFRARED RECEIVER RECESSED**260 95 IREL**

100

0,1

INFRARED EMITTER**260 95 IRS**

0,1

DSI-AD 1-10V CONTROL / CIRCUIT**260 95 AD**

300

0,1

INTERIOR LIGHTING

PROFILES

MIDLINE 80

MIDLINE 100



INTERIOR LIGHTING

PROFILES

MIDLINE 80

MIDLINE 100



MACROLINE 160



INTERIOR LIGHTING

PROFILES


MACROLINE 160



MACROLINE 160 PROFILE


MOD.DEP.

TOL.DIN 1748/4 - DIN 17615

MAC160 - PROFILE ANO
294 00 00 ANOMAX.L / PROFILE : 6m
Kg / m

6

MACROLINE 160 END CAP




MAC160 - PROFILE + MAC160 - END CAP


MAC160 - END CAP ANO
294 03 01 ANO

0,1

MACROLINE 160 CABLE SUSPENSION - DIRECT FIXATION

MAC160 - CABLE SUSPENSION
SINGLE AUTOMATIC ANOL 1.6m 294 09 01 ANO
L 3.5m 294 09 03 ANO
L 6.0m 294 09 06 ANO

0,1

MAC160 - CABLE SUSPENSION
TWIN AUTOMATIC ANO

L 1.6m 294 13 01 ANO

0,1


CURRENT SUPPLY



CABLE

3 x 0.75mm²L 1.6m 296 98 51
L 3.5m 296 98 53
L 6.0m 296 98 56

0,3



CURLY CABLE A

3 x 0.75mm²L 1.6m 260 98 51 A
L 3.5m 260 98 53 A

0,5

CABLE

5 x 0.75mm²L 1.6m 296 99 51
L 3.5m 296 99 53
L 6.0m 296 99 56

CURLY CABLE A

5 x 0.75mm²L 1.6m 260 99 51 A
L 3.5m 260 99 53 A

OPTIONS :

CABLE BASE R / S




OPTIONS :


CABLE BASE R / S




MACROLINE 160 CORNERS - WALL FIXATION

MAC160 - CORNER 180°
294 06 01


0,3

MAC160 - CORNER 135°
294 06 05

0,3

MAC160 - CORNER 90°
294 06 06

0,3

MAC160 - WALL FIXATION 90°
294 06 10

0,3

OPTIONS - CABLE BASE

CABLE BASE R ANO
203 99 55 ANO

0,1

CABLE BASE S ANO
203 99 56 ANO

0,1



OPTIONS :

COVERSET R 62-90-100

0,1

OPTIONS :

COVERSET S 62-80-90

0,1

OPTIONS - COVERSET

Ø62 COVERSET R 62
204 00 62 ANO
Ø90 COVERSET R 90
204 00 90 ANO
Ø100 COVERSET R 100
204 00 100 ANO

0,1

□62 COVERSET S 62
204 62 62 ANO
□80 COVERSET S 80
204 80 80 ANO
□90 COVERSET S 90
204 90 90 ANO

0,1



INCL. CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

MACROLINE 160



MACROLINE 160 MODULES

L = 390

**MAC160 - RB111****294 61 231**

G53 / 230-240V / 50-60Hz / TE

1 x QR-LP111 35-50W


ORIENTABLE 0°-30°



ACCESSORIES :



L = 530

**MAC160 - RB211****294 61 232**

G53 / 230-240V / 50-60Hz / TE

2 x QR-LP111 35-50W


ORIENTABLE 0°-30°



ACCESSORIES :



L = 670

**MAC160 - RB311****294 61 233**

G53 / 230-240V / 50-60Hz / TE

3 x QR-LP111 35-50W

ORIENTABLE 0°-30°



ACCESSORIES :




L = 150

**MAC160 - SINGLE JACK****294 61 10**


EXCL. 1 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

1 x 20-35-50W




L = 215

**MAC160 - TWIN JACK****294 61 16**

EXCL. 2 x SPOT JAC ΔΔ °° ◇

230-240V / 50-60Hz / TE

2 x 20-35-50W



L = 100

**MAC160 - OBJECT PLATE****294 61 44**

EXCL. 1 x GOTHIC /

CLUB S T50 - H30 / CLUB C T50 - H30 /


STUDIO Z T50 / STUDIO X T50 / CRAFT T50 - H30 /

CASE C / SHOWCASE C / MEMO C

230-240V / 50-60Hz




L = 300

**MAC160 - LINK PRO 35 EVG****294 61 41 E**

EXCL. 1 x LINK PRO H111-35 / LINK PRO HIC-35

230-240V / 50-60Hz / EVG

1 x 35W

**MAC160 - LINK PRO 70 EVG****294 61 42 E**

EXCL. 1 x LINK PRO HIC-70

230-240V / 50-60Hz / EVG

1 x 70W



INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING



PROFILES

MACROLINE 160





MACROLINE 160 MODULES

L = 350




L = 650

**MAC160 - R7s DOWN****294 61 30**

1 x QT-DE12 150W


R7s / 230-240V / 50-60Hz

**MAC160 - H111-35****294 61 35**

GX8.5 / 230-240V / 50Hz / 1 x 1~KVG

1 x HIPAR111 35W



ORIENTABLE 0°-30°

**MAC160 - H111-35 EVG****294 61 35 E**


GX8.5 / 230-240V / 50-60Hz / 1 x 1~EVG

1 x HIPAR111 35W

ORIENTABLE 0°-30°

**MAC160 - CAPACITOR H111****294 90 35**

L = 650




L = 650

MAC160 - HIT-DE-70 DOWN**294 61 40****MAC160 - HIT-DE-70 UP****294 62 40**

INCL.1 x GLASS UV-STOP

RX7s / 230-240V / 50Hz / 1 x 1~KVG


1 x HIT-DE 70W

**MAC160 - HIT-DE-70 EVG DOWN****294 61 40 E****MAC160 - HIT-DE-70 EVG UP****294 62 40 E**

INCL.1 x GLASS UV-STOP

RX7s / 230-240V / 50-60Hz / 1 x 1~EVG


1 x HIT-DE 70W

**MAC160 - CAPACITOR HIT-DE-70****294 90 40****MAC160 - HIT-DE-150 DOWN****294 61 45****MAC160 - HIT-DE-150 UP****294 62 45**

INCL.1 x GLASS UV-STOP

RX7s / 230-240V / 50Hz / 1 x 1~KVG


1 x HIT-DE 150W

**MAC160 - HIT-DE-150 EVG DOWN****294 61 45 E****MAC160 - HIT-DE-150 EVG UP****294 62 45 E**

INCL.1 x GLASS UV-STOP

RX7s / 230-240V / 50-60Hz / 1 x 1~EVG

1 x HIT-DE 150W

**MAC160 - CAPACITOR HIT-DE-150****294 90 45**





STANDARD CABLING 1 CIRCUIT

**MAC160 - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY**

OPTIONS :

MAC160 - CABLING EXTRA CIRCUIT / MODULE**294 90 01**

ACCESSORIES

**CLIP 111 B**
201 27 99 B**FRONTGLASS 111**
201 17 00**COLOUR FILTER 111**
201 27 11 ●
201 27 12 ●
201 27 13 ●
201 27 14 ●**LENS 111**
201 47 11



INCL.CABLING 1 CIRCUIT / IP20




INTERIOR LIGHTING

PROFILES

MACROLINE 160



MACROLINE 160 MODULES T16 / T26 / TC-L

KVG L 300mm
230V / 50HzEVG L 450mm
230-240V / 50-60HzDIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

KVG

Lmm

EVG

Lmm



EVG DIM

Lmm

LAMP



INCL.1 x POLYCARBONATE SBL DOWN




MAC160 - T16 2 x 24W PAR. PC SBL DOWN

294 61 56 E 605

294 61 56 ED 605

2 x T16 24W G5




0,8

MAC160 - T16 2 x 54W PAR. PC SBL DOWN

294 61 86 E 1205



294 61 86 ED 1205

2 x T16 54W G5



1,2

INCL.1 x POLYCARBONATE SBL DOWN



MAC160 - T26 2 x 36W PAR. PC SBL DOWN

294 61 72 1255

294 61 72 E 1255

294 61 72 ED 1255

2 x T26 36W G13



1,5

MAC160 - CAPACITOR T26 2 x 36W PAR.

294 90 72 120

0,1

MAC160 - T26 2 x 58W PAR. PC SBL DOWN

294 61 82 1555

294 61 82 E 1555

294 61 82 ED 1555

2 x T26 58W G13




2,4

MAC160 - CAPACITOR T26 2 x 58W PAR.

294 90 82 120

0,1

INCL.1 x POLYCARBONATE SBL DOWN



MAC160 - TC-L 2 x 36W PAR. PC SBL DOWN

294 61 66 450

294 61 66 E 450

294 61 66 ED 450

2 x TC-L 36W 2G11



0,8

MAC160 - CAPACITOR TC-L 2 x 36W PAR.

294 90 66 120

0,1

MAC160 - TC-L 2 x 55W PAR. PC SBL DOWN

294 61 76 E 560



294 61 76 ED 560

2 x TC-L 55W 2G11



0,9

MACROLINE 160 MODULES T16 / T26 BAP

KVG L 300mm
230V / 50HzEVG L 450mm
230-240V / 50-60HzDIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

KVG

Lmm

EVG

Lmm



EVG DIM

Lmm

LAMP



INCL.1 x BAP DOWN




MAC160 - T16 2 x 24W PAR. BAP DOWN

294 61 56 EB 605

294 61 56 EDB 605

2 x T16 24W G5




1,3

MAC160 - T16 2 x 54W PAR. BAP DOWN

294 61 86 EB 1205




294 61 86 EDB 1205

2 x T16 54W G5



1,7

INCL.1 x BAP DOWN



MAC160 - T26 2 x 36W PAR. BAP DOWN

294 61 72 B 1300

294 61 72 EB 1300

294 61 72 EDB 1300

2 x T26 36W G13



1,5

MAC160 - CAPACITOR T26 2 x 36W PAR.

294 90 72 120

0,1

MAC160 - T26 2 x 58W PAR. BAP DOWN

294 61 82 B 1600

294 61 82 EB 1600

294 61 82 EDB 1600

2 x T26 58W G13



2,4




MAC160 - CAPACITOR T26 2 x 58W PAR.

294 90 82 120

0,1

OPTIONS

CONTROL EVG DIMMABLE



DSI-T SWITCH CONTROL / CIRCUIT

260 95 T 300

0,1

DSI-IR INFRARED CONTROL / 1 CIRCUIT

260 95 IR 300

0,1

DSI-2IR INFRARED CONTROL / 2 CIRCUITS

260 95 2IR 300

0,1

INFRARED RECEIVER RECESSED

260 95 IREL 100

0,1

INFRARED EMITTER

260 95 IRS

0,1

DSI-AD 1-10V CONTROL / CIRCUIT

260 95 AD 300

0,1



INTERIOR LIGHTING

PROFILES

MACROLINE 160



IQ




INTERIOR LIGHTING PROFILES IQ



IQ PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615




IQ - PROFILE ANO 264 00 00 ANO

MAX.L / PROFILE : 6m

Kg / m

4,1

IQ END CAP




IQ - PROFILE + IQ - END CAP

IQ - END CAP ANO 264 03 01 ANO

0,1

IQ CABLE SUSPENSION




IQ - CABLE SUSPENSION SINGLE AUTOMATIC ANO

L 1.6m 264 09 01 ANO

L 3.5m 264 09 03 ANO

L 6.0m 264 09 06 ANO

0,1



IQ - CABLE SUSPENSION TWIN AUTOMATIC ANO

L 1.6m 264 13 01 ANO

0,1

CURRENT SUPPLY



CABLE


3 x 0.75mm²

L 1.6m 296 98 51

L 3.5m 296 98 53

L 6.0m 296 98 56

0,3



CURLY CABLE A

3 x 0.75mm²

L 1.6m 260 98 51 A

L 3.5m 260 98 53 A

0,5

CABLE

5 x 0.75mm²

L 1.6m 296 99 51

L 3.5m 296 99 53

L 6.0m 296 99 56

CURLY CABLE A

5 x 0.75mm²

L 1.6m 260 99 51 A

L 3.5m 260 99 53 A

OPTIONS :

CABLE BASE R / S




OPTIONS :

CABLE BASE R / S



IQ CORNERS - CONNECTIONS - WALL FIXATION



IQ - CORNER 180° 264 06 01

0,3



IQ - CORNER 135° 264 06 05

0,3



IQ - CORNER 90° 264 06 06

0,3




IQ - CONNECTION T 264 06 07

0,6




IQ - CONNECTION + 264 06 08

0,6



IQ - CORNER X° 264 06 09

0,3



IQ - WALL FIXATION 90° 264 06 10

0,3

OPTIONS - CABLE BASE



CABLE BASE R ANO 203 99 55 ANO

0,1



CABLE BASE S ANO 203 99 56 ANO

0,1

OPTIONS :

COVERSET R 62-90-100



OPTIONS :

COVERSET S 62-80-90



OPTIONS - COVERSET



Ø62 COVERSET R 62
204 00 62 ANO

Ø90 COVERSET R 90
204 00 90 ANO

Ø100 COVERSET R 100
204 00 100 ANO

0,1



□ 62 COVERSET S 62
204 62 62 ANO


□ 80 COVERSET S 80
204 80 80 ANO

□ 90 COVERSET S 90
204 90 90 ANO

0,1



INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING


PROFILES

IQ



IQ MODULES

L = 150

**IQ - MICRO RB235****264 61 212**


GX5.3 / 230-240V / 50-60Hz / TE

2 x QR-CB35 20-35W

ORIENTABLE 0°-30°




L = 350

**IQ - R7s UP****264 62 30**

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W



L = 150

**IQ - RB50****264 61 201**


GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



ACCESSORIES :



L = 100

**IQ - SINGLE JACK****264 61 10**

EXCL.1 x SPOT JAC °° ◊

230-240V / 50-60Hz / TE

1 x 20-35-50W



L = 340

**IQ - MINI RB250****264 61 202**

GX5.3 / 230-240V / 50-60Hz / TE

2 x QR-CB51 20-35-50W

ORIENTABLE 0°-30°



ACCESSORIES :



L = 200

**IQ - TWIN JACK****264 61 16**

EXCL.2 x SPOT JAC °° ◊

230-240V / 50-60Hz / TE

2 x 20-35-50W



L = 220

**IQ - RB111****264 61 231**


G53 / 230-240V / 50-60Hz / TE

1 x QR-LP111 35-50W

ORIENTABLE 0°-30°




L = 100

**IQ - DOUBLE JACK****264 61 15**

EXCL.2 x SPOT JAC °° ◊

230-240V / 50-60Hz / TE

2 x 20-35-50W

50W L = 120
100W L = 240**IQ - SKEELER****264 60 35** IQ - SKEELER 3 x 50W**264 60 37** IQ - SKEELER 3 x 100W

EXCL.1 x SKEELER 311 PRO

230-240V / 50-60Hz / TE



L = 100

**IQ - OBJECT PLATE****264 61 44**

EXCL.1 x GOTHIC /

CLUB S T50 - H30 / CLUB C T50 - H30 /

STUDIO Z T50 / STUDIO X T50 / CRAFT T50 - H30 /

CASE C / SHOWCASE C / MEMO C

230-240V / 50-60Hz




L = 40


STANDARD CABLING 1 CIRCUIT

**IQ - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY**

OPTIONS :

IQ - CABLING EXTRA CIRCUIT / MODULE**264 90 01**


L = 300

**IQ - LINK PRO 35 EVG****264 61 41 E**

EXCL.1 x LINK PRO H111-35 / LINK PRO HIC-35

230-240V / 50-60Hz / EVG

1 x 35W

**IQ - LINK PRO 70 EVG****264 61 42 E**



EXCL.1 x LINK PRO HIC-70

230-240V / 50-60Hz / EVG




1 x 70W



ACCESSORIES

**CLIP 50 B**
201 30 98 B**DICROIC FILTER 50**
201 30 11 ●
201 30 12 ●
201 30 13 ●
201 30 14 ●

INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING **PROFILES**
IQ
**IQ MODULES T16 / T26 SQUARE**
KVG L 300mm
 230V / 50Hz

EVG L 450mm
 230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
 230-240V / 50-60Hz
KVG

Lmm

EVG

Lmm



EVG DIM

Lmm

LAMP





INCL.1 x POLYCARBONATE OPAL DOWN



 ACCESSORIES :
 POLYCARBONATE PRISMA DOWN
 POLYCARBONATE CLEAR UP


IQ - T16 2 x 24W SQUARE PAR. PC OPAL DOWN	264 61 56 SE	1070	264 61 56 SED	1070	2 x T16 24W G5		1,4
IQ - T16 2 x 24W PAR. UP	264 62 56 E	1070	264 62 56 ED	1070	2 x T16 24W G5		1,2
IQ - T16 2 x 24W SQUARE PAR. PC OPAL DOWN-UP	264 63 56 SE	1070	264 63 56 SED	1070	2 x T16 24W G5		1,2
IQ - T16 2 x 54W SQUARE PAR. PC OPAL DOWN	264 61 86 SE	1670	264 61 86 SED	1670	2 x T16 54W G5		1,8
IQ - T16 2 x 54W PAR. UP	264 62 86 E	1670	264 62 86 ED	1670	2 x T16 54W G5		1,5
IQ - T16 2 x 54W SQUARE PAR. PC OPAL DOWN-UP	264 63 86 SE	1670	264 63 86 SED	1670	2 x T16 54W G5		1,5

INCL.1 x POLYCARBONATE OPAL DOWN

 ACCESSORIES :
 POLYCARBONATE PRISMA DOWN
 POLYCARBONATE CLEAR UP


IQ - T26 2 x 30W SQUARE PAR. PC OPAL DOWN	264 61 62 S	1180	264 61 62 SE	1290	264 61 62 SED	1420	2 x T26 30W G13		1,2
IQ - T26 2 x 30W SQUARE PAR. PC OPAL DOWN-UP	264 63 62 S	1180	264 63 62 SE	1290	264 63 62 SED	1420	2 x T26 30W G13		1,2
IQ - CAPACITOR T26 2 x 30W PAR.	264 90 62	120							0,1
IQ - T26 2 x 36W SQUARE PAR. PC OPAL DOWN	264 61 72 S	1480	264 61 72 SE	1600	264 61 72 SED	1730	2 x T26 36W G13		1,5
IQ - T26 2 x 36W SQUARE PAR. PC OPAL DOWN-UP	264 63 72 S	1480	264 63 72 SE	1600	264 63 72 SED	1730	2 x T26 36W G13		1,5
IQ - CAPACITOR T26 2 x 36W PAR.	264 90 72	120							0,1
IQ - T26 2 x 58W SQUARE PAR. PC OPAL DOWN	264 61 82 S	1840	264 61 82 SE	1900	264 61 82 SED	2030	2 x T26 58W G13		2,4
IQ - T26 2 x 58W SQUARE PAR. PC OPAL DOWN-UP	264 63 82 S	1840	264 63 82 SE	1900	264 63 82 SED	2030	2 x T26 58W G13		2,4
IQ - CAPACITOR T26 2 x 58W PAR.	264 90 82	120							0,1

IQ MODULES T16 / T26 / TC-L
KVG L 300mm
 230V / 50Hz

EVG L 450mm
 230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
 230-240V / 50-60Hz
KVG

Lmm

EVG

Lmm



EVG DIM

Lmm

LAMP






INCL.1 x POLYCARBONATE OPAL DOWN

 ACCESSORIES :
 POLYCARBONATE PRISMA DOWN
 POLYCARBONATE CLEAR UP


IQ - T26 2 x 30W PAR. PC OPAL DOWN	264 61 62	1180	264 61 62 E	1290	264 61 62 ED	1420	2 x T26 30W G13		1,2
IQ - T26 2 x 30W PAR. UP	264 62 62	1180	264 62 62 E	1290	264 62 62 ED	1420	2 x T26 30W G13		1,2
IQ - T26 2 x 30W PAR. PC OPAL DOWN-UP	264 63 62	1180	264 63 62 E	1290	264 63 62 ED	1420	2 x T26 30W G13		1,2
IQ - CAPACITOR T26 2 x 30W PAR.	264 90 62	120							0,1
IQ - T26 2 x 36W PAR. PC OPAL DOWN	264 61 72	1480	264 61 72 E	1600	264 61 72 ED	1730	2 x T26 36W G13		1,5
IQ - T26 2 x 36W PAR. UP	264 62 72	1480	264 62 72 E	1600	264 62 72 ED	1730	2 x T26 36W G13		1,5
IQ - T26 2 x 36W PAR. PC OPAL DOWN-UP	264 63 72	1480	264 63 72 E	1600	264 63 72 ED	1730	2 x T26 36W G13		1,5
IQ - CAPACITOR T26 2 x 36W PAR.	264 90 72	120							0,1
IQ - T26 2 x 58W PAR. PC OPAL DOWN	264 61 82	1840	264 61 82 E	1900	264 61 82 ED	2030	2 x T26 58W G13		2,4
IQ - T26 2 x 58W PAR. UP	264 62 82	1840	264 62 82 E	1900	264 62 82 ED	2030	2 x T26 58W G13		2,4
IQ - T26 2 x 58W PAR. PC OPAL DOWN-UP	264 63 82	1840	264 63 82 E	1900	264 63 82 ED	2030	2 x T26 58W G13		2,4
IQ - CAPACITOR T26 2 x 58W PAR.	264 90 82	120							0,1


ACCESSORIES :

POLYCARBONATE CLEAR UP



IQ - TC-L 2 x 36W PAR. UP	264 62 66	690	264 62 66 E	750	264 62 66 ED	880	2 x TC-L 36W 2G11		1,3
IQ - CAPACITOR TC-L 2 x 36W PAR.	264 90 66	120							0,1
IQ - TC-L 2 x 55W PAR. UP			264 62 76 E	1010	264 62 76 ED	1010	2 x TC-L 55W 2G11		1,5

INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING **PROFILES**
IQ
**IQ MODULES T16 / T26 BAP**
KVG L 300mm
 230V / 50Hz

EVG L 450mm
 230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
 230-240V / 50-60Hz
KVG

Lmm

EVG

Lmm



EVG DIM

Lmm


LAMP



INCL.1 x BAP DOWN

**IQ - T16 2 x 24W PAR. BAP DOWN****264 61 56 EB** 1030**264 61 56 EDB** 1030


2 x T16 24W G5



1,4



IQ - T16 2 x 54W PAR. BAP DOWN**264 61 86 EB** 1630**264 61 86 EDB** 1630

2 x T16 54W G5




1,8

INCL.1 x BAP DOWN

**IQ - T26 2 x 36W PAR. BAP DOWN****264 61 72 B** 1480**264 61 72 EB** 1600**264 61 72 EDB** 1730

2 x T26 36W G13




1,5

IQ - CAPACITOR T26 2 x 36W PAR.**264 90 72** 120

0,1

IQ - T26 2 x 58W PAR. BAP DOWN**264 61 82 B** 1840**264 61 82 EB** 1900**264 61 82 EDB** 2030




2 x T26 58W G13



2,4

IQ - CAPACITOR T26 2 x 58W PAR.**264 90 82** 120

0,1

OPTIONS**CONTROL EVG DIMMABLE****DSI-T SWITCH CONTROL / CIRCUIT****260 95 T**

300

0,1

DSI-IR INFRARED CONTROL / 1 CIRCUIT**260 95 IR**

300

0,1

DSI-2IR INFRARED CONTROL / 2 CIRCUITS**260 95 2IR**

300

0,1

INFRARED RECEIVER RECESSED**260 95 IREL**

100

0,1



INFRARED EMITTER**260 95 IRS**

0,1

DSI-AD 1-10V CONTROL / CIRCUIT**260 95 AD**

300

0,1

ACCESSORIES**IQ - PC PRISMA DOWN IQ - PC CLEAR UP****IQ - T16 24W****264 58 55****264 52 55**

0,3

IQ - T16 54W**264 58 85****264 52 85**

0,5

IQ - T26 30W**264 58 61****264 52 61**

0,4

IQ - T26 36W**264 58 71****264 52 71**

0,5

IQ - T26 58W**264 58 81****264 52 81**

0,6

IQ - TC-L 36W**264 52 65**

0,3


IQ - TC-L 55W**264 52 75**

0,3

INTERIOR LIGHTING PROFILES
IQ

INTERIOR LIGHTING — PROFILES
IQ



INTERIOR LIGHTING PROFILES
IQ

INTERIOR LIGHTING — PROFILES
IQ



BIG BROTHER



INTERIOR LIGHTING

PROFILES


BIG BROTHER



BIG BROTHER PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615




BB - PROFILE ANO
263 00 00 ANO

BB - PROFILE RAL
263 00 05 RAL

MAX.L / PROFILE : 6m
Kg / m

6,7

BIG BROTHER END CAP



BB - END CAP ANO
263 03 01 ANO


BB - END CAP RAL
263 03 05 RAL

0,1



BB - PROFILE + BB - END CAP

BIG BROTHER CABLE SUSPENSION



BB - CABLE SUSPENSION SINGLE AUTOMATIC $\diamond$
 $\diamond$ = ANO / RAL

L 1.6m 263 09 01 $\diamond$
L 3.5m 263 09 03 $\diamond$
L 6.0m 263 09 06 $\diamond$

0,1

BIG BROTHER CORNERS - CONNECTIONS - WALL FIXATION



BB - CORNER 180°
263 06 01

0,3

BB - CORNER 135°
263 06 05

0,3

BB - CORNER 90°
263 06 06

0,3



BB - CONNECTION T
263 06 07


0,6

BB - CONNECTION +
263 06 08

0,6

BB - CORNER X°
263 06 09

0,3



BB - WALL FIXATION 90°
263 06 10

0,3


CURRENT SUPPLY



CABLE
3 x 0.75mm²

0,3

L 1.6m 296 98 51
L 3.5m 296 98 53
L 6.0m 296 98 56



CURLY CABLE $\diamond$
3 x 0.75mm²
 $\diamond$ = A / W

0,5

L 1.6m 260 98 51 $\diamond$
L 3.5m 260 98 53 $\diamond$

CABLE
5 x 0.75mm²

L 1.6m 296 99 51
L 3.5m 296 99 53
L 6.0m 296 99 56

CURLY CABLE $\diamond$
5 x 0.75mm²
 $\diamond$ = A / W

L 1.6m 260 99 51 $\diamond$
L 3.5m 260 99 53 $\diamond$

OPTIONS :

CABLE BASE R / S



OPTIONS :

CABLE BASE R / S



OPTIONS - CABLE BASE



CABLE BASE R ANO
203 99 55 ANO
CABLE BASE R W
203 99 55 W

0,1

OPTIONS :

COVERSET R 62-90-100



CABLE BASE S ANO
203 99 56 ANO
CABLE BASE S W
203 99 56 W

0,1

OPTIONS :

COVERSET S 62-80-90



OPTIONS - COVERSET



Ø62 **COVERSET R 62**
204 00 62 ANO
204 00 62 W
Ø90 **COVERSET R 90**
204 00 90 ANO
204 00 90 W
Ø100 **COVERSET R 100**
204 00 100 ANO
204 00 100 W


0,1



□ 62 **COVERSET S 62**
204 62 62 ANO
204 62 62 W
□ 80 **COVERSET S 80**
204 80 80 ANO
204 80 80 W
□ 90 **COVERSET S 90**
204 90 90 ANO
204 90 90 W

0,1

INCL. CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING


PROFILES

BIG BROTHER



BIG BROTHER MODULES

L = 200

**BB - RB50****263 61 201**

GX5.3 / 230V / 50Hz / TM

1 x QR-CB51 20-35-50W


ORIENTABLE 0°-30°



ACCESSORIES :




L = 350


**BB - R7s DOWN****263 61 30****BB - R7s UP****263 62 30**

R7s / 230-240V / 50-60Hz

1 x QT-DE12 150W




L = 200

**BB - RB111****263 61 231**

G53 / 230V / 50Hz / TM

1 x QR-LP111 35-50W

ORIENTABLE 0°-30°




L = 200


**BB - SINGLE JACK****263 61 10**EXCL. 1 x SPOT JAC $\Delta\Delta$ °° $\diamond$

230V / 50Hz / TM

1 x 20-35-50W




L = 120

**BB - SKEELER****263 60 35** BB - SKEELER 3 x 50W**263 60 37** BB - SKEELER 3 x 100W

EXCL. 1 x SKEELER 311 PRO

230-240V / 50-60Hz / TE




L = 310


**BB - TWIN JACK****263 61 16**EXCL. 2 x SPOT JAC $\Delta\Delta$ °° $\diamond$

230V / 50Hz / TM

2 x 20-35-50W



L = 260

**BB - DOUBLE JACK****263 61 15**EXCL. 2 x SPOT JAC $\Delta\Delta$ °° $\diamond$

230V / 50Hz / TM

2 x 20-35-50W



L = 40

STANDARD CABLING 1 CIRCUIT

**BB - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY**

OPTIONS :

BB - CABLING EXTRA CIRCUIT / MODULE**263 90 01**

ACCESSORIES

**DICROIC FILTER 50****201 30 11** **201 30 12** **201 30 13** **201 30 14** 

INCL.CABLING 1 CIRCUIT / IP20





INTERIOR LIGHTING

PROFILES


BIG BROTHER




BIG BROTHER MODULES



L = 650



L = 650




L = 650

BB - HIT-DE-70 DOWN**263 61 40****BB - HIT-DE-70 UP****263 62 40**

INCL.1 x GLASS UV-STOP

RX7s / 230-240V / 50Hz / 1 x 1~KVG


1 x HIT-DE 70W

**BB - HIT-DE-70 EVG DOWN****263 61 40 E****BB - HIT-DE-70 EVG UP****263 62 40 E**

INCL.1 x GLASS UV-STOP

RX7s / 230-240V / 50-60Hz / 1 x 1~EVG


1 x HIT-DE 70W

**BB - CAPACITOR HIT-DE-70****263 90 40****BB - HIT-DE-150 DOWN****263 61 45****BB - HIT-DE-150 UP****263 62 45**

INCL.1 x GLASS UV-STOP

RX7s / 230-240V / 50Hz / 1 x 1~KVG



1 x HIT-DE 150W

**BB - HIT-DE-150 EVG DOWN****263 61 45 E****BB - HIT-DE-150 EVG UP****263 62 45 E**


INCL.1 x GLASS UV-STOP

RX7s / 230-240V / 50-60Hz / 1 x 1~EVG


1 x HIT-DE 150W

**BB - CAPACITOR HIT-DE-150****263 90 45**

L = 650




L = 650

**BB - H111****263 61 35**



GX8.5 / 230-240V / 50Hz / 1 x 1~KVG

1 x HIPAR111 35W


**BB - H111 EVG****263 61 35 E**

GX8.5 / 230-240V / 50Hz / 1 x 1~EVG


1 x HIPAR111 35W

**BB - CAPACITOR H111****263 90 35**

L = 650




L = 650

**BB - C30-35****263 61 46**

E27Hs / 230-240V / 50Hz / 1 x 1~KVG

1 x HIPAR30 35W


ORIENTABLE 0°-30°

**BB - C30-35 EVG****263 61 46 E**

E27Hs / 230-240V / 50Hz / 1 x 1~EVG

1 x HIPAR30 35W


ORIENTABLE 0°-30°

**BB - CAPACITOR C30-35****263 90 46****BB - C30-70****263 61 47**

E27Hs / 230-240V / 50Hz / 1 x 1~KVG

1 x HIPAR30 70W


ORIENTABLE 0°-30°

**BB - C30-70 EVG****263 61 47 E**


E27Hs / 230-240V / 50Hz / 1 x 1~EVG

1 x HIPAR30 70W

ORIENTABLE 0°-30°

**BB - CAPACITOR C30-70****263 90 47**

INCL.CABLING 1 CIRCUIT / IP20




INTERIOR LIGHTING

PROFILES

BIG BROTHER



BIG BROTHER MODULES T16 / T26 / TC-L

KVG L 300mm
230V / 50HzEVG L 450mm
230-240V / 50-60HzDIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

KVG

Lmm

EVG

Lmm

EVG DIM

Lmm

LAMP


ACCESSORIES :
POLYCARBONATE OPAL DOWN
POLYCARBONATE CLEAR UP

BB - T16 2 x 24W PAR. DOWN

263 61 56 E 660

263 61 56 ED 660

2 x T16 24W G5




0,8

BB - T16 2 x 24W PAR. UP

263 62 56 E 660

263 62 56 ED 660

2 x T16 24W G5




0,8

BB - T16 2 x 24W PAR. DOWN-UP

263 63 56 E 660

263 63 56 ED 660

2 x T16 24W G5




0,8

BB - T16 2 x 54W PAR. DOWN

263 61 86 E 1260

263 61 86 ED 1260

2 x T16 54W G5




1,0

BB - T16 2 x 54W PAR. UP

263 62 86 E 1260

263 62 86 ED 1260

2 x T16 54W G5




1,0

BB - T16 2 x 54W PAR. DOWN-UP




263 63 86 E 1260

263 63 86 ED 1260

2 x T16 54W G5



1,0

ACCESSORIES :
POLYCARBONATE OPAL DOWN
POLYCARBONATE CLEAR UP

BB - T26 2 x 30W PAR. DOWN

263 61 62 1010

263 61 62 E 1010

263 61 62 ED 1010

2 x T26 30W G13



1,2

BB - T26 2 x 30W PAR. UP

263 62 62 1010

263 62 62 E 1010

263 62 62 ED 1010

2 x T26 30W G13



1,2

BB - T26 2 x 30W PAR. DOWN-UP

263 63 62 1010

263 63 62 E 1010

263 63 62 ED 1010


2 x T26 30W G13



1,2

BB - CAPACITOR T26 2 x 30W PAR.

263 90 62 120



0,1

BB - T26 2 x 36W PAR. DOWN

263 61 72 1310

263 61 72 E 1310

263 61 72 ED 1310

2 x T26 36W G13



1,5


BB - T26 2 x 36W PAR. UP

263 62 72 1310

263 62 72 E 1310

263 62 72 ED 1310

2 x T26 36W G13



1,5


BB - T26 2 x 36W PAR. DOWN-UP

263 63 72 1310

263 63 72 E 1310

263 63 72 ED 1310

2 x T26 36W G13



1,5

BB - CAPACITOR T26 2 x 36W PAR.

263 90 72 120



0,1

BB - T26 2 x 58W PAR. DOWN

263 61 82 1610

263 61 82 E 1610

263 61 82 ED 1610

2 x T26 58W G13



2,4

BB - T26 2 x 58W PAR. UP

263 62 82 1610

263 62 82 E 1610

263 62 82 ED 1610

2 x T26 58W G13



2,4

BB - T26 2 x 58W PAR. DOWN-UP

263 63 82 1610

263 63 82 E 1610

263 63 82 ED 1610


2 x T26 58W G13



2,4

BB - CAPACITOR T26 2 x 58W PAR.

263 90 82 120



0,1

ACCESSORIES :
POLYCARBONATE OPAL DOWN
POLYCARBONATE CLEAR UP

BB - TC-L 2 x 36W PAR. UP

263 62 66 450

263 62 66 E 450

263 62 66 ED 450


2 x TC-L 36W 2G11



1,3

BB - CAPACITOR TC-L 2 x 36W PAR.

263 90 66 120



0,1

BB - TC-L 2 x 55W PAR. UP

263 62 76 E 580

263 62 76 E 580


263 62 76 ED 580

2 x TC-L 55W 2G11



1,5

BIG BROTHER MODULES T16 / T26 BAP

KVG L 300mm
230V / 50HzEVG L 450mm
230-240V / 50-60HzDIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

KVG

Lmm

EVG

Lmm



EVG DIM

Lmm

LAMP



INCL.1 x BAP DOWN




BB - T16 2 x 24W PAR. BAP DOWN

263 61 56 EB 670

263 61 56 EDB 670

2 x T16 24W G5




0,8

BB - T16 2 x 54W PAR. BAP DOWN

263 61 86 EB 1270



263 61 86 EDB 1270

2 x T16 54W G5



1,0

INCL.1 x BAP DOWN



BB - T26 2 x 36W PAR. BAP DOWN

263 61 72 B 1310

263 61 72 EB 1310

263 61 72 EDB 1310


2 x T26 36W G13



1,5

BB - CAPACITOR T26 2 x 36W PAR.

263 90 72 120



0,1

BB - T26 2 x 58W PAR. BAP DOWN

263 61 82 B 1610

263 61 82 EB 1610

263 61 82 EDB 1610


2 x T26 58W G13



2,4


BB - CAPACITOR T26 2 x 58W PAR.

263 90 82 120



0,1

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING


PROFILES

BIG BROTHER



OPTIONS

CONTROL EVG DIMMABLE





DSI-T SWITCH CONTROL / CIRCUIT	260 95 T	300	0,1
DSI-IR INFRARED CONTROL / 1 CIRCUIT	260 95 IR	300	0,1
DSI-2IR INFRARED CONTROL / 2 CIRCUITS	260 95 2IR	300	0,1
INFRARED RECEIVER RECESSED	260 95 IREL	100	0,1
INFRARED EMITTER	260 95 IRS		0,1
DSI-AD 1-10V CONTROL / CIRCUIT	260 95 AD	300	0,1

ACCESSORIES

BB - PC OPAL DOWN

BB - PC CLEAR UP



BB - T16 24W	263 51 55	263 52 55	0,3
BB - T16 54W	263 51 85	263 52 85	0,5
BB - T26 30W	263 51 61	263 52 61	0,4
BB - T26 36W	263 51 71	263 52 71	0,5
BB - T26 58W	263 51 81	263 52 81	0,6
BB - TC-L 36W		263 52 65	0,3
BB - TC-L 55W		263 52 75	0,3





INTERIOR LIGHTING

PROFILES

BIG BROTHER






INTERIOR LIGHTING

PROFILES

BIG BROTHER



FULL OPTION



INTERIOR LIGHTING

PROFILES


FULL OPTION



FULL OPTION PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615




FO - PROFILE ANO
260 00 00 ANO

FO - PROFILE RAL
260 00 05 RAL

MAX.L / PROFILE : 6m
Kg / m

3,9

FULL OPTION END CAP



FO - END CAP ANO
260 03 01 ANO


FO - END CAP RAL
260 03 05 RAL

0,1




FO - PROFILE + FO - END CAP

FULL OPTION CABLE SUSPENSION



FO - CABLE SUSPENSION
SINGLE AUTOMATIC $\diamond$
 $\diamond = \text{ANO} / \text{RAL}$

L 1.6m 260 09 01 $\diamond$
L 3.5m 260 09 03 $\diamond$
L 6.0m 260 09 06 $\diamond$



FO - CABLE SUSPENSION
TWIN AUTOMATIC $\diamond$
 $\diamond = \text{ANO} / \text{RAL}$

L 1.6m 260 13 01 $\diamond$

0,1


CURRENT SUPPLY



CABLE
3 x 0.75mm²

0,3

L 1.6m 296 98 51
L 3.5m 296 98 53
L 6.0m 296 98 56



CURLY CABLE $\diamond$
3 x 0.75mm²
 $\diamond = A / W$

0,5

L 1.6m 260 98 51 $\diamond$
L 3.5m 260 98 53 $\diamond$

CABLE
5 x 0.75mm²

L 1.6m 296 99 51
L 3.5m 296 99 53
L 6.0m 296 99 56

CURLY CABLE $\diamond$
5 x 0.75mm²
 $\diamond = A / W$

L 1.6m 260 99 51 $\diamond$
L 3.5m 260 99 53 $\diamond$

OPTIONS :

CABLE BASE R / S



OPTIONS :

CABLE BASE R / S



FULL OPTION CORNERS - CONNECTIONS - WALL FIXATION



FO - CORNER 180°
260 06 01

0,3



FO - CORNER 135°
260 06 05

0,3



FO - CORNER 90°
260 06 06

0,3




FO - CONNECTION T
260 06 07

0,6




FO - CONNECTION +
260 06 08

0,6




FO - CORNER X°
260 06 09

0,3



FO - WALL FIXATION 90°
260 06 10

0,3



OPTIONS - CABLE BASE



CABLE BASE R ANO
203 99 55 ANO
CABLE BASE R W
203 99 55 W

0,1

OPTIONS :

COVERSET R 62-90-100



CABLE BASE S ANO
203 99 56 ANO
CABLE BASE S W
203 99 56 W

0,1

OPTIONS :

COVERSET S 62-80-90



OPTIONS - COVERSET



Ø62 **COVERSET R 62**
204 00 62 ANO
204 00 62 W
Ø90 **COVERSET R 90**
204 00 90 ANO
204 00 90 W
Ø100 **COVERSET R 100**
204 00 100 ANO
204 00 100 W

0,1



□ 62 **COVERSET S 62**
204 62 62 ANO
204 62 62 W
□ 80 **COVERSET S 80**
204 80 80 ANO
204 80 80 W
□ 90 **COVERSET S 90**
204 90 90 ANO
204 90 90 W

0,1



INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES


FULL OPTION





FULL OPTION MODULES

L = 250



FO - RB50
260 61 201

 GX5.3 / 230V / 50Hz / TM
 1 x QR-CB51 20-35-50W
 ORIENTABLE 0°-30°




L = 350


FO - R7s UP
260 62 30
 R7s / 230-240V / 50-60Hz
 1 x QT-DE12 150W





L = 210


FO - SINGLE JACK
260 61 10
 EXCL.1 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 1 x 20-35-50W


L = 240


FO - TWIN JACK
260 61 16
 EXCL.2 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 2 x 20-35-50W


L = 250



FO - DOUBLE JACK
260 61 15
 EXCL.2 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 2 x 20-35-50W

 50W L = 120
 100W L = 240

FO - SKEELER
260 60 35 FO - SKEELER 3 x 50W
260 60 37 FO - SKEELER 3 x 100W
 EXCL.1 x SKEELER 311 PRO
 230-240V / 50-60Hz / TE


L = 40


STANDARD CABLING 1 CIRCUIT

FO - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY



OPTIONS :

FO - CABLING EXTRA CIRCUIT / MODULE
260 90 01






L = 650




L = 650



L = 650

FO - HIT-DE-70 DOWN
260 61 40
FO - HIT-DE-70 UP
260 62 40
 INCL.1 x GLASS UV-STOP
 RX7s / 230-240V / 50Hz / 1 x 1~KVG
 1 x HIT-DE 70W

FO - CAPACITOR HIT-DE-70
260 90 40
FO - HIT-DE-150 DOWN
260 61 45
FO - HIT-DE-150 UP
260 62 45
 INCL.1 x GLASS UV-STOP
 RX7s / 230-240V / 50Hz / 1 x 1~KVG
 1 x HIT-DE 150W

FO - CAPACITOR HIT-DE-150
260 90 45
FO - HIT-DE-70 EVG DOWN
260 61 40 E
FO - HIT-DE-70 EVG UP
260 62 40 E
 INCL.1 x GLASS UV-STOP
 RX7s / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIT-DE 70W

FO - HIT-DE-150 EVG DOWN
260 61 45 E
FO - HIT-DE-150 EVG UP
260 62 45 E
 INCL.1 x GLASS UV-STOP
 RX7s / 230-240V / 50-60Hz / 1 x 1~EVG
 1 x HIT-DE 150W


INCL.CABLING 1 CIRCUIT / IP20




INTERIOR LIGHTING

PROFILES

FULL OPTION




FULL OPTION MODULES T16 / T26 / TC-L



KVG L 300mm
230V / 50Hz

EVG L 450mm
230-240V / 50-60Hz

DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz



KVG

Lmm

EVG

Lmm



EVG DIM

Lmm

LAMP



ACCESSORIES :
POLYCARBONATE OPAL DOWN
POLYCARBONATE CLEAR UP





FO - T16 2 x 24W PAR. DOWN	260 61 56 E	1010	260 61 56 ED	1010	2 x T16 24W G5		0,8
FO - T16 2 x 24W PAR. UP	260 62 56 E	1010	260 62 56 ED	1010	2 x T16 24W G5		0,8
FO - T16 2 x 24W PAR. DOWN-UP	260 63 56 E	1010	260 63 56 ED	1010	2 x T16 24W G5		0,8
FO - T16 2 x 54W PAR. DOWN	260 61 86 E	1610	260 61 86 ED	1610	2 x T16 54W G5		1,0
FO - T16 2 x 54W PAR. UP	260 62 86 E	1610	260 62 86 ED	1610	2 x T16 54W G5		1,0
FO - T16 2 x 54W PAR. DOWN-UP	260 63 86 E	1610	260 63 86 ED	1610	2 x T16 54W G5		1,0

ACCESSORIES :
POLYCARBONATE OPAL DOWN
POLYCARBONATE CLEAR UP
RASTER






FO - T26 2 x 18W PAR. DOWN	260 61 52	870	260 61 52 E	970	260 61 52 ED	1100	2 x T26 18W G13		1,2
FO - T26 2 x 18W PAR. UP	260 62 52	870	260 62 52 E	970	260 62 52 ED	1100	2 x T26 18W G13		1,2
FO - T26 2 x 18W PAR. DOWN-UP	260 63 52	870	260 63 52 E	970	260 63 52 ED	1100	2 x T26 18W G13		1,2
FO - CAPACITOR T26 2 x 18W PAR.	260 90 52	120							0,1
FO - T26 2 x 30W PAR. DOWN	260 61 62	1180	260 61 62 E	1280	260 61 62 ED	1400	2 x T26 30W G13		1,2
FO - T26 2 x 30W PAR. UP	260 62 62	1180	260 62 62 E	1280	260 62 62 ED	1400	2 x T26 30W G13		1,2
FO - T26 2 x 30W PAR. DOWN-UP	260 63 62	1180	260 63 62 E	1280	260 63 62 ED	1400	2 x T26 30W G13		1,2
FO - CAPACITOR T26 2 x 30W PAR.	260 90 62	120							0,1
FO - T26 2 x 36W PAR. DOWN	260 61 72	1480	260 61 72 E	1580	260 61 72 ED	1710	2 x T26 36W G13		1,5
FO - T26 2 x 36W PAR. UP	260 62 72	1480	260 62 72 E	1580	260 62 72 ED	1710	2 x T26 36W G13		1,5
FO - T26 2 x 36W PAR. DOWN-UP	260 63 72	1480	260 63 72 E	1580	260 63 72 ED	1710	2 x T26 36W G13		1,5
FO - CAPACITOR T26 2 x 36W PAR.	260 90 72	120							0,1
FO - T26 2 x 58W PAR. DOWN	260 61 82	1840	260 61 82 E	1880	260 61 82 ED	2010	2 x T26 58W G13		2,4
FO - T26 2 x 58W PAR. UP	260 62 82	1840	260 62 82 E	1880	260 62 82 ED	2010	2 x T26 58W G13		2,4
FO - T26 2 x 58W PAR. DOWN-UP	260 63 82	1840	260 63 82 E	1880	260 63 82 ED	2010	2 x T26 58W G13		2,4
FO - CAPACITOR T26 2 x 58W PAR.	260 90 82	120							0,1

ACCESSORIES :
POLYCARBONATE OPAL DOWN
POLYCARBONATE CLEAR UP
RASTER






FO - TC-L 1 x 36W DOWN	260 61 65	640	260 61 65 E	740	260 61 65 ED	860	1 x TC-L 36W 2G11		0,8
FO - TC-L 1 x 36W UP	260 62 65	640	260 62 65 E	740	260 62 65 ED	860	1 x TC-L 36W 2G11		0,8
FO - TC-L 1 x 36W DOWN-UP	260 63 65	640	260 63 65 E	740	260 63 65 ED	860	1 x TC-L 36W 2G11		0,8
FO - CAPACITOR TC-L 1 x 36W	260 90 65	120							0,1
FO - TC-L 1 x 55W DOWN			260 61 75 E	860	260 61 75 ED	990	1 x TC-L 55W 2G11		0,8
FO - TC-L 1 x 55W UP			260 62 75 E	860	260 62 75 ED	990	1 x TC-L 55W 2G11		0,8
FO - TC-L 1 x 55W DOWN-UP			260 63 75 E	860	260 63 75 ED	990	1 x TC-L 55W 2G11		0,8

ACCESSORIES :
POLYCARBONATE OPAL DOWN
POLYCARBONATE CLEAR UP
RASTER




FO - TC-L 2 x 36W PAR. DOWN	260 61 66	700	260 61 66 E	740	260 61 66 ED	860	2 x TC-L 36W 2G11		1,3
FO - TC-L 2 x 36W PAR. UP	260 62 66	700	260 62 66 E	740	260 62 66 ED	860	2 x TC-L 36W 2G11		1,3
FO - TC-L 2 x 36W PAR. DOWN-UP	260 63 66	700	260 63 66 E	740	260 63 66 ED	860	2 x TC-L 36W 2G11		1,3
FO - CAPACITOR TC-L 2 x 36W PAR.	260 90 66	120							0,1
FO - TC-L 2 x 55W PAR. DOWN			260 61 76 E	990	260 61 76 ED	990	2 x TC-L 55W 2G11		1,5
FO - TC-L 2 x 55W PAR. UP			260 62 76 E	990	260 62 76 ED	990	2 x TC-L 55W 2G11		1,5
FO - TC-L 2 x 55W PAR. DOWN-UP			260 63 76 E	990	260 63 76 ED	990	2 x TC-L 55W 2G11		1,5

ACCESSORIES :
POLYCARBONATE OPAL DOWN
POLYCARBONATE CLEAR UP
RASTER



FO - TC-L 2 x 36W SERIE DOWN	260 61 67	1200	260 61 67 E	1290	260 61 67 ED	1290	2 x TC-L 36W 2G11		1,3
FO - TC-L 2 x 36W SERIE UP	260 62 67	1200	260 62 67 E	1290	260 62 67 ED	1290	2 x TC-L 36W 2G11		1,3
FO - TC-L 2 x 36W SERIE DOWN-UP	260 63 67	1200	260 63 67 E	1290	260 63 67 ED	1290	2 x TC-L 36W 2G11		1,3
FO - CAPACITOR TC-L 2 x 36W SERIE	260 90 67	120							0,1
FO - TC-L 2 x 55W SERIE DOWN			260 61 77 E	1540	260 61 77 ED	1540	2 x TC-L 55W 2G11		1,5
FO - TC-L 2 x 55W SERIE UP			260 62 77 E	1540	260 62 77 ED	1540	2 x TC-L 55W 2G11		1,5
FO - TC-L 2 x 55W SERIE DOWN-UP			260 63 77 E	1540	260 63 77 ED	1540	2 x TC-L 55W 2G11		1,5

INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

FULL OPTION



FULL OPTION MODULES T16 / T26 BAP

KVG L 300mm
230V / 50HzEVG L 450mm
230-240V / 50-60HzDIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
230-240V / 50-60Hz

KVG

Lmm

EVG

Lmm



EVG DIM

Lmm

LAMP



INCL.1 x BAP DOWN




FO - T16 2 x 24W PAR. BAP DOWN

260 61 56 EB 1030

260 61 56 EDB 1030

2 x T16 24W G5




1,2

FO - T16 2 x 54W PAR. BAP DOWN

260 61 86 EB 1630



260 61 86 EDB 1630

2 x T16 54W G5



1,4

INCL.1 x BAP DOWN



FO - T26 2 x 36W PAR. BAP DOWN

260 61 72 B 1480

260 61 72 EB 1580

260 61 72 EDB 1710

2 x T26 36W G13



1,8

FO - CAPACITOR T26 2 x 36W PAR.

260 90 72 120

0,1

FO - T26 2 x 58W PAR. BAP DOWN

260 61 82 B 1840

260 61 82 EB 1880

260 61 82 EDB 2010

2 x T26 58W G13



2,8




FO - CAPACITOR T26 2 x 58W PAR.

260 90 82 120

0,1

OPTIONS

CONTROL EVG DIMMABLE



DSI-T SWITCH CONTROL / CIRCUIT

260 95 T 300

0,1

DSI-IR INFRARED CONTROL / 1 CIRCUIT

260 95 IR 300

0,1

DSI-2IR INFRARED CONTROL / 2 CIRCUITS

260 95 2IR 300

0,1

INFRARED RECEIVER RECESSED

260 95 IREL 100

0,1

INFRARED EMITTER

260 95 IRS

0,1

DSI-AD 1-10V CONTROL / CIRCUIT

260 95 AD 300




0,1

ACCESSORIES

FO - PC OPAL DOWN

FO - PC CLEAR UP

FO - RASTER DOWN



FO - T16 24W

260 51 55

260 52 55

0,3

FO - T16 54W

260 51 85

260 52 85

0,5

FO - T26 18W

260 51 51

260 52 51

260 71 51

0,3

FO - T26 30W

260 51 61

260 52 61

260 71 61

0,4

FO - T26 36W

260 51 71

260 52 71

260 71 71

0,5

FO - T26 58W

260 51 81

260 52 81

260 71 81

0,6

FO - TC-L 36W

260 51 65

260 52 65

260 71 65

0,3

FO - TC-L 55W

260 51 75

260 52 75

260 71 75

0,3



INTERIOR LIGHTING

PROFILES

FULL OPTION



INTERIOR LIGHTING

PROFILES

FULL OPTION



INTERIOR LIGHTING

PROFILES

FULL OPTION



TWIST




INTERIOR LIGHTING — PROFILES TWIST



TWIST PROFILE

MOD.DEP.

TOL.DIN 1748/4 - DIN 17615




TW - PROFILE ANO
261 00 00 ANO

TW - PROFILE RAL
261 00 05 RAL

MAX.L / PROFILE : 6m
Kg / m

2,9

TWIST END CAP



TW - END CAP ANO
261 03 01 ANO


TW - END CAP RAL
261 03 05 RAL

0,1




TW - PROFILE + TW - END CAP

TWIST CABLE SUSPENSION



TW - CABLE SUSPENSION
SINGLE AUTOMATIC $\diamond$
 $\diamond = \text{ANO} / \text{RAL}$

L 1.6m 261 09 01 $\diamond$
L 3.5m 261 09 03 $\diamond$
L 6.0m 261 09 06 $\diamond$



TW - CABLE SUSPENSION
TWIN AUTOMATIC $\diamond$
 $\diamond = \text{ANO} / \text{RAL}$

L 1.6m 261 13 01 $\diamond$

0,1


CURRENT SUPPLY



CABLE
3 x 0.75mm²

0,3

L 1.6m 296 98 51
L 3.5m 296 98 53
L 6.0m 296 98 56



CURLY CABLE $\diamond$
3 x 0.75mm²
 $\diamond = A / W$

0,5

L 1.6m 260 98 51 $\diamond$
L 3.5m 260 98 53 $\diamond$

CABLE
5 x 0.75mm²

L 1.6m 296 99 51
L 3.5m 296 99 53
L 6.0m 296 99 56

CURLY CABLE $\diamond$
5 x 0.75mm²
 $\diamond = A / W$

L 1.6m 260 99 51 $\diamond$
L 3.5m 260 99 53 $\diamond$

OPTIONS :
CABLE BASE R / S



OPTIONS :
CABLE BASE R / S



TWIST CORNERS - CONNECTIONS - WALL FIXATION



TW - CORNER 180°
261 06 01

0,3



TW - CORNER 135°
261 06 05

0,3



TW - CORNER 90°
261 06 06

0,3




TW - CONNECTION T
261 06 07

0,6




TW - CONNECTION +
261 06 08

0,6




TW - CORNER X°
261 06 09

0,3



TW - WALL FIXATION 90°
261 06 10

0,3



OPTIONS - CABLE BASE



CABLE BASE R ANO
203 99 55 ANO
CABLE BASE R W
203 99 55 W

OPTIONS :
COVERSET R 62-90-100




0,1



CABLE BASE S ANO
203 99 56 ANO
CABLE BASE S W
203 99 56 W

OPTIONS :
COVERSET S 62-80-90



0,1

OPTIONS - COVERSET



Ø62 **COVERSET R 62**
204 00 62 ANO
204 00 62 W
Ø90 **COVERSET R 90**
204 00 90 ANO
204 00 90 W
Ø100 **COVERSET R 100**
204 00 100 ANO
204 00 100 W



0,1



□ 62 **COVERSET S 62**
204 62 62 ANO
204 62 62 W
□ 80 **COVERSET S 80**
204 80 80 ANO
204 80 80 W
□ 90 **COVERSET S 90**
204 90 90 ANO
204 90 90 W




0,1

INTERIOR LIGHTING PROFILES
TWIST



INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING

PROFILES

TWIST




TWIST MODULES

L = 275




TW - RB35
261 61 211

GX5.3 / 230V / 50Hz / TM
 1 x QR-CB35 20-35W
 ORIENTABLE 0°-30°





L = 350



TW - R7s UP
261 62 30

R7s / 230-240V / 50-60Hz
 1 x QT-DE12 150W




L = 275



TW - SINGLE JACK
261 61 10

EXCL.1 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 1 x 20-35-50W




L = 275




TW - SINGLE SIDE JACK
261 61 01

EXCL.1 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 1 x 20-35-50W



L = 375




TW - DOUBLE JACK
261 61 15

EXCL.2 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 2 x 20-35-50W




L = 375




TW - DOUBLE SIDE JACK
261 61 05

EXCL.2 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 2 x 20-35-50W



L = 375




TW - TWIN JACK

261 61 16
 EXCL.2 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 2 x 20-35-50W




L = 375




TW - TWIN SIDE JACK

261 61 06
 EXCL.2 x SPOT JAC ΔΔ °° ◊
 230V / 50Hz / TM
 2 x 20-35-50W



50W L = 290
 100W L = 450



TW - SKEELER

261 60 35 TW - SKEELER 3 x 50W
261 60 37 TW - SKEELER 3 x 100W
 EXCL.1 x SKEELER 311 PRO
 230-240V / 50-60Hz / TE



L = 70

STANDARD CABLING 1 CIRCUIT




TW - CONNECTION PLATE / CIRCUIT
CURRENT SUPPLY

OPTIONS :




TW - CABLING EXTRA CIRCUIT / MODULE
261 90 01




INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING **PROFILES**
TWIST
**TWIST MODULES T26 / TC-L**




KVG	Lmm	EVG	Lmm	EVG DIM	Lmm	LAMP	
------------	-----	------------	-----	----------------	-----	-------------	--

ACCESSORIES :
 POLYCARBONATE OPAL DOWN
 POLYCARBONATE OPAL UP




TW - T26 1 x 18W DOWN	261 61 51	920	261 61 51 E	970	261 61 51 ED	1100	1 x T26 18W G13		0,8
TW - T26 1 x 18W DOWN-UP	261 63 51	920	261 63 51 E	970	261 63 51 ED	1100	1 x T26 18W G13		0,8
TW - CAPACITOR T26 1 x 18W	261 90 51	120							0,1
TW - T26 1 x 30W DOWN	261 61 61	1220	261 61 61 E	1270	261 61 61 ED	1400	1 x T26 30W G13		0,8
TW - T26 1 x 30W DOWN-UP	261 63 61	1220	261 63 61 E	1270	261 63 61 ED	1400	1 x T26 30W G13		0,8
TW - CAPACITOR T26 1 x 30W	261 90 61	120							0,1
TW - T26 1 x 36W DOWN	261 61 71	1530	261 61 71 E	1580	261 61 71 ED	1710	1 x T26 36W G13		0,8
TW - T26 1 x 36W DOWN-UP	261 63 71	1530	261 63 71 E	1580	261 63 71 ED	1710	1 x T26 36W G13		0,8
TW - CAPACITOR T26 1 x 36W	261 90 71	120							0,1
TW - T26 1 x 58W DOWN	261 61 81	1860	261 61 81 E	1880	261 61 81 ED	2010	1 x T26 58W G13		1,5
TW - T26 1 x 58W DOWN-UP	261 63 81	1860	261 63 81 E	1880	261 63 81 ED	2010	1 x T26 58W G13		1,5
TW - CAPACITOR T26 1 x 58W	261 90 81	120							0,1

ACCESSORIES :
 POLYCARBONATE OPAL DOWN
 POLYCARBONATE OPAL UP


TW - T26 2 x 18W PAR. DOWN	261 61 52	1170	261 61 52 E	970	261 61 52 ED	1100	2 x T26 18W G13		1,2
TW - T26 2 x 18W PAR. DOWN-UP	261 63 52	1170	261 63 52 E	970	261 63 52 ED	1100	2 x T26 18W G13		1,2
TW - CAPACITOR T26 2 x 18W PAR.	261 90 52	120							0,1
TW - T26 2 x 30W PAR. DOWN	261 61 62	1470	261 61 62 E	1270	261 61 62 ED	1400	2 x T26 30W G13		1,2
TW - T26 2 x 30W PAR. DOWN-UP	261 63 62	1470	261 63 62 E	1270	261 63 62 ED	1400	2 x T26 30W G13		1,2
TW - CAPACITOR T26 2 x 30W PAR.	261 90 62	120							0,1
TW - T26 2 x 36W PAR. DOWN	261 61 72	1780	261 61 72 E	1580	261 61 72 ED	1710	2 x T26 36W G13		1,5
TW - T26 2 x 36W PAR. DOWN-UP	261 63 72	1780	261 63 72 E	1580	261 63 72 ED	1710	2 x T26 36W G13		1,5
TW - CAPACITOR T26 2 x 36W PAR.	261 90 72	120							0,1
TW - T26 2 x 58W PAR. DOWN	261 61 82	2150	261 61 82 E	1880	261 61 82 ED	2010	2 x T26 58W G13		2,4
TW - T26 2 x 58W PAR. DOWN-UP	261 63 82	2150	261 63 82 E	1880	261 63 82 ED	2010	2 x T26 58W G13		2,4
TW - CAPACITOR T26 2 x 58W PAR.	261 90 82	120							0,1


ACCESSORIES :
 POLYCARBONATE OPAL DOWN
 POLYCARBONATE OPAL UP


TW - TC-L 1 x 36W DOWN	261 61 65	730	261 61 65 E	780	261 61 65 ED	900	1 x TC-L 36W 2G11		0,8
TW - CAPACITOR TC-L 1 x 36W	261 90 65	120							0,1
TW - TC-L 1 x 55W DOWN			261 61 75 E	900	261 61 75 ED	1030	1 x TC-L 55W 2G11		0,8

ACCESSORIES :
 POLYCARBONATE OPAL DOWN
 POLYCARBONATE OPAL UP



TW - TC-L 2 x 36W SERIE DOWN			261 61 67 E	1250	261 61 67 ED	1370	2 x TC-L 36W 2G11		1,3
TW - CAPACITOR TC-L 2 x 36W SERIE									0,1
TW - TC-L 2 x 55W SERIE DOWN			261 61 77 E	1620	261 61 77 ED	1620	2 x TC-L 55W 2G11		1,5

INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING **PROFILES**
 TWIST


OPTIONS

CONTROL EVG DIMMABLE




DSI-T SWITCH CONTROL / CIRCUIT	260 95 T	300	0,1
DSI-IR INFRARED CONTROL / 1 CIRCUIT	260 95 IR	300	0,1
DSI-2IR INFRARED CONTROL / 2 CIRCUITS	260 95 2IR	300	0,1
INFRARED RECEIVER RECESSED	260 95 IREL	100	0,1
INFRARED EMITTER	260 95 IRS		0,1
DSI-AD 1-10V CONTROL / CIRCUIT	260 95 AD	300	0,1

ACCESSORIES

TW - PC OPAL DOWN

TW - PC OPAL UP



TW - T26 18W	261 51 51	261 51 51	0,3
TW - T26 30W	261 51 61	261 51 61	0,4
TW - T26 36W	261 51 71	261 51 71	0,5
TW - T26 58W	261 51 81	261 51 81	0,6
TW - TC-L 36W	261 51 65	261 51 65	0,3
TW - TC-L 55W	261 51 75	261 51 75	0,3



CLIPPER




INTERIOR LIGHTING PROFILES CLIPPER




CLIPPER PROFILE

MOD.DEP.



TOL.DIN 1748/4 - DIN 17615



CLIPPER COVER



CLIPPER END CAP



CL - PROFILE + CL - END CAP

CL - PROFILE ANO
262 00 00 ANO

CL - COVER ANO
262 01 00 ANO

CL - END CAP ANO
262 03 01 ANO

CL - PROFILE RAL
262 00 05 RAL

CL - COVER RAL
262 01 05 RAL

CL - END CAP RAL
262 03 05 RAL

MAX.L / PROFILE : 6m
Kg / m



2,1

MAX.L / PROFILE : 6m
Kg / m

0,7

0,1

CLIPPER CABLE SUSPENSION



CL - CABLE SUSPENSION
SINGLE AUTOMATIC $\diamond$
 $\diamond$ = ANO / RAL


L 1.6m 262 09 01 $\diamond$
L 3.5m 262 09 03 $\diamond$
L 6.0m 262 09 06 $\diamond$

CL - CABLE SUSPENSION
DOUBLE MANUAL $\diamond$
 $\diamond$ = ANO / RAL

L 1.75m 262 10 01 $\diamond$

0,1

CURRENT SUPPLY



CABLE
3 x 0.75mm²

0,3

L 1.6m 296 98 51
L 3.5m 296 98 53
L 6.0m 296 98 56

CURLY CABLE $\diamond$
3 x 0.75mm²
 $\diamond$ = A / W

0,5

L 1.6m 260 98 51 $\diamond$
L 3.5m 260 98 53 $\diamond$

CABLE
5 x 0.75mm²

L 1.6m 296 99 51
L 3.5m 296 99 53
L 6.0m 296 99 56

CURLY CABLE $\diamond$
5 x 0.75mm²
 $\diamond$ = A / W

L 1.6m 260 99 51 $\diamond$
L 3.5m 260 99 53 $\diamond$

OPTIONS :
CABLE BASE R / S



OPTIONS :
CABLE BASE R / S



CLIPPER CORNERS - CONNECTIONS - WALL FIXATION - DIRECT FIXATION



CL - CORNER 180°
262 06 01


0,3

CL - CORNER 135°
262 06 05

0,3

CL - CORNER 90°
262 06 06

0,3



CL - CONNECTION T
262 06 07


0,6

CL - CONNECTION +
262 06 08

0,6


CL - CORNER X°
262 06 09

0,3



CL - WALL FIXATION 90°
262 06 10

0,3



CL - DIRECT FIXATION
262 12

0,1

OPTIONS - CABLE BASE



CABLE BASE R ANO
203 99 55 ANO
CABLE BASE R W
203 99 55 W

0,1

OPTIONS :
COVERSET R 62-90-100

0,1



CABLE BASE S ANO
203 99 56 ANO
CABLE BASE S W
203 99 56 W

0,1

OPTIONS :
COVERSET S 62-80-90

0,1

OPTIONS - COVERSET



Ø62 COVERSET R 62
204 00 62 ANO
204 00 62 W
Ø90 COVERSET R 90
204 00 90 ANO
204 00 90 W
Ø100 COVERSET R 100
204 00 100 ANO
204 00 100 W

0,1




□ 62 COVERSET S 62
204 62 62 ANO
204 62 62 W
□ 80 COVERSET S 80
204 80 80 ANO
204 80 80 W
□ 90 COVERSET S 90
204 90 90 ANO
204 90 90 W

0,1

INTERIOR LIGHTING — PROFILES
CLIPPER



INCL.CABLING 1 CIRCUIT / IP20



INTERIOR LIGHTING


PROFILES

CLIPPER



CLIPPER MODULES

L = 320




CL - RB50 262 61 201

1 x QR-CB51 20-35-50W
GX5.3 / 230V / 50Hz / TM
ORIENTABLE




L = 350




CL - R7s UP 262 62 30

R7s / 230-240V / 50-60Hz
1 x QT-DE12 150W



L = 275




CL - SINGLE JACK 262 61 10

EXCL.1 x SPOT JAC $\Delta\Delta$ ∞ $\diamond$
1 x 20-35-50W
230V / 50Hz / TM



50W L = 290
100W L = 450



CL - SKEELER

262 60 35 CL - SKEELER 3 x 50W
262 60 37 CL - SKEELER 3 x 100W
EXCL.1 x SKEELER 311 PRO
230-240V / 50-60Hz / TE



L = 375



CL - TWIN JACK 262 61 16

EXCL.2 x SPOT JAC $\Delta\Delta$ ∞ $\diamond$
2 x 20-35-50W
230V / 50Hz / TM



L = 375



CL - DOUBLE JACK

262 61 15
EXCL.2 x SPOT JAC $\Delta\Delta$ ∞ $\diamond$
2 x 20-35-50W
230V / 50Hz / TM



L = 70

STANDARD CABLING 1 CIRCUIT


CL - CONNECTION PLATE / CIRCUIT CURRENT SUPPLY

OPTIONS :

CL - CABLING EXTRA CIRCUIT / MODULE
262 90 01






INCL.CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING **PROFILES**
CLIPPER
**CLIPPER MODULES T26 / TC-L**
KVG L 300mm
 230V / 50Hz




EVG L 450mm
 230-240V / 50-60Hz

 DIMMABLE BY SWITCH DIM / DSI
EVG L 450mm
 230-240V / 50-60Hz




KVG Lmm **EVG** Lmm **EVG DIM** Lmm LAMP

 ACCESSORIES :
 POLYCARBONATE OPAL DOWN




CL - T26 1 x 18W DOWN	262 61 51	920	262 61 51 E	970	262 61 51 ED	1100	1 x T26 18W G13		0,8
CL - T26 1 x 18W DOWN-UP	262 63 51	920	262 63 51 E	970	262 63 51 ED	1100	1 x T26 18W G13		0,8
CL - CAPACITOR T26 1 x 18W	262 90 51	120							0,1
CL - T26 1 x 30W DOWN	262 61 61	1220	262 61 61 E	1270	262 61 61 ED	1400	1 x T26 30W G13		0,8
CL - T26 1 x 30W DOWN-UP	262 63 61	1220	262 63 61 E	1270	262 63 61 ED	1400	1 x T26 30W G13		0,8
CL - CAPACITOR T26 1 x 30W	262 90 61	120							0,1
CL - T26 1 x 36W DOWN	262 61 71	1530	262 61 71 E	1580	262 61 71 ED	1710	1 x T26 36W G13		0,8
CL - T26 1 x 36W DOWN-UP	262 63 71	1530	262 63 71 E	1580	262 63 71 ED	1710	1 x T26 36W G13		0,8
CL - CAPACITOR T26 1 x 36W	262 90 71	120							0,1
CL - T26 1 x 58W DOWN	262 61 81	1860	262 61 81 E	1880	262 61 81 ED	2010	1 x T26 58W G13		1,5
CL - T26 1 x 58W DOWN-UP	262 63 81	1860	262 63 81 E	1880	262 63 81 ED	2010	1 x T26 58W G13		1,5
CL - CAPACITOR T26 1 x 58W	262 90 81	120							0,1

 ACCESSORIES :
 POLYCARBONATE OPAL DOWN


CL - T26 2 x 18W PAR. DOWN	262 61 52	1170	262 61 52 E	970	262 61 52 ED	1100	2 x T26 18W G13		1,2
CL - T26 2 x 18W PAR. DOWN-UP	262 63 52	1170	262 63 52 E	970	262 63 52 ED	1100	2 x T26 18W G13		1,2
CL - CAPACITOR T26 2 x 18W PAR.	262 90 52	120							0,1
CL - T26 2 x 30W PAR. DOWN	262 61 62	1470	262 61 62 E	1270	262 61 62 ED	1400	2 x T26 30W G13		1,2
CL - T26 2 x 30W PAR. DOWN-UP	262 63 62	1470	262 63 62 E	1270	262 63 62 ED	1400	2 x T26 30W G13		1,2
CL - CAPACITOR T26 2 x 30W PAR.	262 90 62	120							0,1
CL - T26 2 x 36W PAR. DOWN	262 61 72	1780	262 61 72 E	1580	262 61 72 ED	1710	2 x T26 36W G13		1,5
CL - T26 2 x 36W PAR. DOWN-UP	262 63 72	1780	262 63 72 E	1580	262 63 72 ED	1710	2 x T26 36W G13		1,5
CL - CAPACITOR T26 2 x 36W PAR.	262 90 72	120							0,1
CL - T26 2 x 58W PAR. DOWN	262 61 82	2150	262 61 82 E	1880	262 61 82 ED	2010	2 x T26 58W G13		2,4
CL - T26 2 x 58W PAR. DOWN-UP	262 63 82	2150	262 63 82 E	1880	262 63 82 ED	2010	2 x T26 58W G13		2,4
CL - CAPACITOR T26 2 x 58W PAR.	262 90 82	120							0,1

 ACCESSORIES :
 POLYCARBONATE OPAL DOWN



CL - TC-L 1 x 36W DOWN	262 61 65	730	262 61 65 E	780	262 61 65 ED	900	1 x TC-L 36W 2G11		0,8
CL - TC-L 1 x 36W DOWN-UP	262 63 65	730	262 63 65 E	780	262 63 65 ED	900	1 x TC-L 36W 2G11		0,8
CL - CAPACITOR TC-L 1 x 36W	262 90 65	120							0,1
CL - TC-L 1 x 55W DOWN			262 61 75 E	900	262 61 75 ED	1030	1 x TC-L 55W 2G11		0,8
CL - TC-L 1 x 55W DOWN-UP			262 63 75 E	900	262 63 75 ED	1030	1 x TC-L 55W 2G11		0,8

 ACCESSORIES :
 POLYCARBONATE OPAL DOWN



CL - TC-L 2 x 36W SERIE DOWN			262 61 67 E	1250	262 61 67 ED	1370	2 x TC-L 36W 2G11		1,3
CL - TC-L 2 x 36W SERIE DOWN-UP			262 63 67 E	1250	262 63 67 ED	1370	2 x TC-L 36W 2G11		1,3
CL - CAPACITOR TC-L 2 x 36W SERIE									0,1
CL - TC-L 2 x 55W SERIE DOWN			262 61 77 E	1620	262 61 77 ED	1620	2 x TC-L 55W 2G11		1,5
CL - TC-L 2 x 55W SERIE DOWN-UP			262 63 77 E	1620	262 63 77 ED	1620	2 x TC-L 55W 2G11		1,5

INCL. CABLING 1 CIRCUIT / IP20


INTERIOR LIGHTING  **PROFILES**
 CLIPPER

**OPTIONS****CONTROL EVG DIMMABLE**


DSI-T SWITCH CONTROL / CIRCUIT	260 95 T	300	0,1
DSI-IR INFRARED CONTROL / 1 CIRCUIT	260 95 IR	300	0,1
DSI-2IR INFRARED CONTROL / 2 CIRCUITS	260 95 2IR	300	0,1
INFRARED RECEIVER RECESSED	260 95 IREL	100	0,1
INFRARED EMITTER	260 95 IRS		0,1
DSI-AD 1-10V CONTROL / CIRCUIT	260 95 AD	300	0,1

ACCESSORIES**CL - PC OPAL DOWN**

CL - T26 18W	262 51 51	0,3
CL - T26 30W	262 51 61	0,4
CL - T26 36W	262 51 71	0,5
CL - T26 58W	262 51 81	0,6
CL - TC-L 36W	262 51 65	0,3
CL - TC-L 55W	262 51 75	0,3





INTERIOR LIGHTING MOBILE LIGHTING

BUGGY 215 INT 412



BUGGY 250 INT 412



TRAVELLIGHT 50 INT 413



POKKET INT 413



MOBILE BOX INT 413



TYPE	INT
BUGGY 215	412
BUGGY 250	412
MOBILE BOX	413
POKKET	413
TRAVELLIGHT 50	413

Mobile Lighting

INTERIOR LIGHTING


MOBILE LIGHTING

TRAVELLIGHT 50

POKKET

MOBILE BOX

TRAVELLIGHT 50

**TRAVELLIGHT 50****250 01 01**

◇ = A / B / W

INCL.1 x CABLE 2 x 1.5 mm² 3m

INCL.1 x TRAVELLIGHT SUPPORT

203 52 13

◇ = A / B / W


GX5.3 / 230-240V / 50-60Hz / TE

1 x QR-CB35 20-35W

1 x QR-CB51 20-35-50W

OPTIONS / ACCESSORIES :
 TRAVELLIGHT SUPPORTS


CLIP 50 + DICROIC FILTER 50

**TRAVELLIGHT SUPPORT****203 52 13**

◇ = A / B / W


0,1

OPTIONS - TRAVELLIGHT SUPPORTS



**TRAVELLIGHT SUPPORT L****203 52 11**

◇ = A / B / W

0,1

**TRAVELLIGHT SUPPORT DOUBLE****203 52 16**

◇ = B / W

**MULTISCREEN SUPPORT****203 52 04**

◇ = B / W


**LEITNER SUPPORT****203 52 05**

◇ = B / W

POKKET



POKKET + SPOT PHANTOM II

**POKKET B****250 01 60 B**INCL.1 x CABLE 2 x 1.5 mm² 3m

INCL.1 x POKKET SUPPORT B

203 52 50 B

EXCL.1 x SPOT JAC ΔΔ °° B


1 x 20-35-50W

230-240V / 50-60Hz / TE

OPTIONS :


POKKET SUPPORT DMC

LOCKBUS


**POKKET SUPPORT B****203 52 50 B**

0,1

OPTIONS

DMC PROFILE + POKKET
+ POKKET SUPPORT DMC
+ SPOT PHANTOM II**POKKET SUPPORT DMC****203 52 51**

0,1




DELTA MATRIX DMC PROFILE

**LOCKBUS C****203 10 10 C**

0,1

MOBILE BOX

**MOBILE BOX W****250 01 91 W**

1



ACCESSORIES

**CLIP 50 A/B/W****201 30 98 A****201 30 98 B****201 30 98 W**

0,1

**DICROIC FILTER 50****201 30 11****201 30 12****201 30 13****201 30 14**

0,1

INTERIOR LIGHTING

MOBILE LIGHTING

TRAVELLIGHT 50
BUGGY 215



INTERIOR LIGHTING MOBILE LIGHTING
 BUGGY 250
 TRAVELLIGHT 50

